

ISSN 0300-9246

JOURNAL OF THE CHEMICAL SOCIETY

Dalton Transactions

A journal of inorganic chemistry

1986



ROYAL SOCIETY OF CHEMISTRY

6

© The Royal Society of Chemistry, 1986. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form, or by any means, electronic, mechanical, photographic, recording, or otherwise, without the prior permission of the publishers.

Printed in Great Britain by
Richard Clay Ltd.,
Bungay, Suffolk

AUTHOR INDEX

- Abel, Edward W., 205, 961, 2173
 Abou-El-Wafa, Moustafa H. M., 2083
 Adams, Harry, 693, 733, 813, 1155, 2055, 2119, 2127
 Addison, Anthony W., 2381
 Adhikary, Bibhutoh, 1175
 Adovasio, Victor, 477, 803
 Ahmad, Rohana, 2433
 Ahmed, Mohammed A. K., 771
 Aime, Silvio, 1459, 1863
 Airoldi, Claudio, 1913
 Al-Baker, Salam, 1297
 Al-Daher, Abdul Ghany M., 355, 615, 843
 Albano, Vincenzo G., 981, 1791, 2411
 Albertin, Gabriele, 329, 2551
 Alcock, Nathaniel W., 571, 783, 985, 1403, 1743
 Ali, Hapipah Mohd., 213
 Allen, Christopher W., 1333
 Allevi, Claudio, 1375
 Allison, Joe D., 67
 Amer, Said A., 421
 Anand, Badrnath N., 2013
 Anderson, David G., 113
 Anderson, Gerard M., 337
 Anderson, Lori Beth, 55, 2607
 Anderson, Stewart N., 245, 1591
 Andersson, Jan Y., 469
 Andreucci, Luca, 477, 803
 Andrews, David G., 1565
 Andrianarijona, Liva, 2221
 Ang, Kok-Peng, 2519
 Annibale, Giuliano, 1101, 1107
 Antolini, Luciano, 1367, 2529
 Aoki, Katsuyuki, 1193
 Arce, Alejo J., 1459
 Arlen, Christian, 359
 Armstrong, Graeme D., 755
 Arnau, Cecili, 1839
 Arnaud-Neu, Françoise, 2629
 Asperger, Smiljko, 2535
 Ascenso, José R., 2395
 Ashmawy, Fathy M., 421
 Ashton, Peter R., 1565
 Atwood, Jerry L., 2743
 Audisio, Guido, 905
 Awang, M. Rasol, 165
 Azoulay, Michel, 469
 Bär, Eberhard, 863
 Babaian, Elizabeth A., 2743
 Bagnall, Kenneth W., 355, 615, 783, 843
 Bailey, Neil A., 693, 733, 813, 2055, 2119, 2127, 2681
 Bailey, Stuart I., 603
 Baker, Gareth J., 2655, 2663
 Baker, Paul K., 459
 Balakrishnan, Karapulli P., 1743
 Baldan, Daniela, 329
 Bandoli, Giuliano, 1623
 Bandy, Judith A., 2477
 Banerjee, Pradyot, 1301
 Banister, Arthur J., 1465, 2371
 Barbati, Aldo, 2569
 Barbucci, Rol, 2325
 Barder, Timothy J., 2607
 Barker, James, 1359
 Barr, Donald, 537
 Barron, Andrew R., 279, 287, 1329
 Barron, Peter F., 1965
 Bars, Odile, 359
 Barszcz, Barbara, 2025
 Barteri, Mario, 333
 Barthélemy, Pierre P., 2497
 Basak, Arup K., 39, 2029
 Basato, Marino, 217
 Basu, Amitabha, 2501
 Basumatary, Jayanta K., 709
 Bates, Paul A., 2367
 Battaglia, Luigi Pietro, 1367, 1513, 1653, 2529
 Bau, Robert, 1753
 Baudler, Marianne, 1659
 Baudry, Denise, 525, 531
 Bazsa, György, 2675
 Bénard, Marc, 2581
 Beagley, Brian, 2289
 Beck, Ferdin, 863
 Beckett, Michael A., 303, 795, 1879
 Begley, Michael J., 925, 929, 1031, 1231, 1735
 Belicchi, M. Ferrari, 2455
 Bell, Graeme A., 1689
 Bellitto, Carlo, 595, 847
 Beltrán, Daniel, 1061, 1795
 Benetollo, Franco, 615
 Bergamini, Paola, 2311
 Beringhelli, Tiziana, 1051, 2691
 Bermúdez, Maria D., 2361
 Berry, Frank J., 771
 Bertolasi, Valerio, 1941
 Bertonecello, Renzo, 2581
 Bettelheim, Arm, 2297
 Beurskens, Paul T., 2655
 Bhaduri, Sumit, 2501
 Bigi, Adriana, 241
 Birchall, Thomas, 853
 Bishop, Peter T., 967
 Blake, Alexander J., 91
 Blower, Philip J., 903, 1339
 Blunden, Stephen J., 875
 Bombieri, Gabriella, 615
 Bonamico, Mario, 595
 Bonnet, Jean-Jacques, 899
 Boorman, P. Michael, 1251
 Bordignon, Emilio, 329, 2551
 Borgne, G. Le, 359
 Bormuth, Franz-Josef, 1213
 Bott, Simon G., 2743
 Bouaoud, Salah-Eddine, 415, 1483
 Boukhris, Abdallah, 1779
 Bowmaker, Graham A., 1065
 Boyar, Esther, 1431, 1437
 Boyar, Esther B., 1771
 Boyd, Peter D. W., 887, 1065
 Boydell, Philip, 525, 531
 Bradley, Donald C., 1305
 Braga, Dario, 975, 981, 1791, 2411
 Brammer, Lee, 657
 Braunstein, Pierre, 225, 415, 1135, 1483
 Bravo, Jorge, 1945
 Brehm, Ludwig, 997
 Brereton, Ian M., 1075
 Briant, Clive E., 687, 835, 1535
 Brice, Robert A., 2181
 Briggs, T. Nigel, 813
 Brint, R. Paul, 2283
 Brisdon, Alan K., 2725
 Brisdon, Brian J., 2405
 Bristow, Stuart, 2013
 Broadley, Karen, 373
 Brock, Carolyn P., 1771
 Brodie, Andrew M., 633
 Brown, David, 783, 1403
 Brown, David A., 701
 Brown, David W., 2405
 Brown, Michael P., 1955
 Brown, Paul L., 1901
 Brown, Stephen J., 2525
 Bruce, Duncan W., 1565
 Bruce, Michael I., 2557
 Bullen, Graham J., 1937
 Bultitude, John, 2253
 Burnett, Michael G., 2083
 Bursten, Bruce E., 2607
 Busetto, Luigi, 1791
 Butter, Kevin R., 1217
 Byers, Peter K., 1731
 Carsky, Peter, 2581
 Cabeza, Javier A., 1155
 Cahill, Philip, 2119
 Caira, Mino R., 2035, 2043
 Calderazzo, Fausto, 2569
 Camellini, Marisa Tiripicchio, 23, 1101
 Cameron, Neil, 1359
 Campbell, Graeme K., 1065
 Campbell, Michel J. M., 2325
 Cano, Félix H., 31, 1087, 2113, 2193
 Canovese, Luciano, 1101, 1107
 Canty, Allan J., 645, 939, 1731, 2201, 2205
 Cardin, Christine J., 2315
 Cardin, David J., 2315, 2321
 Carlton, Laurence, 1577
 Carluer, Brigitte, 415, 1483
 Carmona-Guzmán, M. Carmen, 1265
 Carmona, Daniel, 15, 31, 2113
 Carr, Stuart W., 1815
 Carroll, W. Eammon, 1021
 Carty, Arthur J., 2737
 Casas, José S., 1945
 Cascales, Conchita, 1247
 Casolaro, Mario, 2325
 Castiglioni, Mario, 23
 Castineiras, Alfonso, 1945
 Cattalini, Lucio, 1101, 1107
 Cayias, Judith Z., 2743
 Cazanga, Marcia, 465
 Ceder, Rosa Maria, 1351
 Chadwick, Isabel, 1867
 Chagas, Aécio P., 1913
 Chambers, Jill A., 755
 Chan, H. Sze-On, 2519
 Chapman, Stephen K., 2063
 Chaudhuri, Mihir K., 709
 Chaudhuri, Phalguni, 1693
 Chebolu, Vikatasuryanarayana, 2519
 Chen, Mingqin, 2227
 Chiang, Michael Y., 1753
 Chicote, Maria-Teresa, 2215, 2361
 Chiesi-Villa, Angiola, 445
 Chimichi, Stefano, 505
 Chini, Paolo, 1375
 Chippendale, A. Margaret, 2247
 Chiu, Kwok W., 457
 Chung, Chung-Sun, 1995, 1999
 Ciampolini, Mario, 505
 Ciani, Gianfranco, 1051, 2691
 Clamp, Sara, 459
 Clark, James H., 2525
 Clark, Robin J. H., 273, 403, 1595
 Clark, Ronald J., 765
 Clegg, William, 47, 1257, 1283, 2287
 Cohen, Haim, 2509
 Colclough, Terence, 351
 Cole-Hamilton, David J., 1055, 1129, 1225
 Colgan, Daryl, 603
 Colombie, Anne, 899
 Colquhoun, Howard M., 813, 1639
 Compton, Richard G., 1225
 Condon, David M., 103
 Connelly, Neil G., 373, 459, 1613, 1619
 Connor, Joseph A., 347, 511, 2741
 Connors, Sean P., 2381
 Constable, Edwin C., 1747
 Cook, Stephen L., 7, 2149
 Coronado, Eugenio, 1061, 1795
 Corradi, Anna Bonamartini, 1367, 1513, 1653, 2529
 Courtot-Coupez, Jacqueline, 1917, 1923
 Coutsolelos, Athanasios, 1779
 Couture, Christiane, 1395
 Cowley, Alan H., 1801
 Cradock, Stephen, 113, 859
 Crispini, Guido, 365
 Crook, Janet E., 1879, 2433
 Cross, Ronald J., 411, 1059, 1987
 Croud, Vincent B., 403
 Crow, David R., 2651
 Crumbliss, Alvin L., 1895
 Cruywagen, Johannes J., 1857
 Cundy, Colin S., 2265
 Cupertino, Domenico C., 1129
 D'Arcanski, Edita, 2339
 D'Alfonso, Giuseppe, 1051, 2691
 Dagnall, Stephen P., 1499, 1505
 Dahlinger, Karl, 2145
 Daolio, Sergio, 905
 Dapporto, Paolo, 505
 Datta, Dipankar, 1907
 Dauter, Zbigniew, 433
 Davidson, Jack L., 1577, 1677, 2423
 Davidson, Keith, 1677
 Davidson, Michael F., 411, 1987
 Davies, Alwyn G., 297, 1873
 Dawes, Helen M., 297, 313, 403, 297, 1129, 1459, 2545
 Dawoodi, Zain, 1629
 Day, Peter, 847
 de Barbarin, Cecilia O. Rodriguez, 693

- De Maldé, Viviana, 1051
de Miguel, Amelio Vázquez, 1565
de Wet, J. Ferdinand, 2035, 2043
de Wit, Henk, 1825
Decock-Le Reverend, Brigitte, 2221
Dedieu, Alain, 225
Deeming, Antony J., 543, 1431, 1437, 1459, 2259, 2545
Deeth, Robert J., 1531
Delgado, Esther, 869, 2105
Delgado, Rita, 2395
Demartin, Francesco, 777, 2463
Deng, Robert M. K., 1443, 1843
Denti, Gianfranco, 733
Deplano, Paola, 365, 2311
Derome, Andrew E., 343
Desreux, Jean F., 2497
Dessy, Giulia, 595
Dewan, John C., 2623
Diaz, Carlos, 1867
Dickert, Franz L., 997
Diebler, Hartmut, 1693
Dillon, Keith B., 1443, 1843
Dilworth, Jonathan R., 903, 967, 1339, 2253
Diversi, Pietro, 477, 803
Domi, Bujar, 2535
Donovan-Mtunzi, Susan, 543
Doughty, Simon M., 1639
Downs, Anthony J., 1289
Drew, Michael G. B., 351, 713, 911, 1081, 1161, 1543, 2165, 2405, 2493, 2505
Driessen, Willem L., 537
Duff, Alan W., 489, 1311
Dusaosoy, Yves, 225
Dyson, Jeffery C., 1965
Earle, Avery, 2137
Ebsworth, E. A. V., 91, 1333
Edmonds, Roderick N., 323
Edwards, Anthony J., 2623
Edwards, Peter P., 323
Elias, Horst, 2169
Ellermann, Jochen, 997
Elliott, Gregory P., 2091
Erlington, Margaret, 2277
Emsis, Cornelis A., 1825
Emoto, Mitsuhiko, 891
Emsley, John, 313, 2641
Engelhardt, Lutz M., 603, 645, 789, 1731, 1965
Ennis, Patricia M., 2485
Ephritikhine, Michel, 525, 531
Errington, R. John, 1305
Escrivá, Emilio, 1795
Esjornson, David, 2607
Espinete, Pablo, 259, 1849
Esteban, Montserrat, 2113
Evans, David G., 1535, 1723
Evans, Howard T., 2699
Evans, John, 7, 2149
Fábian, István, 2675
Fairhurst, Shirley A., 1465
Fallon, Gary D., 437, 2271
Falshaw, Christopher P., 2289
Fanchiang, Yueh-Tai, 135
Fanizzi, Francesco P., 273
Fares, Vincenzo, 595
Farrar, David H., 1395
Fawcett, John, 457
Fawzi, Riad, 997
Fehlhammer, Wolf P., 863
Feiters, Martinus C., 317
Fenton, David E., 693, 2681
Ferguson, George, 103, 2283, 2351
Fernández, Vicente, 883
Ferragina, Carla, 265
Ferrer, Miguel, 1839
Ferretti, Valeria, 1941
Ferruti, Paolo, 2325
Figgis, Brian N., 125
Fittschen, Christa, 2215, 2361
Fitzpatrick, Noel J., 701
Fitzsimmons, Brian W., 1937
Fjeldberg, Torgny, 1551, 2387
Flamini, Alberto, 595
Flanders, David J., 783, 1403
Flint, Colin D., 921
Floriani, Carlo, 445
Foces-Foces, Concepción, 31, 2113
Foces-Foces, Concha, 1087, 2193
Fochi, Giovanni, 445
Folgado, Jose V., 1061
Font-Altaba, Manuel, 1351, 1785
Fontaine, Xavier L. R., 547
Foresti, Elisabetta, 241
Fornies, Juan, 259, 947, 1751, 1849
Forsellini, Eleonora, 615
Fortuño, Consuelo, 1849
Foulds, Gary A., 2515
Fowkes, Hayat, 517, 547
Fraile, M. Nieves, 291
Frausto da Silva, João J. R., 2395
Freni, Maria, 1051, 2691
Fuchita, Yoshio, 2259
Fuertes, Amparo, 1795
Fujii, Kinjiro, 729
Fukuda, Yoshihiko, 953
Gabe, Eric J., 625
Gabryszewski, Mieczysław, 2025
Gans, Peter, 2597
Garcia, Augustin, 259
Gardner, Christopher J., 1289
Garlaschelli, Luigi, 777, 2411, 2463
Garner, C. David, 1257, 1595, 2013
Gasparri, G. Fava, 2455
Gayoso, Miguel, 1945
Gazzano, Massimo, 241
Geary, William J., 1347
Geiger, William E., 373
Gentil, Luis A., 2731
Gergely, Arthur, 235
Gerloch, Malcolm, 1531
Gessner, Wolfgang, 1277
Ghedini, Mauro, 2669
Ghilardi, Carlo A., 2075
Ghosh, Manik C., 1301
Gibb, Terence C., 1447
Gibson, Danuta, 347, 2741
Gill, J. Bernard, 2597, 2603
Gilli, Gastone, 1941
Gilmour, David I., 835
Gilson, Trevor R., 895
Giordano, Roberto, 23
Gleiter, Rolf, 1659
Gleria, Mario, 905
Goddard, Jeffrey P., 1873
Gold, Victor, 2641
Goldberg, David E., 2387
Gomme, Robin A., 2725
González, Guillermo, 1867
Goodall, David C., 2597, 2603
Goodfellow, Robin G., 681
Goodfellow, Robin J., 1375
Govan, Norman, 2539
Govindarajan, Subbiah, 119
Graham, Paul G., 1619
Grandjean, Daniel, 415, 1483
Granel, Jaume, 1785
Granozzi, Gaetano, 2581
Gray, Leslie R., 2149
Greatrex, Robert, 81
Greaves, G. Neville, 7
Green, Jennifer C., 765, 1313
Green, Malcolm L. H., 343, 1629, 2227, 2469, 2477
Green, Michael, 187, 657, 1021, 1697, 1971
Greenwood, Norman N., 81, 517, 547, 795, 1879, 2277, 2433
Grieves, Ruth A., 1313
Griffith, William P., 1035, 1057, 1125
Griffiths, Lee, 2247, 2265
Grilli, Ernesta, 879, 1041
Grosse-Ophoff, Markus J., 1723
Grossel, Martin C., 1955
Grove, David M., 141, 717
Guastini, Carlo, 445
Guéguen, Monique, 1923
Guerchais, Jacques E., 1917, 1923
Guilard, Roger, 1779
Guy, John J., 2623
Haaland, Arne, 1551, 2387
Hagen, Kolbjørn, 1821
Hague, David N., 1499, 1505
Haiduc, Ionel, 1031
Hall, Kevin P., 687
Hall, Michael, 1231, 1239, 1735
Hallett, Christopher, 853
Hambley, Trevor W., 553, 565, 1075
Hamor, Thomas A., 1525
Hancock, Robert D., 2505
Hardcastle, Kenneth, 543, 2259
Harding, Marjorie M., 1129
Harding, P. Alexander, 1771
Harman, Béla, 235
Harris, Robin K., 1015, 2247
Harrison, Aidan T., 1405
Harrison, Philip G., 925, 929
Hasan, Masihul, 1161
Hauptman, Zdenek V., 1465, 2371
Hay, Robert W., 39, 1485, 2029, 2539
Head, Robert A., 511
Healy, Peter C., 1965
Heaton, Brian T., 681, 1375
Henderson, Richard A., 2155
Henderson, Steven G., 1333
Hengelmolen, Rudy, 141
Henrick, Kim, 975, 1431, 1437, 2181, 2259
Herbert, John W., 1931
Heyns, J. Bernard, 1857
Heyward, Malcolm P., 2593
Hibbert, Richard C., 369, 751
Hiese, Zavei, 709
Higgins, Simon J., 317
Highcock, W. James, 821, 829
Hill, Robin, 875
Hill, W. Eugene, 2289
Hill, William E., 1297
Hiller, Wolfgang, 997, 1945
Hills, Elaine F., 157
Hilms, Elke, 2169
Hirosu, Takahiro, 1609, 1983
Hitchcock, Peter B., 2387
Hobson, Richard J., 1161, 2165
Holden, H. Diane, 633
Holloway, John H., 1821
Holt, Elizabeth M., 2303, 2449
Holton, Dolores M., 323
Hope, Eric G., 1003, 1479, 1587
Hope, Janet, 887
Hopkins, William A., 351
Horn, Ernst, 1075
Hoskins, Simon V., 1709
Hough, Edward, 2335
Howard, Judith A. K., 187, 1697, 1723, 2091
Howarth, Oliver W., 369, 1405
Howes, Andrew J., 279
Howie, R. Alan, 759
Howlin, Brendan J., 1937
Hrncir, Duane C., 2743
Hubert-Pfalzgraf, Liliane G., 1741
Hughes, David L., 245, 393, 1591
Hummel, Hans-U., 43
Hunter, Geoffrey, 577
Huntley, Christopher M., 859
Hursthouse, Michael B., 279, 297, 313, 403, 1129, 1141, 1305, 1459, 1873, 2017, 2367, 2545, 2711
Hussain, Wasif, 1473
Hutchinson, John P., 903, 967, 1339
Huttner, Gottfried, 377, 385, 1181
Hynes, Michael J., 2243
Ibáñez, Fern., 465
Iida, Masayasu, 2049
Iliopoulos, Peter, 437
Ingrassio, Giovanni, 477, 803
Innocenti, Paolo, 2075
Isab, Anvarhusein A., 1049
Isobe, Kiyoshi, 1565
Issa, Rafat M., 421
Itagaki, Takaharu, 1609, 1983
Jablonski, Chester R., 2137
James, Alun P., 187, 1697, 1709
James, E. Joyce, 511
Jameson, Reginald F., 1833
Jeffery, John C., 165, 173, 869, 1709, 1717, 1723, 2105
Jeffreys, Brian, 2597, 2603
Jells, Alasdair N. de M., 1697
Jewiss, Hilary C., 1479
Jezowska-Trzebiatowska, Bogustawa, 97
Jibril, Ibrahim, 377, 385, 1181
Johnson, Brian F. G., 453, 975, 2515
Johnson, Karen M., 1465
Johnstone, Ian R., 1565
Jones, Christopher J., 109, 733, 1525, 2055
Jones, Deborah J., 651
Jones, Geraint, 693
Jones, Michael D., 1411
Jones, Peter, 333
Jones, Peter G., 259, 291, 669, 947, 1309, 1751, 2215, 2287, 2361, 2501
Joss, Stefan, 1595
Jubieta, Jon A., 903
Jubran, Nusrallah, 2509
Kai, Yasushi, 2613
Kallas, Elena, 1955
Kamarudin, Rose A., 489, 1311
Kanjolia, Ravindra K., 2345
Kanzaki, Tadao, 1243
Karia, Rajesh, 2493
Kasai, Nobutami, 1949, 2613
Katakis, Dimitris, 1491
Katoh, Shunsaku, 1609, 1983
Katsura, Takashi, 1243
Kaučič, Vencislav, 1821
Kawasaki, Yoshikane, 1767, 2613

- Keijzers, C. (Kees) P., 2655
 Kelly, John M., 253, 1045, 2485
 Kelly, Paul F., 2367
 Kemmitt, Raymond D. W., 457, 1411, 1603
 Kemp, Terence J., 1217
 Kennedy, John D., 303, 517, 547, 795, 1879, 2277, 2433
 Kerridge, David H., 1663
 Khan, Saeed I., 1753
 Khoe, Ging H., 1901
 Khwaja, Hanif, 2501
 Kida, Sigeo, 953, 2633
 Kijima, Tsuyoshi, 61
 Kikabhai, Thakor, 925, 929
 Kilduff, Jan E., 1801
 Killer, Fred, 925, 929
 Kilner, Melvyn, 1359
 King, Trevor J., 2289
 Kiss, Tamás, 1833, 2443
 König, Edgar, 991
 Kobiro, Kazuya, 1767, 2613
 Koch, Stephen A., 2519
 Koetzle, Thomas F., 1629, 1753
 Koman, Marian, 2339
 Kondo, Wakichi, 729
 Konstantatos, John, 1491
 Koresch, Jacob, 2509
 Koulkés-Pujo, Anne-Marie, 1741
 Kozlowski, Henryk, 2221
 Krannich, Larry K., 2345
 Krishnamurthy, Manickam, 449
 Krishnamurthy, Setharampattu S., 905
 Kulig, Jacek, 2025
 Kurmoo, Mohamedally, 273
 Kurosawa, Hideo, 891
 Kwik, Wei-Lu, 2519
 Lázaro, Isabel, 669
 La Ginestra, Aldo, 265
 Laguna, Antonio, 291, 669
 Laguna, Mariano, 291, 669
 Lahoz, Fern J., 15, 2113
 Laitinen, Risto, 1095
 Lalinde, Elena, 259
 Lalor, Fergus J., 103
 Lamata, M. Pilar, 15
 Lane, Gregg A., 373
 Lane, Janette D., 2155
 Lanfranchi, Maurizio, 273, 2737
 Lang, Peter F., 921
 Lannon, A. Martin, 619
 Lappert, Michael F., 489, 1311, 1551, 2387
 Lappin, A. Graham, 619
 Larkworthy, Leslie F., 1937, 2253
 Latham, Ian A., 377, 385, 393, 399, 1181
 Latour, Jean-Marc, 2681
 Lavery, Aidan, 911
 Lavigne, Guy, 899
 Lawrence, Steven H., 1753
 Lay, John, 2681
 Le Motais, Brigitte, 1741
 Lecomte, Claude, 1779
 Lee, Florence L., 625
 Lee, Tseng-Yuh, 1995
 Lehmann, Mogens S., 651
 Leigh, G. Jeffery, 213, 377, 385, 393, 399, 1181, 1473
 Lemoine, Paul, 415, 1483
 Lenarcik, Benjamin, 2025
 Leoni, Piero, 879, 1041
 Leporati, Enrico, 199, 2455, 2587
 Leung, Wing-Por, 603
 Levason, William, 317, 1003, 1479, 1587
 Lewis, Diane B., 1717, 1723
 Lewis, Gregg E., 1717, 1723
 Lewis, Jack, 453, 633, 975, 1747, 2515
 Limosin, Danielle, 2681
 Lincoln, Stephen F., 1075
 Lindner, Ekkehard, 997
 Lindsell, W. Edward, 1677
 Ling, Samson S. M., 151
 Lippmaa, Endel, 1277
 Lis, Tadeusz, 97
 Little, Ian R., 1283, 2211, 2287
 Livera, Cynara, 2221
 Lloyd, D. Robert, 2283
 López, Serafin, 1265
 Lockhart, Joyce C., 47
 Logan, Norman, 369
 Longeri, Marcello, 2669
 Loufoulou, Edouard L., 2629
 Louwen, Jaap N., 141
 Lu, Tian-Huey, 1999
 Lucherini, Antonio, 477, 803
 Lyons, Anthony Q., 499
 Lyons, David, 279
 Macartney, Donal H., 1931
 MacKenzie, Thomas E., 205, 2173
 Maddock, Alfred G., 2349
 Maeda, Yonezo, 1115
 Mahoud, Mouayed M., 1359
 Maitlis, Peter M., 1155, 1419, 1565
 Malatesta, Maria Carlotta, 777
 Manassero, Mario, 777, 2463
 Mandal, Sanat K., 2381
 Mandal, Sanat Kumar, 1175
 Manfredini, Tiziano, 2529
 Mangeot, Jean-Paul, 225
 Manning, A. R., 2399
 Manohar, Hattikudur, 119, 309
 Manojlović-Muir, Ljubica, 151, 1955
 Mantovani, Orietta, 333
 Marangoni, Giampaolo, 1941
 Marchetti, Fabio, 477, 803
 Markham, David P., 1809
 Marquez, Victoria E., 1747
 Martin, José, 2215
 Martin, Raymond L., 887
 Martinego, Secondo, 777, 981, 1375, 2463
 Martinez, Manuel, 1839
 Mason, Joan, 1313
 Mason, Nigel J., 1347
 Massaux, Jean, 2497
 Massucci, Maria A., 265
 Matsumoto, Naohide, 1115
 Matt, Dominique, 415, 1483
 Mawby, Roger J., 433, 1167
 Maxwell, Jana L., 2449
 Mazzi, Ulderico, 1623
 McAlees, Alan J., 641, 2351
 McAuliffe, Charles A., 421, 1297, 2289
 McCarthy, Anne E., 771
 McCleverty, Jon A., 109, 733, 743, 813, 1525, 2055
 McCrindle, Robert, 641, 2351
 McCullagh, John F., 2083
 McDonald, Robert, 2381
 McEwan, David M., 1809
 McGinn, Michael A., 701
 McGinnis, Joseph, 2007, 2011, 2063
 McIlroy, Paul D. A., 991
 McManus, Neil T., 1035
 McNulty, Gregory S., 7
 McPartlin, Mary, 975, 1431, 1437, 1557, 2259
 McPhail, Andrew T., 1895
 McQuillan, Geoffrey P., 759
 McWhinnie, William R., 771, 2003
 Meanwell, Neil J., 1419, 1565
 Meetsma, Auke, 1317
 Meina, Dominic G., 2645
 Menabue, Ledi, 1367, 1653, 2529
 Mercer, Richard J., 1971
 Merri, Catherine L., 1251
 Meyer-Bäse, Karen, 259, 947, 1751, 2501
 Meyerstein, Dan, 2509
 Micheloni, Mauro, 505
 Micskei, Károly, 2721
 Midollini, Stefano, 2075
 Miki, Kunio, 1949
 Mikuriya, Masahiro, 953
 Miller, Jack M., 2525
 Mills, Karen, 939
 Mills, Rona M., 821, 829
 Minchin, Nigel J., 645, 2201, 2205
 Mings, D. Michael P., 73, 687, 835, 1535
 Miravittles, Carlos, 1795
 Mise, Takaya, 2091
 Mislow, Kurt, 577
 Mitchell, Philip C. H., 351
 Mittal, Pramod K., 961
 Miya, Shin-ya, 1201, 1207
 Mockford, M. Jane, 1057
 Modh-Ali, Hapipah, 1473
 Moehring, Gregory A., 67
 Molinari, Henriette, 2691
 Molloy, Kieran C., 875
 Monari, Magda, 1791
 Moore, Iain, 2091
 Moore, Peter, 985, 1743
 Morata, Angel, 669
 Moreton, Anthony D., 1499, 1505
 Morris, John H., 2645
 Moss, Stephen, 693
 Motevalli, Majid, 279, 1141, 2017, 2711
 Moulding, Roger P., 1955
 Mroziński, Jerzy, 2339
 Muetwa, Victor S. B., 1629
 Müller, Dirk, 1277
 Muir, Kenneth W., 1955
 Mulvey, Robert E., 557
 Murase, Ichiro, 953
 Murmann, R. Kent, 1759
 Murrall, Nicholas W., 1677
 Murray, Don E., 1759
 Murray, Keith S., 437
 Murray, Martin, 459
 Murray, Paul, 2399
 Murray, Stephen G., 1003
 Musa, Faleh H., 47
 Nag, Kamalaksha, 1175
 Nagae, Suguru, 1949
 Nagypál, István, 2721
 Nair, M. Sivasankaran, 1
 Nakaya, Jun-ichi, 1949
 Nandana, W. A. Shantha, 1251
 Nardelli, Mario, 477, 803
 Natlie, Giovanni, 273
 Neaves, Bryan D., 733
 Nelson, Charles D., 1955
 Nelson, S. Martin, 911, 991
 Nelson, William J. H., 975, 1557
 Nepveu, Françoise, 1213
 Neve, Francesco, 2669
 Nichols, Peter J., 2271
 Nicholson, David G., 1543, 2335
 Nicholson, John R., 1595
 Nicholson, Terence, 1339
 Nicolini, Marino, 1623
 Niemann, Leonarda C., 717
 Nikolic, Ruzica, 1663
 Ninnas, Clive W., 743
 Nishida, Yuzo, 2633
 Nixon, John F., 765
 Nixon, Leslie A., 1347
 Nobel, Dominique, 415, 1483
 Nozzolini, Mita, 2325
 Noltemeyer, Mathias, 1309, 2287
 Norman, Nicholas C., 1801
 Norman, Paul R., 157
 Norton, Reginald J., 489, 1311
 Nowell, Ian W., 1347
 Nunn, Christine M., 187, 1697, 2091
 Nunn, Michael, 1031, 1231, 1239, 1735
 Nutton, Andrew, 1565
 O'Connell, Catherine M., 253, 2485
 O'Hare, Dermot, 343, 2469, 2477
 O'Sullivan, Richard D., 571
 Obaidi, Najat Al, 1525
 Occhiello, Ernesto, 1863
 Odaira, Yoshinobu, 1767, 2613
 Odiaka, Timothy I., 2707
 Ogdén, J. Steven, 1587, 2725
 Ogura, Kotaro, 1519
 Ohlsson, Per-Ingvarg, 2063
 Ohmae, Katsumi, 1949
 Ohnishi, Akira, 1115
 Okeya, Seichi, 1565
 Okoh, Joseph M., 449
 Olabe, José A., 2731
 Olejnik, Zofia, 97
 Oilerenshaw, Timothy J., 2013
 Omar, Hadi A. A., 985
 Ondrejović, Gregor, 2339
 Orlandini, Annabella, 2075
 Orme-Johnson, William H., 2063
 Oro, Luis A., 15, 31, 1087, 2113, 2193
 Orpen, A. Guy, 173, 657, 1021, 1971
 Orrell, Keith G., 205, 961, 2173
 Osborn, Valerie A., 2127
 Osella, Domenico, 1459
 Oskam, Ad, 141
 Overton, Colin, 511
 Ozer, Dan, 2297
 Packer, Kenneth J., 1015, 2247
 Paddick, Kathleen E., 657
 Pakkanen, Tapani A., 681
 Pakulski, Marek, 1801
 Panda, Rama Krushna, 1189
 Papasergio, Rocco I., 603, 789
 Parge, Hans E., 2315
 P-rish, R. V. ('Dick'), 421
 Parkin, Gerard, 2227
 Parkins, Adrian W., 571
 Parrott, Michael J., 1717, 1723
 Parvez, Masood, 103, 2283, 2351
 Pasquali, Marco, 879, 1041
 Passmore, Jack, 1465, 2371
 Pathirana, Hema M. K. K., 2003
 Patil, Kashinath C., 119
 Patrick, Jennifer M., 2557
 Patrono, Pasquale, 265
 Paul, Karl-Gustav, 2063
 Paulus, Helmut, 2169

- Pavlović, Dušanka, 2535
 Paxton, Keith, 1525
 Payne, Gerard F., 783
 Pétillon, François Y., 1917, 1923
 Pearse, Sheena C., 2181
 Pelizzi, C., 2455
 Pellacani, Gian Carlo, 2529
 Pergola, Roberto Della, 2463
 Perotti, Angelo, 2029, 2539
 Pettit, Leslie D., 499, 2221
 Pfeffer, Michel, 359
 Piazza, Carlos, 1265
 Pickett, Christopher J., 1181, 1453, 1473
 Pillai, M. Sankaranarayana, 1
 Pimblett, Gillian, 1087
 Pinillos, M. Teresa, 1587, 2193
 Pitteri, Bruno, 1101, 1941
 Plaisted, Richard J., 2265
 Platt, Andrew W. G., 1411, 1603
 Pöe, Anthony J., 2145
 Poli, Rinaldo, 2569
 Polyakov, Vladimir A., 589
 Ponticelli, Gustavo, 2529
 Poojary, M. Damodara, 309
 Potter, Christopher D., 81
 Povey, David C., 2253
 Power, Deirdre C. M., 2283
 Predieri, Giovanni, 1135
 Preez, A. Louis du, 1425
 Preston, Keith F., 1465
 Preston, Sheila A., 1055
 Price, Allan J., 297
 Price, Raymond, 347, 2741
 Pringle, Paul G., 1809
 Pritchard, Robin G., 2289
 Probitts, E. Jane, 1167
 Proud, Graeme P., 2545
 Prout, Keith, 1629, 2227
 Puddephatt, Richard J., 151
 Puebla, M. Pilar, 2113
 Pujari, Mahesh P., 1485, 2029, 2539
 Pumphrey, Carol A., 1125
 Purkayastha, Ranendra N. Dutta, 709
 Pursiainen, Jouni, 681
 Quill, Kieran, 875
 Quin, Louis D., 1895
 Radhakrishnamurti, Patapati Subbu, 1189
 Radomska, Barbara, 235
 Rainey, Tracey-Anne, 1125
 Raithby, Paul R., 453, 1747
 Ramalingam, S. K., 1
 Ramasami, T., 157
 Rankin, David W. H., 91, 859, 1333, 1689
 Rao, V. B. Malleswara, 2331
 Rasines, Isidoro, 1247
 Raston, Colin L., 603, 789
 Rath, Nabeen Kumar, 1189
 Rath, Nigam P., 2303, 2449
 Raven, Stephen J., 1613
 Raynor, J. Barrie, 2655, 2663
 Read, Gordon, 1383
 Reams, Patrick, 1015
 Reddy, Pulimamidi Rabintra, 2331
 Reed, David, 557
 Reedijk, Jan, 537
 Refosco, Fiorenzo, 1623
 Reginato, Gianna, 2325
 Reyes, Josefa, 31
 Reynolds, Colin D., 433
 Reynolds, Philip A., 125
 Reynolds, Sarah J., 733
 Reza, Nasar M., 313
 Rice, David A., 1081, 1161, 1821, 2165
 Richards, Raymond L., 245, 1591
 Richardson, John F., 1251
 Richens, David T., 157
 Riera, Victor, 2617
 Ripamonti, Alberto, 241
 Ritter, Gerhard, 991
 Rob van Veen, J. A., 1825
 Robert, Albert, 863
 Roberts, Patrick B., 2681
 Robertson, Heather E., 91, 859, 1333
 Robins, Robert G., 1901
 Robinson, Stephen D., 1771
 Rodriguez, Amalia, 1265
 Roesky, Herbert W., 1309, 2287
 Rogers, Deborah, 2119
 Root, Andrew, 2247
 Ros, Renzo, 2411
 Rosales, Maria J., 453
 Rosé, Jacky, 225
 Rosenberg, Lisa, 625
 Rossell, Oriol, 1011
 Rothin, Anne S., 109, 2055
 Rothwell, Ian P., 1437
 Roveri, Norberto, 241
 Rozière, Jacques, 651
 Ruhl, Barbara L., 2351
 Ruiz, Miguel A., 2617
 Rusch, Jan W., 1317
 Russell, David R., 457
 Ryabov, Alexander D., 589
 Ryder, Karl S., 1453
 Šik, Vladimir, 205, 961, 2173
 Sánchez, Angel, 1839
 Sánchez, Francisco, 1265
 Saez, Isabel M., 1565
 Sainz, Swapan K., 1301
 Sainz, Daniel, 1785
 Salem, Geoffrey, 789
 Sales, Joaquim, 1351, 1785
 Salt, Julian E., 1141, 1329
 Salter, Ian D., 2181
 Samoson, Ago, 1277
 Samotus, Alina, 1217
 Sansoni, Mirella, 777, 2463
 Santa Ana, Maria A., 1867
 Santos, José G., 465
 Sappa, Enrico, 23, 1135, 2737
 Sato, Masaaki, 1949
 Saunders, David R., 433, 657, 1167
 Sayal, Pardeep K., 2145
 Sayer, Ian, 1937
 Schaverien, Colin J., 1021, 1971
 Scheler, Gerhard, 1277
 Schilling, Birgitte E. R., 1551, 2387
 Schlemper, Elmer O., 1759
 Schultz, Arthur J., 1629
 Schwing-Weill, Marie-José, 2629
 Scott, Anthony, 1431
 Scrivanti, Alberto, 2411
 Seco, Miguel, 1011
 Seddon, Elaine A., 765
 Seddon, Kenneth R., 1955
 Segal, Michael G., 619
 Sekhar, Vasu C., 2145
 Senō, Manabu, 1609, 1983
 Seregni, Claudio, 681, 1375
 Seseke, Ulrich, 1309, 2287
 Shaw, Bernard L., 1809, 1815
 Sheldrick, George M., 259, 291, 669, 1309, 2215, 2287, 2361, 2501
 Sheridan, John B., 459, 1619
 Shiralian, Mahmoud, 1577
 Shore, Sheldon G., 1753
 Short, Richard L., 1305
 Sieklucka, Barbara, 1217
 Siew, Pik Yuen, 103
 Silaghi-Dumitrescu, Luminita, 1031
 Silong, Sidik bin, 1081
 Silva, Maria L. C. P., 1913
 Silver, Jack, 1937
 Silvestru, Christian, 1031
 Simmons, Nicholas D., 869
 Sinclair-Day, John D., 2007, 2011, 2063, 2069
 Siripaisarnpipat, Sutapit, 1759
 Sironi, Angelo, 1051, 2691
 Skelton, Brian W., 645, 939, 1965, 2201, 2205, 2557
 Slawin, Alexa M. Z., 1639
 Sleight, Arthur W., 853
 Smith, Arnold J., 1155, 1419
 Smith, D. Ewan, 91
 Smith, Gallienus W., 2253
 Smits, Jan M. M., 2655
 Snaith, Ronald, 557
 Snow, Michael R., 553, 1075
 Sövägö, Imre, 235
 Sola, Joan, 2021
 Sola, Marco, 1367
 Solans, Xavier, 1351, 1785
 Sonoda, Hiroshi, 953
 Sordo, José, 1945
 Sorrell, Robert M., 2515
 Sosa, Martha E., 427
 Sostero, Silvana, 2311
 Sowerby, D. Bryan, 1031, 1231, 1239, 1735
 Spalding, Trevor R., 2283
 Spencer, John L., 821, 829
 Spotswood, Thomas M., 1075
 Stam, Casper H., 717
 Steel, Andrew T., 317
 Steel, Ian, 2221
 Stephenson, Donald K., 641, 2351
 Steudel, Ralf, 1095
 Stevenson, Clarke S., 991
 Stoddart, J. Fraser, 1639
 Stojić, Dragica, 1663
 Stone, F. Gordon A., 165, 173, 187, 869, 1697, 1709, 1717, 1723, 2091, 2105
 Stone, Michael H., 1167
 Strähle, Joachim, 1945
 Straughan, Brian P., 1283, 2211, 2287
 Strona, Luisella, 1375
 Stufkens, Derk J., 141
 Sudmeijer, Olof, 1825
 Suffolk, Roger J., 765
 Sugasaki, Kazuhiko, 1609, 1983
 Sullivan, Alice C., 2315, 2321
 Sutcliffe, Leslie H., 1465
 Sykes, A. Geoffrey, 157, 755, 2007, 2011, 2063, 2069
 Sylva, Ronald N., 1901
 Szeto, Wing Tsee Alice, 2641
 Szweczyk, Jerzy, 1895
 Szűcs, Zoltán, 2443
 Tajik, Mahmoud, 1587
 Takada, Shigeki, 1767
 Takahashi, Mitsuru, 2613
 Takamagari, Kenji, 1519
 Takashima, Yoshimasa, 1115
 Talarmin, Jean, 1453, 1917, 1923
 Tanimura, Katsumi, 2303
 Tarasconi, P., 2455
 Taylor, John G., 2289
 Taylor, Michael J., 633, 765
 Tejel, Cristina, 1087, 2193
 Tennent, Norman H., 1059
 Teo, Soon-Beng, 553
 Teoh, Siang-Guan, 553
 Tetrick, Stephen M., 55
 Theberge, Roger, 2525
 Thom-Postlethwaite, Ian M., 895
 Thomas, K. Mark, 2387
 Thompson, Laurence K., 625, 2381
 Thorne, Andrew J., 1551, 2387
 Thornton-Pett, Mark, 303, 517, 547, 795, 2277
 Thornton, Peter, 2211
 Tiripicchio-Camellini, Marisa, 225
 Tiripicchio, Antonio, 15, 23, 225, 273, 1101, 1135, 2737
 Tisato, Francesco, 1623
 Tobe, Martin L., 427, 1101, 1107
 Tomassini, Marco, 879, 1041
 Tomlinson, Anthony A. G., 265
 Tonge, David M., 2289
 Toozee, Robert P., 2711
 Topping, Robert J., 1895
 Torra, Immaculada, 1011
 Tosi, G., 2455
 Tourné, Claude M., 2237, 2699
 Tourné, Gilbert F., 2237, 2699
 Traldi, Pietro, 905
 Traverso, Orazio, 2311
 Trogu, Emanuele F., 365
 Tromans, Fred R., 2247
 Tudela, David, 883
 Turner, Bryan, 1333
 Turp, Neil, 2165
 Ubbels, Henk J. C., 717
 Ueno, Seich, 61
 Urabe, Akira, 891
 Urgelles, Miguel, 1383
 Uschmann, Joachim, 1659
 Usón, Miguel A., 947, 1751
 Usón, Rafael, 259, 291, 669, 947, 1751, 1849
 Valigura, Dušan, 2339
 van Bolhuis, Fré, 1317
 van de Grampel, Johan C., 1269, 1317, 1389
 van de Water, Ronald F., 1857
 van der Huizen, Adriaan A., 1317
 van Koten, Gerard, 717
 van Veen, J. A. Rob., 1825
 Vargas, Maria D., 975
 Vasudevan, Asha K., 2335
 Vecchi, Enrico, 905
 Vegas, Angel, 883
 Veldhuis, Jakobert B. J., 537
 Vergoossen, Huub, 2655
 Vicente, José, 2215, 2361
 Vignali, Carlo, 1135
 Vizza, Francesco, 505
 Völkl, Alfons, 863
 Vos, Johannes G., 253, 1045
 Vrachnou-Astra, Ersi, 1491
 Vrieze, Kees, 717
 Wade, Steven R., 713
 Waidhas, Manfred, 997
 Waigel, Joachim, 991
 Wakatsuki, Yasuo, 1193, 1201, 1207
 Walker, Nigel P. C., 1873
 Wallbridge, Malcolm G. H., 713
 Wallwork, Stephen C., 1359
 Walsh, James, 2243
 Walshe, Josephine M. A., 511
 Walton, Richard A., 55, 67, 2607

- Walz, Leonhard, 1213, 2169
Warden, Gillian M., 1059
Wardle, Robert W. M., 73
Watanabe, Reiko, 1669
Watkins, Charles L., 2345
Weakley, Timothy J. R., 577, 2237, 2699
Webster, Michael, 895, 1003, 1479, 2149
Weinraub, Dan, 2297
Weiss, Robert, 1095
Welch, Alan J., 91, 1021, 1677
Welch, Dorothy A., 453
Wells, Cecil F., 2593
Went, Michael J., 173
Wernberg, Ole, 725, 1993
Werner, Per-Erik, 119
West, Bruce O., 2271
Wheeler, Allison C., 687
White, Allan H., 603, 645, 789, 939, 1731, 1965, 2201, 2205, 2557
White, Andrew D., 1035
White, Peter S., 2371
Whitelock, John D., 1333
Wieckowski, Tadeusz, 2351
Wiest, Rolf, 2581
Wilkinson, Geoffrey, 279, 287, 1141, 1329, 2017, 2711
Willey, Gerald R., 713, 2493
Williams, David J., 813, 1639
Williams, Ian D., 1021, 1971
Williams, Jack M., 1629
Williams, Michael L., 2557
Williams, Robert J. P., 1425
Willis, Colin R., 2405
Willson, Jennifer M., 641
Wilson, Lon J., 2311
Wilting, Theo, 1317
Winfield, John M., 337
Winter, Herman, 1269, 1389
Winter, Mark J., 2119, 2127
Wolochowicz, Iwona, 743
Wolf, Christian, 43
Wong, Chi-Ming, 2371
Wong, Margaret G., 577
Wood, Terence E., 847
Woodward, Peter, 821, 829
Woollins, J. Derek, 2367
Woon, Tai Chin, 2381
Wright, Thomas C., 2017
Wu, Der-Thin, 1995, 1999
Yáñez, Ramón, 2021
Yagüe, José F., 947, 1751
Yamamoto, Yasuhiro, 677
Yamase, Toshihiro, 1669
Yamatera, Hideo, 2049
Yamazaki, Hiroshi, 677, 1193, 1201, 1207
Yates, Paul C., 1081, 2505
Yavari, Ahmad, 1955
Yutronic, Nicolás, 1867
Zanazzi, Pier Francesco, 2569
Zanobini, Fabrizio, 505
Zanotti, Valerio, 1791
Zerga, Hugo O., 2731
Zubieta, Jon, 967, 1181, 1339
Zvagulis, Maruta, 1065, 1595

SUBJECT INDEX, 1986

ACETAMIDE OXIME

Binding ability of acetamide oxime with proton, copper(II), and dioxouranium(VI) in aqueous solutions, 1609-12

ACETATE

Crown-shaped tetrametallic imido complexes of palladium. X-Ray crystal structure of $[(\text{Pd}_2(\mu\text{-C}(\text{C}_6\text{F}_5)_3\text{-NMe})_2(\mu\text{-Cl})(\mu\text{-MeCO}_2)_2)]_2$, 259-64

Synthesis, crystal structure, and spectroscopic properties of $[\text{Mo}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_4][\text{BF}_4]_2$, and

$[\text{Rh}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_4][\text{BF}_4]_2$, and $[\text{Rh}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_4(\text{py})_2][\text{BF}_4]_2$, 1257-64

Kinetics of the reduction of a tetra- μ -acetato-dirhodium cation by substituted 1,2- and 1,4-dihydroxybenzene compounds in aqueous perchlorate media, 1931-6

Interaction of palladium(II) acetate with substituted pyridines, including a cyclometallation reaction and the structure of $[\text{Pd}(\text{meso}-(\text{py})\text{PhMeC})_2\text{C}_5\text{H}_5\text{N}](\text{O}_2\text{CMe})[\text{O}_2\text{CMe}]\cdot 3\text{H}_2\text{O}$, 2205-10

Synthesis, spectroscopic characterization, and magnetic properties of a mixed-valence copper(II,III) acetate complex with triphenylphosphine. Crystal structure of hexa- μ -acetato-tetrakis(triphenylphosphine)tetracopper(II,III), 2339-44

ACETIC ACID

Tetra-alkylammonium fluorides and chlorides in glacial acetic acid solution: nuclear magnetic resonance studies, deuterium fractionation factors (ρ), and anion hydrogen bonding, 2641-4

ACETONITRILE

Preparation and properties of bis(acetonitrile)iodine(II) hexafluoromolybdate(V) and hexafluorouranate(V), 337-42

Synthesis, crystal structure, and spectroscopic properties of $[\text{Mo}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_4][\text{BF}_4]_2$, and

$[\text{Rh}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_4][\text{BF}_4]_2$, and $[\text{Rh}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_4(\text{py})_2][\text{BF}_4]_2$, 1257-64

(η^2 -Acetonitrile)bis(η^5 -cyclopentadienyl)molybdenum(II): the first structurally characterized complex containing an η^2 -nitrile ligand, 2017-20

Substitution kinetics of $[\text{Os}_2(\text{CO})_{11}(\text{NCMe})]$ and $[\text{Os}_2(\text{CO})_{10}(\text{NCMe})_2]$, 2145-8

The preparation and crystal and molecular structures of trichlorobis(methyldiphenylphosphine)vanadium(III) and its acetonitrile adduct, 2253-8

ACETYLACETONATE

Some oxygen-donor complexes of acetylacetonatotrichlorothorium(IV), bis(acetylacetonato)-dichloro- and -di-*N*-thiocyanato-thorium(IV) and -uranium(IV), 355-8

ACETYLIDE

Bimetallic systems. Part 14. Mixed iridium(I)-platinum(II) acetylides complexes containing bridging $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ ligands, 1809-14

ACTINIDE

Preparation and properties of bis(acetonitrile)iodine(II) hexafluoromolybdate(V) and hexafluorouranate(V), 337-42

Some oxygen-donor complexes of acetylacetonatotrichlorothorium(IV), bis(acetylacetonato)-dichloro- and -di-*N*-thiocyanato-thorium(IV) and -uranium(IV), 355-8

Actinide structural studies. Part 8. Some new oxygen-donor complexes of trichloro(cyclopentadienyl)neptunium(IV); the crystal structure of trichloro(η^5 -cyclopentadienyl)bis(methyldiphenylphosphine oxide)neptunium(IV), 783-8

Some substituted urea complexes of thorium(IV) and uranium(IV) *N*-thiocyanates, 843-6

Magnetic susceptibility and optical study of the organic-intercalated two-dimensional ionic ferromagnet bis(benzylammonium) tetrachlorochromate(II), 847-52

The Raman spectrum of $[\text{U}(\text{NCS})_6]^{4-}$ and configuration of the ion in solution, 1057-8

Some reactions of uranium chloride pentafluoride, 1289-96

Actinide structural studies. Part 10. A mixed oxidation state neptunyl chloride: crystal structure of

$\text{Cs}_7[\text{Np}^{\text{V}}\text{O}_2][\text{Np}^{\text{VI}}\text{O}_2]_2\text{Cl}_{12}$, 1403-4

Structure and bonding in octahedral uranium(IV) complexes of the type $\text{UX}_6\cdot 2\text{L}$ (X = halogen, L = unidentate, neutral oxygen donor). Part 1. The crystal structures of tetrabromobis(*NN'*-dimethyl-*NN'*-diphenylurea)uranium(IV) and α - and β -tetrachlorobis(*NN'*-dimethyl-*NN'*-diphenylurea)uranium(IV), 2035-42

Structure and bonding in octahedral uranium(IV) complexes of the type $\text{UX}_6\cdot 2\text{L}$ (X = halogen, L = unidentate, neutral oxygen donor). Part 2. The crystal structures of tetrachlorobis[tris(pyrrolidinyl)phosphine oxide]-, tetrachlorobis(di-isobutyl sulphoxide)-, and tetrabromobis(triphenylarsine oxide)-uranium(IV), 2043-8

ADDITIVITY

Chatt's ligand constants: applicability and correspondence with Bursten's ligand additivity, 1907-12

ADRENALINE

The oxovanadyl(IV) catalysed oxidation of adrenaline by molecular oxygen, 1833-8

ADSORPTION

Spectroscopic studies on adsorbed metal carbonyls. Part 3.

Interaction of $[\text{Os}_2(\text{CO})_{12}]$ with silica, alumina, and titania, 7-14

Adsorption equilibrium of uranium from aqueous $[\text{UO}_2(\text{CO}_3)_3]^{4-}$ solutions on a polymer bearing amidoxime groups, 1983-6

ALDEHYDE

Reaction of bis(glycinato)copper(II) with formaldehyde and benzaldehyde phenylhydrazones. X-ray crystal structure of aquabis[(2,3,4,5-tetrahydro-2,6-diphenyl-1,2,4-triazin-4-yl)acetato-*O,N'*]copper(II) dihydrate, 553-6

The reactions of the tri- μ -hydroxo-bis(η^6 -*p*-cymeneosmium(II)) cation with aldehydes and acids and the homogeneously catalysed oxidation of acetaldehyde and propionaldehyde with water. X-ray structure of $(\mu\text{-MeC}_6\text{H}_4\text{CHMe}_2)_2\text{Os}_2(\mu\text{-HCO}_2)(\mu\text{-OH})(\mu\text{-H})[\text{PF}_6]$, 1155-60

ALKALI METAL

Solvated electrons and electron-cation aggregates in solutions of the alkali metals in 12-crown-4, 323-8

Alkali-metal complexes with tris(2-diphenylphosphoryl)ethylamine.

Crystal structures of $[\text{Li}_2(\text{N}(\text{CH}_2\text{CH}_2\text{POPh}_2)_3)_2][\text{Li}(\text{N}(\text{CH}_2\text{CH}_2\text{POPh}_2)_3)]_2$ and $[\text{Na}(\text{N}(\text{CH}_2\text{CH}_2\text{POPh}_2)_3)(\text{H}_2\text{O})(\text{BuOH})]\text{BPh}_4$, 2075-82

Tris(3,6-dioxahexyl)amine alkali-metal cation complexes. A fast atom bombardment mass spectrometry, infrared, and nuclear magnetic resonance study, 2525-8

ALKENE

Studies on transition-metal oxo and nitrido complexes. Part 8. Reactions of osmium oxo-imido complexes with alkenes, 1035-40

ALKENEDIYL

Molecular structures and dynamic behaviour of two isomers of $[\text{Ru}_2(\mu\text{-H})(\mu_2\text{-Me}_2\text{NC}_6\text{H}_4)(\text{CO})_6]$ formed from 1-dimethylaminobut-2-yne and containing η^2 -alkene-1,3-diyl and η^2 -alkene-1,2-diyl ligands respectively, 1459-64

ALKENYL

Sterically hindered metal alkenyls. Part 1. Synthesis, reactions, and crystal and molecular structures of some palladium and platinum σ -alkenyls, 2315-20

Sterically hindered metal alkenyls. Part 2. Synthesis and properties of tin(IV) alkenyls: stereochemical features and energetics of isomerisation of $\text{SnMe}_2[\text{C}(\text{C}_6\text{H}_5)_2\text{-CMe}_2]_2$, 2321-4

ALKOXIDE

Molybdenum and tungsten nitrosyl complexes containing bulky alkoxy, aryloxy, and arylamido ligands: their electrochemical behaviour and the structure of

$[\text{Mo}\{\text{HB}(\text{Me}_2\text{pz})_3\}(\text{NO})\{\text{OCH}_2\text{CH}_2\text{CH}_2\text{Br}\}]$, 733-42

ALKOXYALKYL

Formation and decomposition of an α -alkoxyalkyl complex of palladium(II), 641-4

ALKOXYCARBONYL

Chemistry of iridium carbonyl clusters. Synthesis and chemical

ALKOXYCARBONYL (contd)

characterization of the hexanuclear anions $[\text{Ir}_6(\text{CO})_{12}(\text{CO}_2\text{R})]^-$ ($\text{R} = \text{Me}$ or Et) and $[\text{Ir}_6(\text{CO})_{12}(\text{CO}_2\text{Me})]^{2-}$. Crystal and molecular structure of $[\text{N}(\text{PPh}_3)_2][\text{Ir}_6(\mu\text{-CO})_6(\text{CO})_{11}(\text{CO}_2\text{Me})]$, 777-82

ALKYL

Insertion of nitrogen oxide into a zirconium-carbon bond: reaction of dialkylbis(cyclopentadienyl)zirconium(IV) complexes with nitrogen oxide, 445-8

Synthesis and structure of $[\text{Zr}(\text{R})\text{Cl}(\eta\text{-C}_5\text{H}_5)_2]$ [$\text{R} = \text{chiral, highly hindered alkyl: CHSiMe}_2\text{C}_3\text{H}_4\text{N-2, CHSiMe}_2\text{C}_6\text{H}_4\text{PPh}_2\text{-o, or CHSiMe}_2(\text{C}_6\text{H}_4)_2$]; influence of the functional group on the nature and stability of their d^1 reduction products, 603-14

Reactivity of hexachlorocyclotriphosphazene towards alkyl-lithium reagents, 1269-76

Reactivity of cyclothiaphosphazenes towards alkyl-lithium reagents, 1389-94

Evidence for carbon-hydrogen-titanium interactions: synthesis and crystal structures of the agostic alkyls

$[\text{TiCl}_2(\text{Me}_2\text{PCH}_2\text{CH}_2\text{PMe}_2)\text{R}]$ ($\text{R} = \text{Et}$ or Me), 1629-38

Preparation and crystal structure of quasi-cylindrical crown ether complexes with dimethyl- and diethyl-thallium(III) perchlorates, 1767-70

Subvalent group 4B metal alkyls and amides. Part 9. Germanium and tin alkene analogues, the dimetallenes M_2R_4 [$\text{M} = \text{Ge}$ or Sn , $\text{R} = \text{CH}(\text{SiMe}_3)_2$]; X-ray structures, molecular orbital calculations for M_2H_4 and trends in the series M_2R_4 [$\text{M} = \text{C}$, Si , Ge , or Sn ; $\text{R}' = \text{R}$, Ph , $\text{C}_6\text{H}_2\text{Me}_2$ -2,4,6, or $\text{C}_6\text{H}_3\text{Et}_2$ -2,6], 2387-94

Alkyl compounds of ruthenium(III) and -(V) and osmium(III). X-Ray crystal structures of hexakis(trimethylsilylmethyl)- and hexakis(neopentyl)-diruthenium(III), dioxohexakis(trimethylsilylmethyl)diruthenium(V), and bis(η^3 -allyl)tetrakis(neopentyl)diosmium(III), 2711-20

ALKYLATION

Formation of N-C bonds via alkylation of transition metal nitrosyls. Reaction of ruthenium and other transition metal nitrosyls with benzyl bromide, 743-50

Mechanism of alkylation of alkylidiazene-complexes of molybdenum(II) and tungsten(II): influence of metal and co-ligands on the nucleophilicity of a diazenido-group, 1473-8

ALKYLIDENE

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 40. Transformation of terminally bound alkylidene ligands to μ -alkylidene, μ -vinyl, μ -alkyl, and μ -acyl groups at a bimetal centre; X-ray crystal structures of $[\text{N}(\text{PPh}_3)_2][\text{ReW}(\mu\text{-CHR})(\text{CO})_5]$, $[\text{ReW}(\mu\text{-CH}_2\text{R})(\mu\text{-Me}_2\text{PCH}_2\text{PMe}_2)(\text{CO})_5]$, and $[\text{ReW}(\mu\text{-OCCH}_2\text{R})(\mu\text{-Ph}_2\text{PCH}_2\text{PPh}_2)(\text{CO})_5(\text{P}(\text{OMe})_3)]$ ($\text{R} = \text{C}_6\text{H}_4\text{Me-4}$), 173-86

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 41. Synthesis of alkylidene-tungsten complexes with (pyrazol-1-yl)borato ligands; crystal structures of $[\text{W}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{Bpz})_2]$, $[\text{Rh}_2\text{W}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)_2(\text{HBpz})_2]\cdot\text{CH}_2\text{Cl}_2$, and $[\text{FeRhW}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-MeC}_6\text{H}_4)(\text{CO})_2(\eta\text{-C}_5\text{H}_5)(\text{HBpz})_2]$, 187-98

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 42. Synthesis of the compounds $[\text{N}(\text{PPh}_3)_2][\text{Fe}_2\text{W}(\mu\text{-CC})(\mu\text{-NO})(\mu\text{-CR})(\text{CO})_6(\eta\text{-C}_5\text{H}_5)]$ ($\text{R} = \text{Me}$ or $\text{C}_6\text{H}_4\text{Me-4}$) and the X-ray crystal structure of the tolylmethylidene complex, 869-74

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 47. Synthesis of tri-, tetra-, and penta-heteronuclear metal cluster compounds involving tungsten with platinum or nickel: crystal structures of the compounds $[\text{Pt}_2\text{W}_2(\mu\text{-CR})(\text{CO})_6(\text{cod})_2(\eta\text{-C}_5\text{H}_5)_2]$ and $[\text{Pt}_2\text{W}_3(\mu\text{-CR})(\text{CO})_6(\eta\text{-C}_5\text{H}_5)_3]$ ($\text{R} = \text{C}_6\text{H}_4\text{Me-4}$, $\text{cod} = \text{cyclo-octa-1,5-diene}$), 2091-104

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 48. Reactions of the cluster complex $[\text{Fe}_2\text{W}(\mu_2\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\text{CO})_6(\eta\text{-C}_5\text{H}_5)]$ with $[\text{W}(\mu\text{-CR})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$ ($\text{R} = \text{Me}$ or $\text{C}_6\text{H}_4\text{Me-4}$); crystal structures of $[\text{FeW}_2(\mu\text{-}\sigma\text{-}\eta^2\text{-C-CH}_2)(\text{CO})_2(\eta\text{-C}_5\text{H}_5)_2]$ and $[\text{FeW}_2(\mu_2\text{-MeC}_2\text{C}_6\text{H}_4\text{Me-4})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)_2]$, 2105-12

ALKYNE

Cobalt metallacycles. Part 15. Regioselective formation and rearrangement of 4-iminocobaltacyclobutene complexes, 1201-6

Reactions of electrophilic alkynes with some iron and tungsten sulphur, selenium, and arsenic complexes, 1577-86

Reactions of co-ordinated ligands. Part 38. The reactions of 1,2-

dienes, 1,3-dienes, and alkynes with the μ -allylidene complex $[\text{Mo}_2(\mu\text{-}\sigma\text{-}\eta^2\text{-CHCHCMe}_2)(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$; molecular structures of $[\text{Mo}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$, $[\mu\text{-}\eta^2\text{-CH}_2\text{-C}(\text{CH}_3)\text{CHCHCMe}_2][\text{Mo}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$, $[\text{Mo}_2(\mu\text{-}\eta^4\text{-CMe}_2\text{CHCHCH}(\text{Bu})\text{CO})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)_2]$ and $[\text{Mo}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$, $[\mu\text{-}\eta^2\text{-}\eta^3\text{-C}(\text{Me})\text{C}(\text{Me})\text{C}(\text{O})\text{CHCHCMe}_2][\text{Mo}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$, 1971-82

ALKYNYL

The reactions of di- μ -methylene-bis(pentamethylcyclopentadienyl)dirhodium(IV) complexes with benzylmagnesium chloride and with alkynylmagnesium chloride; X-ray structure of $[(\eta^3\text{-C}_3\text{Me}_3)\text{Rh}(\text{CH}_2\text{Ph})(\mu\text{-CH}_2)_2\text{Rh}(\eta^4\text{-C}_6\text{Me}_6\text{CH}_2\text{Ph})]$, 1419-24

ALLYL

Cationic allyldinitrosyl complexes of iron, 459-62

Allyl derivatives of (cyclo-octatetraene)(η -pentamethylcyclopentadienyl)zirconium: X-ray crystal structure of $[\text{Zr}(\eta\text{-C}_5\text{Me}_5)(1\text{-4-}\eta\text{-C}_8\text{H}_6)(\eta\text{-C}_5\text{H}_5)]$, 829-34

Carbon-chlorine bond activation in 2-chloromethylallyl complexes of platinum(II), 1603-8

η^3 -Allyl rhodium complexes with azolate ligands. Crystal structures of the trinuclear 1,2,4-triazolate (tz) complexes $[\text{Rh}_3(\mu\text{-tz})_3(\eta^3\text{-C}_3\text{H}_3)_6]$ and $[\text{Rh}_3(\mu_2\text{-tz})(\mu\text{-Cl})\text{Cl}(\eta^3\text{-C}_3\text{H}_3)(\text{CO})_4] \cdot 0.5\text{C}_2\text{H}_2\text{Cl}_2$, 2193-200

Alkyl compounds of ruthenium(III) and -(V) and osmium(III). X-Ray crystal structures of hexakis(trimethylsilylmethyl)- and hexakis(neopentyl)-diruthenium(III), dioxohexakis(trimethylsilylmethyl)diruthenium(V), and bis(η^3 -allyl)tetrakis(neopentyl)diosmium(III), 2711-20

ALLYLIDENE

Reactions of co-ordinated ligands. Part 37. Synthesis and structure of the dimolybdenum μ -allylidene complex $[\text{Mo}_2(\mu\text{-}\sigma\text{-}\eta^3\text{-CHCHCMe}_2)(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$; formation and crystal structure of the oxo- μ -allylidene complex $[\text{Mo}_2\text{O}(\mu\text{-}\sigma\text{-}\eta^3\text{-CHCHCMe}_2)(\mu\text{-CO})(\text{CO})(\eta\text{-C}_5\text{H}_5)_2]$. Thermal rearrangement to alkyne and 1,3-diene dimolybdenum species and structure of $[\text{Mo}_2(\mu_2\text{-}\eta^4\text{-CCHCMeCH})(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$, 1021-30

Reactions of co-ordinated ligands. Part 38. The reactions of 1,2-dienes, 1,3-dienes, and alkynes with the μ -allylidene complex $[\text{Mo}_2(\mu\text{-}\sigma\text{-}\eta^3\text{-CHCHCMe}_2)(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$; molecular structures of $[\text{Mo}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$, $[\mu\text{-}\eta^2\text{-}\eta^3\text{-CH}_2\text{-C}(\text{CH}_3)\text{CHCHCMe}_2][\text{Mo}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$, $[\text{Mo}_2(\mu\text{-}\eta^4\text{-CMe}_2\text{CHCHCH}(\text{Bu})\text{CO})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)_2]$ and $[\text{Mo}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$, $[\mu\text{-}\eta^2\text{-}\eta^3\text{-C}(\text{Me})\text{C}(\text{Me})\text{C}(\text{O})\text{CHCHCMe}_2][\text{Mo}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$, 1971-82

ALUMINATE

Solid-state aluminium-27 nuclear magnetic resonance chemical shift and quadrupole coupling data for condensed AlO_4 tetrahedra, 1277-82

ALUMINIUM

Synthesis and characterisation of tungsten and rhenium aluminopolyhydrides: X-ray crystal structures of $(\text{Me}_3\text{P})_3\text{H}_3\text{W}(\mu\text{-H})_2\text{Al}(\text{H})(\mu\text{-OBu})$, $\text{Al}(\text{H})(\mu\text{-H})_2\text{WH}_3(\text{PMe}_3)_2$, and $(\text{Me}_3\text{P})_3\text{H}_3\text{W}(\mu\text{-H})_2\text{Al}(\text{H})(\mu\text{-H})_2\text{WH}_3(\text{PMe}_3)_3$, 279-86

Tertiary phosphine aluminohydride complexes of ruthenium(II) and osmium(II), 287-90

Solid-state aluminium-27 nuclear magnetic resonance chemical shift and quadrupole coupling data for condensed AlO_4 tetrahedra, 1277-82

Tertiary phosphine aluminohydride complexes of chromium-, molybdenum-, and tungsten(II), 1329-32

ALUMINIUM-27

Solid-state aluminium-27 nuclear magnetic resonance chemical shift and quadrupole coupling data for condensed AlO_4 tetrahedra, 1277-82

AMIDE

Effects of mixed-ligand complex formation on deprotonation of amide groups in acid amides and peptides, 235-40

High-field lithium-7 nuclear magnetic resonance spectroscopic and cryoscopic relative molecular mass studies on solutions of amido- and imido-lithium compounds, 557-64

Actinide structural studies. Part 8. Some new oxygen-donor complexes of trichloro(cyclopentadienyl)neptunium(IV); the crystal structure of trichloro(η^5 -cyclopentadienyl)bis(methyldiphenylphosphine oxide)neptunium(IV), 783-8

Preparation, characterisation, and X-ray crystal structure of $[\text{W}_2\text{Cl}_4(\text{NH}_2\text{Bu})_2(\text{NH}_2\text{Bu})_2]$: a triply-bonded ditungsten compound containing t-butylamido ligands, 1305-8

AMIDE (contd)

- Bis-organoamide complexes of nitrosyltris(3,5-dimethylpyrazolyl)borato-molybdenum and -tungsten. The crystal and molecular structure of $[\text{Mo}(\text{NO})(\text{HB}(\text{Me}_2\text{pz})_3)(\text{NH}_4^+)_2]$, 1525-30
- Spectroscopic and calorimetric studies of the complexing ability of some polyamido polymers containing amino-acid residues, 2325-30
- Complex formation equilibria between 2-amino-*N*-hydroxyacetamide and 2-amino-*N*-hydroxypentamide and cobalt(II), nickel(II), copper(II), and hydrogen ions in aqueous solutions, 2587-92

AMIDINE

- Reactions of benzene-ruthenium(II) complexes with pyrazoles. Possible formation of amidine complexes $[\text{Ru}(\eta\text{-C}_6\text{H}_6)\{\text{NH}=\text{CMe}(\text{R}_1\text{pz})\}(\text{R}_2\text{Hpy})]^{2+}$ ($\text{R} = \text{H}$ or Me , $\text{Hpy} = \text{pyrazole}$), 109-12

AMIDINO

- The synthesis, properties, and structure of bis(amidino)-complexes of palladium. The crystal structure of bis(*N,N'*-di-*p*-tolylacetamidino)palladium(II), 1359-66

AMIDOXIME

- Adsorption equilibrium of uranium from aqueous $[\text{UO}_2(\text{CO}_3)_2]^{4-}$ solutions on a polymer bearing amidoxime groups, 1983-6

AMINE

- N,N*-Dimethyl(trimethylsilyl)amine: crystal and molecular structure at 116 K and gas phase structure by electron diffraction, 91-6
- Zinc(II) bis(*O,O'*-dialkyl dithiophosphates): Interaction with small nitrogen bases. The crystal and molecular structure of hexakis(μ -*O,O'*-diethyl dithiophosphato)- μ_4 -thio-tetrazine, $\text{Zn}_4[\text{S}_2\text{P}(\text{OEt})_2]_6\text{S}$, 925-8
- Preparation, characterisation, and X-ray crystal structure of $[\text{W}_2\text{Cl}_2(\text{NH}_4\text{Bu})_2(\text{NH}_2\text{Bu})_2]$: a triply-bonded ditungsten compound containing *t*-butylamido ligands, 1305-8
- Determination of the bonding preference of borane (BH_3) toward aminoarines by multinuclear nuclear magnetic resonance spectroscopy, 2345-8
- Tris(3,6-dioxaheptyl)amine alkali-metal cation complexes. A fast atom bombardment mass spectrometry, infrared, and nuclear magnetic resonance study, 2525-8
- Comparison of the formation constants of some chromium(II) and copper(II) complexes, 2721-4

AMINO ACID



- Stability and structure of some binary and mixed-ligand complexes of zinc(II), 1-6
- Uptake of amino-acids by zirconium phosphate. Part 3. Intercalation of L-histidine, L-lysine, and L-arginine by γ -zirconium phosphate, 61-6
- Formation and stability of ternary complexes of copper(II) with ethylenediamine-*N*-acetic acid and amino acids in aqueous solution, 199-204
- Effects of mixed-ligand complex formation on deprotonation of amide groups in acid amides and peptides, 235-40
- Reaction of bis(glycinato)copper(II) with formaldehyde and benzaldehyde phenylhydrazones: X-ray crystal structure of aquabis(2,3,4,5-tetrahydro-2,6-diphenyl-1,2,4-triazin-4-yl)acetato-*O,N'*copper(II) dihydrate, 553-6
- The effect of a dansyl group on the co-ordinative ability of *N*-protected amino acids. Part 2. Binary copper(II) complexes and their pyridine and 2,2'-bipyridine adducts. Crystal and molecular structure of the complexes aquabis(*N*-dansylglycinato-*O*)bis(pyridine)copper(II) and (2,2'-bipyridine)/*N*-dansylglycinato-*NO*(methanol)copper(II), and neutral *N*-dansylglycine, 1367-74
- Spectroscopic and calorimetric studies of the complexing ability of some polyamido polymers containing amino-acid residues, 2325-30
- Metal complexes of uridine in solution, 2331-4
- Studies on transition metal-peptide complexes. Part 12. Copper(II) complexes of dipeptides containing phenylalanine and tyrosine, 2443-8
- Comparison of the formation constants of some chromium(II) and copper(II) complexes, 2721-4

AMINOETHANOL

- Very short OHO hydrogen bonds in a binuclear transition-metal complex. Neutron-diffraction study at 120 K of $[\text{Co}_2(\text{H}_2\text{N}(\text{CH}_2)_3\text{OH})_2(\text{H}_2\text{N}(\text{CH}_2)_3\text{O})_2][\text{ClO}_4]_2 \cdot 0.5\text{H}_2\text{O}$, 651-6

AMINOTHIOPHENOLATE

- Some attempts to prepare five-co-ordinated gold(III) complexes. Crystal and molecular structures of $[\text{Au}(\text{C}_6\text{H}_4\text{CH}_2\text{NMe}_2)(\text{phen})]$

**AMMINE**

- Second-sphere co-ordination of cationic rhodium complexes $[\text{Rh}(\text{L})(\text{NH}_3)_2]^+$ by dibenzo-3*n*-crown-*n* ethers [$n = 6-12$; $\text{L} = \text{cyclo-octa-1,5-diene}$ (cod) or norbornadiene (nbd)]. Solution ^1H nuclear magnetic resonance spectroscopic studies and X-ray crystal structures of $[\text{Rh}(\text{cod})(\text{NH}_3)_2 \cdot \text{db-21-c-7}][\text{PF}_6]$, $[\text{Rh}(\text{cod})(\text{NH}_3)_2 \cdot \text{db-24-c-8}][\text{PF}_6]$, $[\text{Rh}(\text{cod})(\text{NH}_3)_2 \cdot \text{db-30-c-10}][\text{PF}_6]$, $[\text{Rh}(\text{nbd})(\text{NH}_3)_2 \cdot \text{db-24-c-8}][\text{PF}_6]$, and $[\text{Rh}(\text{cod})(\text{NH}_3)_2 \cdot \text{db-36-c-12}][\text{PF}_6]$, 1639-52

AMMONIA

- Electron-transfer reactions in nitrogen fixation. Part 2. The electrosynthesis of ammonia: identification and estimation of products, 1453-8
- Preparation of *mer*- $[\text{Mo}(\text{N}_2)_2(\text{PPR}^n\text{Ph})_2]$ from *trans*- $[\text{Mo}(\text{N}_2)_2(\text{PPR}^n\text{Ph})_4]$: its X-ray crystal structure, spectroscopic properties, and protonation to give ammonia, 1591-4

AMMONIUM

- Tetra-alkylammonium fluorides and chlorides in glacial acetic acid solution: nuclear magnetic resonance studies, deuterium fractionation factors (ϕ), and anion hydrogen bonding, 2641-4

ANTIMONY

- Synthesis of diphenylantimony(III) dialkylthio- and diaryldithiophosphinates and -arsinates; crystal structures of $\text{Ph}_2\text{SbS}_2\text{MPh}_2$ ($\text{M} = \text{P}$ or As), 1031-4
- The crystal structures of the hexachloroantimonate salts of $(\text{CH}_3)_2\text{SS}(\text{CH}_3)^+$, $(\text{CH}_3\text{S})_2^+$, and $(\text{CH}_3\text{Se})_2^+$, 1095-100
- Nonahalogendiantimon(III)ates; their preparation and the crystal structures of $[\text{Hpy}]_2[\text{Sb}_2\text{Cl}_6]$, $[\text{NMe}_4][\text{Sb}_2\text{Br}_6]$, and $[\text{NMe}_4][\text{Sb}_2\text{Br}_6\text{Cl}_2]$, 1231-8
- Halogeno-oxydiantimon(III)ates, 1239-42
- Preparation and X-ray diffraction data for the new pyrochlores $\text{Pb}_2[\text{M}_{0.33}\text{Sb}_{1.67}\text{O}_{6.5}]$ ($\text{M} = \text{Mg}$, Ni , Cu , or Zn), 1247-50
- The crystal structures of $[\text{Hpy}]_2[\text{Sb}_2\text{OBrCl}_6]$ where $n = 0, 2$, and 4 and $\text{Hpy} = \text{pyridinium}$; stabilisation by very strong $\text{N-H} \cdots \text{O}$ hydrogen bonds, 1735-40

ANTIPYRINE

- Solution conformation of aqueous lanthanide(III)-antipyrine complexes, 1425-30

AQUA

- A reproducible synthesis of aquatris(triethylphosphine)platinum(II) hexafluorophosphate, 1055-6

AQUATION

- Specific effects of nucleophiles on the mercury(II)-assisted chloride aquation of the penta-amminechlorocobalt(III) cation and of the chloro[ethylenediaminetetra-acetato(3-)]cobaltate(III) anion, 2049-54

ARENE

- Synthesis of some (η -arene)dihydridorhenium cations and their reactions with LiAlH_4 and LiAlD_4 , 531-6
- Molybdenum-95 and carbon-13 nuclear magnetic shielding and bonding relationships in sandwich complexes, 1313-6
- η -Arene-rhenium chemistry: activation of sp^3 carbon-hydrogen bonds of alkylbenzenes by rhenium; formation of binuclear μ -alkylidene derivatives, 2469-76
- Arene-osmium chemistry: synthesis of osmium atoms of $[\text{Os}(\eta^6\text{-C}_6\text{H}_5)(\eta^4\text{-C}_6\text{H}_4)]$, $[\text{Os}(\eta^6\text{-C}_6\text{H}_5\text{Me}_2-1,3,5)](\mu\text{-H})_2(\mu\text{-CH}(\text{C}_6\text{H}_5\text{Me}_2-3,5))$, $[\text{Os}(\eta^6\text{-C}_6\text{H}_5\text{Me}_2-1,3,5)]_2(\mu\text{-CHC}_6\text{H}_5\text{Me}_2-3,5)$, and $[\text{Os}(\eta^6\text{-C}_6\text{H}_5)_3](\mu\text{-CH}_2)_2(\mu\text{-H})_2$. X-ray crystal structure of $[\text{Os}(\eta^6\text{-C}_6\text{H}_5\text{Me}_2-1,3,5)]_2(\mu\text{-CHC}_6\text{H}_5\text{Me}_2-3,5)]$, 2477-84
- Di-iodine oxidation of molybdenum(η^6)- η^6 -arene complexes. New results on molybdenum(II) and tungsten(II) carbonyl derivatives; crystal structures of $[\text{M}(\text{CO})_2(\eta^6\text{-C}_6\text{H}_5\text{Me}_2-1,3,5)]$ [$\text{M} = \text{Mo}$ or W] and $[\text{M}(\text{CO})_2(\eta^6\text{-C}_6\text{H}_5\text{Me}_2)]$ [$\text{M} = \text{Mo}$ or W], 2569-80

ARENEDIAZONIUM

- Arenediazonium complexes of cobalt(II): synthesis and properties, 2551-6

ARSENIC

- Chemistry of polyfunctional molecules. Part 86. Organoarsenic compounds derived from 1,3-bis(di-iodoarsino)propane with monocyclic, tricyclic, and straight-chain structures; X-ray crystal structure of 2,8,13,14-tetraoxa-1,3,7,9-tetra- α -s-tricyclo[7.3.1.1^{3,7}]tetradecane, 997-1002
- Determination of the bonding preference of borane (BH_3) toward aminoarines by multinuclear nuclear magnetic resonance

ARSENIC (contd)

spectroscopy, 2345-8

Matrix-isolation studies on the vaporisation of arsenic(v) oxide: the characterisation of molecular species As_nO_n ($n = 7-10$) by infrared spectroscopy, 2725-30**ARSINE**Determination of the bonding preference of borane (BH_3) toward aminoarsines by multinuclear nuclear magnetic resonance spectroscopy, 2345-8**ARSINE OXIDE**Structure and bonding in octahedral uranium(IV) complexes of the type $UX_6 \cdot 2L$ ($X =$ halogen, $L =$ unidentate, neutral oxygen donor). Part 2. The crystal structures of tetrachlorobis[tris(pyrrolidinyl)phosphine oxide]-, tetrachlorobis(di-isobutyl sulphoxide)-, and tetrabromobis(triphenylarsine oxide)-uranium(IV), 2043-8**ARYL**Reaction of NO_2 with palladium(II) and platinum(II) aryl complexes; the crystal structure of $trans-[Pd(ONO)_2(OPPh_3)(PPh_3)]$, 2055-62**ARYLAMIDE**Oxidative dimerisation of arylamido complexes of platinum: X-ray structure of $[Pt_2(PEt_3)_4Cl_2(N_2C_2H_5O)]PF_6$, 571-6Molybdenum and tungsten nitrosyl complexes containing bulky alkoxy, aryloxy, and arylamido ligands: their electrochemical behaviour and the structure of $[Mo(HB(Me)_2)_2(NO)](OCH_2CH_2CH_2Br)$, 733-42**ARYLOXIDE**

Bulky metal aryloxides, arylamides, and sulphur and phosphorus analogues. Part 1. Synthetic and chemical studies of titanium and zirconium aryloxides, 489-98

Molybdenum and tungsten nitrosyl complexes containing bulky alkoxy, aryloxy, and arylamido ligands: their electrochemical behaviour and the structure of $[Mo(HB(Me)_2)_2(NO)](OCH_2CH_2CH_2Br)$, 733-42

Bulky metal aryloxides, arylamides, and sulphur and phosphorus analogues. Part 1. Synthetic and chemical studies of titanium and zirconium aryloxides (1986, 489), 1311-2

ASCORBIC ACID

Kinetics of the bromate-iodide-ascorbic acid clock reaction: different mechanism of the molybdenum and vanadium catalysis, 2675-80

AZAPENTANEDIAMINEKinetics of the displacement of chloroacetate ion from *cis*-bis(chloroacetato)bis(isopropylamine)platinum(II) and the (chloroacetato)(1,5-diamino-3-azapentane)platinum(II) cation, 1107-14**AZIDE**

Synthesis and characterisation of azido- and thiocyanato-gallium(III) porphyrins. Crystal structure of azido-(2,3,7,8,12,13,17,18-octaethylporphyrinato)gallium(III), 1779-84

AZINESynthesis and characterization of mono- and di-cyclometallated compounds of symmetric and asymmetric azines with palladium(II) and manganese(II). X-Ray crystal structure of $[Mn(C_6H_4CH=N-N=CHPh)(CO)_4]$, 1351-8
Iridium nitrosyl and carbonyl complexes with 2-pyridinecarbaldehyde, 2669-74**AZIRIDINYL**Aziridinolysis patterns of $(NPCI_2)_3$ and $(NPCL_2)_4$; crystal structures of *trans*- $N_3P_3(NC_2H_4)_2Cl_4$ and *trans*- $4-N_4P_4(NC_2H_4)_2Cl_6$, 1317-28**AZOLATE** η^3 -Allyl rhodium complexes with azolate ligands. Crystal structures of the trinuclear 1,2,4-triazolate (tz) complexes $[Rh_3(\mu-tz)(\eta^3-C_3H_5)_3]$ and $[Rh_3(\mu-tz)(\mu-Cl)Cl(\eta^3-C_3H_5)_2(CO)] \cdot 0.5C_2H_4Cl_2$, 2193-200**AZOLE**

Potentiometric studies on complexes of silver(I) in solutions. Part 2. Correlation between the stability of the silver(I)-azole complexes and the ligand basicity, 2025-8

AZOLIDINYLIDENESyntheses and reactions of acyclic and cyclic carbene complexes *cis*- $[M(\eta^5-C_5Me_5)(CO)_2(\eta^3-C_3H_5)]$ ($M = Mo$ or W) and *cis*- $[M(\eta^5-C_5H_5)(CO)_2(\eta^3-C_3H_5)]$ ($M = Mo$, $n = 3$ or 4 ; $M = W$, $n = 3$) obtained through alkyl migration to methyl isocyanide co-ordinated to molybdenum or tungsten. X-Ray structure of *cis*- $[Mo(\eta^5-C_5H_5)(CO)_2(\eta^3-C_3H_5)]$, 2127-36**BENZENE**

Reactions of benzene-ruthenium(II) complexes with pyrazoles.

Possible formation of amidine complexes $[Ru(\eta^6-C_6H_6)(NH-CMe(R,pz))(R_2Hpz)]^{2+}$ ($R = H$ or Me , $Hpz =$ pyrazole), 109-12Synthesis of $[Re(\eta^6-C_6H_6)(\eta^5-C_5H_5)]$, $[Re(\eta^6-C_6H_6)(\eta^5-C_5H_5)H]BF_4$, and $[Re(\eta^6-C_6H_6)(\eta^5-C_5H_5)Ph]$ using rhenium atoms: characterization by application of a modified heteronuclear ^{13}C - 1H J -resolved two-dimensional nuclear magnetic resonance experiment, 343-6Reaction of nitrobenzene with $[M_3(CO)_{12}]$ ($M = Fe$ or Ru) in the presence of $[Co_2(CO)_8]$: isolation and structure of $[Ru_3(CO)_7(NPh)(\eta^6-C_6H_6)]$, 2501-4**BENZENEDIOL**Kinetics of the reduction of a tetra- μ -acetato-dirhodium cation by substituted 1,2- and 1,4-dihydroxybenzene compounds in aqueous perchlorate media, 1931-6**BENZENESULPHENYLIMINO**Structure of 2,4-dinitrobenzenesulphenylimino(triphenyl)phosphorane, $Ph_2PNSC_6H_3(NO_2)_2 \cdot 2,4$, 457-8**BENZENETHIOLATE**Five-co-ordinate nitrosyl thiolato-complexes of molybdenum and tungsten. The preparation and X-ray crystal structures of $[NHEt_3][Mo(SPh)_4(NO)]$, $[PPh_3][WCl(SPh)_3(NO)]$, and $[Mo(SC_6H_4Pr^i-2,4,6)_3(NH_3)(NO)]$, 967-74**BENZIMIDAZOLE**Preparation and complexation of polycenate and macrocyclic ligands incorporating benzimidazole. X-Ray crystal structure of 6,7,9,10,12,13,15,16-Octahydro-23H,25H-bis(benzimidazo[1,2-*j*:2',1'-*o*])[1,4,7,13,10,16]tetraoxadiazacyclo-octadecine, 47-54Synthesis, spectroscopic, and structural studies of dimethylthallium(III) complexes containing heterocyclic nitrogen-donor ligands, including $^+TlC_2N_3O_2^-$ and $^+TlC_2O_6^-$ geometries, 939-46**BENZIMIDOYL**Crown-shaped tetrametallic imido complexes of palladium. X-Ray crystal structure of $[(Pd_2\{\mu-C(C_6F_5)_3\}NMe)_2(\mu-Cl)(\mu-MeCO_2)_2]$, 259-64**BENZYL**The reactions of di- μ -methylene-bis(pentamethylcyclopentadienyl)dirhodium(IV) complexes with benzylmagnesium chloride and with alkynylmagnesium chloride; X-ray structure of $[(\eta^5-C_5Me_5)_2Rh(CH_2Ph)(\mu-CH_2)_2Rh(\eta^5-C_5Me_5CH_2Ph)]$, 1419-24**BENZYLIDENEANILINE**Ligand exchange reactions in cyclopalladated complexes of benzylideneanilines. Crystal structure of $[Pd(C_6H_4CH=NC_6H_4)Br(PPh_3)_2]$, 1785-90**BICYCLOICOSANE**

A structural study of the complexation of the sodium ion by the cryptands 4,7,13,18-tetraoxa-1,10-diazabicyclo[8.5.5]icosane and 4,7,13-trioxa-1,10-diazabicyclo[8.5.5]icosane, 1075-80

BI-IMIDAZOLATEDi- and tetra-nuclear mixed-valence complexes of rhodium(III,I) and rhodium(III)-iridium(I) with the 2,2'-bi-imidazolate(2-) anion (bim) as bridging ligand. Crystal structure of $[(\eta^5-C_5Me_5)_2P(OEt)_2Rh(bim)Rh(nbd)]_2[ClO_4]_2$, 15-22**BI-IMIDAZOLE**Synthesis, spectroscopic, and structural studies of dimethylthallium(III) complexes containing heterocyclic nitrogen-donor ligands, including $^+TlC_2N_3O_2^-$ and $^+TlC_2O_6^-$ geometries, 939-46**BIPHENYLYLENE METHYLENE**Axially asymmetric metal alkyls. Part 4. Synthesis and X-ray crystal structure of the tungsten(V) metallacyclic complex $[W(2-CH_2C_6H_4)_2O_2]_2Mg(C_6H_6O)_4 \cdot CH_2Cl_2$, 789-94**BIPYRIDINE**Preparation, spectroscopic characterisation, electrochemical and photochemical properties of *cis*-bis(2,2'-bipyridyl)carbonylruthenium(II) complexes, 253-8Substitution reactions of *cis*-bis(2,2'-bipyridine)dicationyl(solvent)molybdenum(II) and *cis*-bis(2,2'-bipyridine)dicationyltungsten(II) salts with uni-, bi-, and terdentate tertiary phosphines, trimethyl phosphite, nitric oxide, and 2,2'-bipyridine, 511-6Studies on five-co-ordinate d^8 metal ions. Part 3. Stability constants for the reversible formation of five-co-ordinate complexes from the bis(2,2'-bipyridine)- and bis(1,10-phenanthroline)-platinum(II)

BIPYRIDINE (contd)

- cations, 725-8
- Trisubstituted Group 6 metal carbonyl complexes with di-2-pyridylamine ligands. Crystal structures of (2,2'-bipyridyl-*N,N'*)tricarboxyl(di-2-pyridylamine-*N'*)-molybdenum(0) and -tungsten(0), 759-64
- Zinc(II) bis(*O,O'*-dialkyl dithiophosphates): complexation behaviour with pyridine and other multidentate nitrogen donor molecules. The crystal and molecular structures of the 1:1 complexes of bis(*O,O'*-diisopropyl dithiophosphato)zinc(II) with pyridine, 2,2'-bipyridine, and 2,2':6,2'-terpyridine and of (1,11-diamino-3,6,9-triazaundecane)zinc(II) bis(*O,O'*-diethyl dithiophosphate), 929-38
- Synthesis, spectroscopic, and structural studies of dimethylthallium(III) complexes containing heterocyclic nitrogen-donor ligands, including $\text{TiCl}_2\text{N}_2\text{O}_2$ and TiCl_2O_6 geometries, 939-46
- Synthesis, characterisation, electrochemical properties, photochemical properties, and reactivity of bis(2,2'-bipyridyl)hydridoruthenium complexes, 1045-8
- The effect of a dansyl group on the co-ordinative ability of *N*-protected amino acids. Part 2. Binary copper(II) complexes and their pyridine and 2,2'-bipyridine adducts. Crystal and molecular structure of the complexes aquabis(*N*-dansylglycinato-*O*)bis(pyridine)copper(II) and (2,2'-bipyridine)(*N*-dansylglycinato-*NO*)(methanol)copper(II), and neutral *N*-dansylglycine, 1367-74
- Heterocyclic nitrogen-containing electron-pair donor ligands: a thermochemical study of adducts with zinc, cadmium, and mercury chlorides, 1913-6
- A kinetic investigation of the base-catalysed deuterium-exchange reaction of tris(2,2'-bipyridine)osmium(II) ion in dimethyl sulphoxide solution, 1993-4
- Molybdenum-mediated methoxycarbonylation of propargyl halides: molecular and crystal structure of the vinylmolybdenum(II) complex $[\text{Mo}(\text{bipy})(\text{CO})_2(\text{C}_3\text{H}_5\text{O}_2)(\text{py})]\text{BF}_4$, 2405-10
- Preparation and photochemical properties of water-soluble polymers with pendant tris(2,2'-bipyridyl)ruthenium(II) groups. *N*-Ethylated copolymers of vinylpyridine and *cis*-bis(2,2'-bipyridyl)(4-methyl-4'-vinyl-2,2'-bipyridyl)ruthenium(II), 2485-92
- Kinetics of the oxidation of water by silver(II) ions complexed with 2,2'-bipyridine in aqueous nitrate media, 2593-6

BIS(DIPHENYLPHOSPHINO)AMINE

- Mono- and bi-nuclear gold(I), gold(II), and gold(III) perhalogenoary complexes with the ligand bis(diphenylphosphino)amine. Crystal and molecular structure of μ -[bis(diphenylphosphino)amine]-dichlorobis(pentafluorophenyl)digold(II), 291-6

BISMUTH

- Synthesis, characterization, and crystal structure of μ -[1'-pyrrolidinecarbodithioato- $\text{S}(\text{Bi}^{1+})_2\text{S}'(\text{Bi}^{2+})$]-1,1,1,2,2-pentakis(1'-pyrrolidinecarbodithioato- SS')dibismuth(III) ethanol (1/1) and of di- μ -chloro-bis[bis(1'-pyrrolidinecarbodithioato- SS')(thiourea- S)bismuth(III)], 1513-8

BIS(TRIMETHYLSILYL)METHYL

- Subvalent group 4B metal alkyls and amides. Part 8. Germanium and tin carbene analogues MR_2 [$\text{M} = \text{Ge}$ or Sn , $\text{R} = \text{CH}(\text{SiMe}_3)_2$]: syntheses and structures in the gas phase (electron diffraction); molecular-orbital calculations for MH_2 and GeMe_3 , 1551-6

BORANE

- Preparation and nuclear magnetic resonance properties of eleven-vertex *clos*-type osmaundecaboranes and the X-ray crystal structure of the *ortho*-cycloboronated compound [2,5-(OEt) $_2$ -1-(PPh_3)-1-(α - $\text{Ph}_2\text{PC}_6\text{H}_4$)-*clos*-1- $\text{OsB}_{10}\text{H}_7$]-3], 2277-82
- Determination of the bonding preference of borane (BH_3) toward aminoarsines by multinuclear nuclear magnetic resonance spectroscopy, 2345-8
- Synthesis, reactions, and nuclear magnetic resonance studies of some substituted *arachno*-decaborane and *arachno*-nonaborane derivatives, and the isolation of novel polyhedral diplatnaboranes. Crystal and molecular structure of $[\text{Pt}_2(\text{PMe}_2\text{Ph})_2(\eta^3\text{-B}_3\text{H}_3)(\eta^3\text{-B}_6\text{H}_6)]$, 2433-42

BORATE

- Borane anions with bridging cyanide ligands; preparation and properties of derivatives of $[\text{B}_3\text{H}_4]^-$ and $[\text{B}_9\text{H}_{14}]^-$, 2645-50

BORON

- A kinetic study of the gas-phase thermolysis of tetraborane(10), 81-90
- Polyhedral phosphaborane chemistry: crystal and molecular structure of the diphenylphosphido-bridged *arachno*-decaboranyl

- cluster compound $[\text{PMePh}_3][6,9\text{-}\mu(\text{PPh}_2)\text{B}_{10}\text{H}_{12}]$, 303-8
- Eleven-vertex *isoclos* type rhodaundecaboranes: crystal structures and nuclear magnetic resonance properties of $[(\text{PMe}_2\text{Ph})_2\text{RhHB}_{10}\text{H}_8(\text{OMe})_2]$ and $[(\text{PMe}_2\text{Ph})_2\text{RhHB}_{10}\text{H}_8\text{Cl}(\text{OMe})]$, 517-24
- Pentamethylcyclopentadienylrhodaborane chemistry. Part 1. High-yield planned synthesis, molecular structure, and nuclear magnetic resonance properties of the ten-vertex *nido*-6-rhodadecaborane $[(\eta^5\text{-C}_5\text{Me}_5)\text{RhB}_9\text{H}_{13}]$, 547-52
- Comparative ten-vertex metallaborane chemistry: some *nido*-6-metalladecaboranes of tungsten, rhenium, ruthenium, osmium, and iridium; including the crystal and molecular structures of $[6,6,6,6,6\text{-}(\text{PMe}_2\text{Ph})_5\text{H}_2\text{-nido-6-WB}_9\text{H}_{13}]$ and $[6,6,6\text{-}(\text{PMe}_2\text{Ph})_3\text{-nido-6-OsB}_9\text{H}_{13}]$, 795-802
- A neutron diffraction study $[\text{N}(\text{PPh}_3)_2]^+[\text{B}_2\text{H}_7]^- \cdot \text{CH}_2\text{Cl}_2$ at 80 K, 1753-8
- Synthesis, molecular structures, and nuclear magnetic resonance properties of the macropolyhedral metallaboranes $[(\text{PMe}_2\text{Ph})_4\text{Pt}_3\text{B}_{14}\text{H}_{16}]$ and $[(\text{PMe}_2\text{Ph})_4\text{PtB}_{14}\text{H}_{16}(\text{PMe}_2\text{Ph})]$, and a discussion of the bonding at platinum in these and some related platinaborane clusters, 1879-94
- Synthesis, crystal structure, and gas-phase photoelectron spectroscopic study of *B,B'*-bis(1,3-dicyclohexyl-1,3,2-diazaborolidin-2-yl), 2283-6
- Determination of the bonding preference of borane (BH_3) toward aminoarsines by multinuclear nuclear magnetic resonance spectroscopy, 2345-8
- Synthesis, reactions, and nuclear magnetic resonance studies of some substituted *arachno*-decaborane and *arachno*-nonaborane derivatives, and the isolation of novel polyhedral diplatnaboranes. Crystal and molecular structure of $[\text{Pt}_2(\text{PMe}_2\text{Ph})_2(\eta^3\text{-B}_3\text{H}_3)(\eta^3\text{-B}_6\text{H}_6)]$, 2433-42
- Borane anions with bridging cyanide ligands; preparation and properties of derivatives of $[\text{B}_3\text{H}_4]^-$ and $[\text{B}_9\text{H}_{14}]^-$, 2645-50

BROMATE

- Kinetics of the bromate-iodide-ascorbic acid clock reaction: different mechanism of the molybdenum and vanadium catalysis, 2675-80

BROMIDE

- Luminescence spectra of the mixed complexes $[\text{TeCl}_4\text{Br}_6]^{2-}$, 921-4

BROMOMERCURIO

- The crystal structure and reactivity of $[(\eta\text{-C}_6\text{H}_5)\text{NiOs}_2(\mu\text{-H})_2(\text{CO})_2(\text{PPh}_2\text{H})]$: ^1H and ^{31}P nuclear magnetic resonance spectroscopic characterization of $[(\eta\text{-C}_6\text{H}_5)\text{NiOs}_2(\mu\text{-H})_2(\mu\text{-HgBr})(\text{CO})_2(\text{PPh}_2\text{H})]$ and related complexes, 1135-40

BUTADIENEDIYL

- Nuclear magnetic resonance of binuclear complexes containing a metallocyclopentadiene system, 1863-6

BUTANEDIONATE

- Crystal and molecular structure and magnetic properties of tris[di- μ -methoxy-bis[4,4,4-trifluoro-1-(2-thienyl)butane-1,3-dionato]dicopper(II)], 97-102

BUTANOATE

- Structure-magnetism correlation in dimeric copper(II) carboxylates: crystal and molecular structure of tetra- μ -(propanoato-*O,O'*)-bis(aquacopper(II)), 1653-8

BUTANONE OXIME

- A structural and isotopic NO_2^- exchange rate comparison of *trans*-[$\text{Co}(\text{ao-H-ao})(\text{NO}_2)_2$] and *cis*-[$\text{Co}(\text{hao})(\text{NO}_2)_2$] NO_3 , 1759-66

BUTENYL

- Reactivity of cyclopalladated compounds. Part 11. Reactions of five- versus seven-membered cyclopalladated rings with phosphine ligands. Crystal structures of $[(\text{NMe}_2\text{CH}_2\text{C}_6\text{H}_4)\text{-Pd}(\text{C}(\text{CF}_3)=\text{C}(\text{CF}_3)\text{C}_6\text{H}_4\text{CH}_2\text{NMe}_2)(\text{PMe}_2\text{Ph})]$ and $[(\text{NMe}_2\text{CH}_2\text{C}_6\text{H}_4)\text{-Pd}(\text{C}(\text{CF}_3)=\text{C}(\text{CF}_3)\text{C}_6\text{H}_4\text{CH}_2\text{-NMe}_2)(\text{PMe}_2\text{Ph})]$, 359-64

BUTENYNE

- Structure of a *cis*-dimetalla-alkene complex formed by the reaction of a ruthenium(II) complex with bis(phenylethynyl)mercury(II), 433-6

BUTYL

- Tributyltin(IV) penta(methoxycarbonyl)cyclopentadienides $[\text{SnBu}_3\text{L}_2]^+[\text{C}_5(\text{CO}_2\text{Me})_5]^-$. X-Ray crystal structure of the diaquatributyltin(IV) salt, $[\text{SnBu}_3(\text{OH})_2][\text{C}_5(\text{CO}_2\text{Me})_5]$, and electron spin resonance spectrum of the radical $\text{C}_5(\text{CO}_2\text{Me})_5$, 1873-8

BUTYNE

Co-ordinatively unsaturated alkyne complexes of molybdenum and tungsten: reactions and dynamic nuclear magnetic resonance studies of $[M(SC_4F_9)(CO)(CF_3C\equiv CCF_3)(\eta^2-C_4H_9)]$ ($M = Mo$ or W) complexes, 247-32

CADMIUM

Thermal stability of cadmium-calcium hydroxyapatite solid solutions, 241-4

Heterocyclic nitrogen-containing electron-pair donor ligands: a thermochemical study of adducts with zinc, cadmium, and mercury chlorides, 1913-6

Anodically generated mercury(II) ion as indicator for metal-ligand formation equilibria, 2651-4

CALCIUM

The crystal structure of calcium 1,1-dicyanoethylene-2,2-dithiolate pentahydrate, 43-6

Thermal stability of cadmium-calcium hydroxyapatite solid solutions, 241-4

Kinetics of hydration of calcium sulphate hemihydrate, 729-32

CALORIMETRY

A potentiometric, spectrophotometric, and calorimetric investigation of molybdenum(VI)-oxalate complex formation, 1857-62

CARBENE

Reactions of the metallabromoalkane $[Mo((CH_2)_3Br)(CO)_3(\eta-C_5H_5)]$ and the carbene complexes *trans*-

$[Mo\{-C(CH_2)_2O\}(CO)_2(\eta-C_5H_4R)]$ ($R = H$ or Me) with $Li(BEt_3H)$. The synthesis ($R = H$ or Me) and X-ray structure ($R = Me$) of $[Mo\{-C(CH_2)_2O\}(CO)_2(\eta-C_5H_4R)]$

containing an unusual oxygen-molybdenum donor interaction, 2119-26

Syntheses and reactions of acyclic and cyclic carbene complexes *cis*-

$[M\{-CMeNHMe\}(CO)_2(\eta-C_5H_5)]$ ($M = Mo$ or W) and *cis*-

$[M\{-C(CH_2)_2NMe\}(CO)_2(\eta-C_5H_5)]$ ($M = Mo$, $n = 3$ or 4 ; $M = W$, $n = 3$) obtained through alkyl migration to methyl isocyanide co-ordinated to molybdenum or tungsten. X-Ray

structure of *cis*- $[Mo\{-C(CH_2)_2NMe\}(CO)_2(\eta-C_5H_5)]$, 2127-36

CARBIDE

Reactions of $[Os_2(CO)_{10}C]$ with diphosphines; synthesis, reactivity, and the X-ray crystal structure of

$[Os_2(CO)_{10}C\{Ph_2P(CH_2)_3PPh_2\}]$, 453-6

The syntheses and X-ray structure analyses of the heteronuclear monoanions $[Os_2(CO)_{10}C\{Au(NCMe)\}]^-$ and

$[Os_2(CO)_{10}C\{Au(PPh_3)\}]^-$ as their $[PPh_3Me]^+$ salts, 975-80

New carbide clusters in the cobalt subgroup. Part 16. Preparation and structural characterization of μ_4 -carbido-penta- μ -carbonyl-octacarbonyl-octahedro-hexacarbonyl(2-) as its

tetraethylammonium salt, 981-4

Synthesis and characterisation of a phosphido-bridged ruthenium cluster: crystal and molecular structure of $[Ru_3C(\mu-H)(\mu-PPh_2)(CO)_3]$, 2149-54

CARBON-13

Complexation of gold(I) thiomalate ('Myocrisin') with 1,3-diazinane-2-thione in aqueous solution followed by ^{13}C nuclear magnetic resonance spectroscopy, 1049-50

Carbon-13 nuclear magnetic resonance study of ternary complexes involving zinc(II) and triethylenetetramine, 1499-504

Carbon-13 nuclear magnetic resonance study of complexes involving zinc(II) and 2,2',2''-tri-*n*-propyltriethylamine, 1505-12

Synthesis of the new bidentate tellurium ligands, $(p-EtOC_6H_4)_2Te(CH_2)_2Te(C_6H_4OEt)_2$ ($p = 1, 5, 6, 7, 9, \text{ or } 10$), 2003-6

Carbon-13 nuclear magnetic resonance studies of synthetic $[Fe_4S_4(SR)_4]^{2-}$ iron-sulphur clusters, 2013-6

CARBONATE

First synthesis and structural assessment of alkali-metal carbonatodioxoperoxouranate(VI) monohydrates,

$A_2[UO_2(O_2)(CO_3)] \cdot H_2O$, and carbonato-oxodiperoxovanadate(V) trihydrates, $A_3[VO(O_2)_2(CO_3)] \cdot 3H_2O$, 709-12

Adsorption equilibrium of uranium from aqueous $[UO_2(CO_3)_3]^{4-}$ solutions on a polymer bearing amidoxime groups, 1983-6

CARBON DIOXIDE

Electrocatalytic reduction of carbon dioxide to methanol. Part 2. Effects of metal complex and primary alcohol, 1519-24

CARBON MONOXIDE

Complexes with functional phosphines. Part 8. Interconversion

study of $[RuCl_2\{Ph_2PCH_2C(O)OEt\}L_2]$,

$[RuCl_2(CO)\{Ph_2PCH_2C(O)OEt\}L]$, and $[RuCl_2(CO)_2L_2]$

$[L = Ph_2PCH_2C(O)OEt]$ under CO. Synthesis and X-ray

structure of *mer*- $[RuCl_3\{Ph_2PCH_2C(O)OEt\}L]$, 415-20

Copper(I) Schiff-base complexes: reversible carbon monoxide binding, reactions with dioxygen, and the structure of a dinuclear complex containing co-ordinated and unco-ordinated alkene groups, 911-20

Complexes with functional phosphines. Part 8. Interconversion study of $[RuCl_2\{Ph_2PCH_2C(O)OEt\}L_2]$,

$[RuCl_2(CO)\{Ph_2PCH_2C(O)OEt\}L]$, and $[RuCl_2(CO)_2L_2]$

$[L = Ph_2PCH_2C(O)OEt]$ under CO. Synthesis and X-ray structure of *mer*- $[RuCl_3\{Ph_2PCH_2C(O)OEt\}L]$ (1986, 415), 1483-4

CARBONYL

Spectroscopic studies on adsorbed metal carbonyls. Part 3. Interaction of $[Os_3(CO)_{12}]$ with silica, alumina, and titania, 7-14

Homogeneous catalysis on metal clusters. The isomerization and selective hydrogenation of dienes, alkenes, and alkynes in the presence of $[(\eta-C_5H_5)_2NiOs_2(\mu-H)_2(CO)_2]$ and $[(\eta-C_5H_5)_2NiOs_2(\mu-H)_2(CO)_2]$ $[L = PPh_3H$ or $P(C_6H_4Me)_3]$. Spectroscopic identification of the reaction intermediates and X-ray structure of $[Os_2(\mu-H)(CO)_9(MeCCHCMe)]$, 23-30

Synthesis and structural characterisation of some tetrahedral platinum-gold cluster compounds containing the sulphur dioxide ligand, 73-80

Solution dynamics of the reversible carbonyl-phosphorus ligand exchange in $[(OC)_4Mo(\mu-PEt_2)_2Mo(CO)_4]$: kinetic parameters as a measure of the relative steric hindrance of phosphines and phosphites, 217-24

Syntheses, structures, and bonding of heteropentametallic clusters $[MCo_3(CO)_{12}\{\mu_3-M'(EPH_3)\}]$ ($M = Fe$ or Ru ; $M' = Cu$ or Au ; $E = P$ or As): X-ray crystal structures of $[RuCo_3(CO)_{12}\{\mu_3-M'(PPh_3)\}]$ ($M' = Cu$ or Au), 225-34

Preparation, spectroscopic characterisation, electrochemical and photochemical properties of *cis*-bis(2,2'-bipyridyl)carbonylruthenium(II) complexes, 253-8

Monocarbonyl complexes of iron(II): preparation and properties, 329-32

Reactions of $[Os_2(CO)_{10}C]$ with diphosphines; synthesis, reactivity, and the X-ray crystal structure of

$[Os_2(CO)_{10}C\{Ph_2P(CH_2)_3PPh_2\}]$, 453-6

Chemistry of the unsaturated cluster compound $[Os_3Pt(\mu-H)_2(CO)_{10}\{P(cyclo-C_6H_{11})_3\}]$: X-ray crystal structures of

$[Os_3Pt(\mu-H)_2(CO)_{10}\{P(cyclo-C_6H_{11})_3\}]$, $[Os_3Pt(\mu-H)_4(CO)_{10}\{P(cyclo-C_6H_{11})_3\}]$, and $[Os_3Pt(\mu-H)_2(\mu-CH_2)(CO)_{10}\{P(cyclo-C_6H_{11})_3\}]$ (two isomers) (1985, 177), 463-4

Substitution reactions of *cis*-bis(2,2'-bipyridine)dicarbonyl(solvent)molybdenum(II) and *cis*-bis(2,2'-bipyridine)dicarbonyltungsten(II) salts with uni-, bi-, and terdentate tertiary phosphines, trimethyl phosphite, nitric oxide, and 2,2'-bipyridine, 511-6

Doubly and triply bridged dihapto phenylethynyl triosmium clusters by oxidative addition of phenylethynyl gold compounds. X-Ray crystal structure of $[Os_3(C\equiv CPh)\{Au(PMe_2Ph)\}(CO)_{10}]$, 543-6

The reaction of $[Os_3(CO)_{10}(MeCN)_2]$ with heterocyclic thioamides. The crystal and molecular structure of $[Os_3(\mu-H)(CO)_{10}(\mu-SC=NCH_2CH_2S)]$, 633-40

The synthesis, structural and spectroscopic studies of $[Ru_3Rh_2H_2(CO)_{12}]$, 681-6

A molecular-orbital study of tricarbonyl(1-5- η -cycloheptadienyl)iron and tricarbonyl(1-5- η -cyclooctadienyl)iron, 701-8

Crystal and molecular structure of 1,1,1,1-tetracarbonyl-2,2- η -cyclopentadienyl-bis(μ -diphenylphosphido)-molybdenumzirconium, $[(cp)_2Zr(\mu-PPh_2)_2Mo(CO)_4]$, 713-6

Trisubstituted Group 6 metal carbonyl complexes with di-2-pyridylamine ligands. Crystal structures of (2,2'-bipyridyl-*N,N'*)tricarbonyl(di-2-pyridylamine-*N'*)-molybdenum(0) and -tungsten(0), 759-64

He I and He II Photoelectron spectra of some trifluorophosphine, carbonyl, and hydrido transition metal complexes, 765-70

Chemistry of iridium carbonyl clusters. Synthesis and chemical

CARBONYL (contd)

- characterization of the hexanuclear anions $[\text{Ir}_6(\text{CO})_{15}(\text{CO}_2\text{R})]^-$ ($\text{R} = \text{Me}$ or Et) and $[\text{Ir}_6(\text{CO})_{14}(\text{CO}_2\text{Me})_2]^{2-}$. Crystal and molecular structure of $[\text{N}(\text{PPh}_3)_2][\text{Ir}_6(\mu-\text{CO})_4(\text{CO})_{11}(\text{CO}_2\text{Me})]$, 777-82
- Chemistry of hydrogen isocyanide. Part 1. Reactions of $[\text{M}(\text{CO})_2(\text{CNH})]$ ($\text{M} = \text{Cr}$ or W) with epoxides, 863-8
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 42. Synthesis of the compounds $[\text{N}(\text{PPh}_3)_2][\text{Fe}_2\text{W}(\mu-\text{CO})(\mu-\text{NO})(\mu_3-\text{CR})(\text{CO})_6(\eta-\text{C}_5\text{H}_5)]$ ($\text{R} = \text{Me}$ or $\text{C}_6\text{H}_4\text{Me}-4$) and the X-ray crystal structure of the tolylmethylidene complex, 869-74
- Condensation of α -phenylenediamine and phthalaldehyde using molybdenum(0) as template. Isolation and crystal and molecular structure of an intermediate molybdenum complex with an η^2 -bonded aldehydic group, 879-82
- Reactivity of trinuclear ruthenium complexes involving bis(diphenylphosphino)methane (dppm) as a bridging ligand: facile declusterification of $[\text{Ru}_3(\text{CO})_9(\mu-\text{dppm}-PP)_2]$ in the presence of iodine and the crystal structure of $[\text{Ru}_2(\mu-\text{I})_2(\text{CO})_4(\mu-\text{dppm}-PP)]$, 899-902
- The syntheses and X-ray structure analyses of the heteronuclear monoanions $[\text{Os}_2\text{C}(\text{CO})_2\text{Cu}(\text{NCMe})]^-$ and $[\text{Os}_2\text{C}(\text{CO})_2\text{Au}(\text{PPh}_3)]^-$ as their $[\text{PPh}_3\text{Me}]^+$ salts, 975-80
- New carbide clusters in the cobalt subgroup. Part 16. Preparation and structural characterization of μ_6 -carbido-penta- μ -carbonyl-octacarbonyl-octahydro-hexacobaltate(2-) as its tetraethylammonium salt, 981-4
- Reactions of co-ordinated ligands. Part 37. Synthesis and structure of the dimolybdenum μ -allylidene complex $[\text{Mo}_2(\mu-\sigma-\eta^3-\text{CHCHMe}_2)(\text{CO})_4(\eta-\text{C}_5\text{H}_5)_2]$; formation and crystal structure of the oxo- μ -allylidene complex $[\text{Mo}_2\text{O}(\mu-\sigma-\eta^3-\text{CHCHMe}_2)(\mu-\text{CO})(\eta-\text{C}_5\text{H}_5)_2]$. Thermal rearrangement to alkyne and 1,3-diene dimolybdenum species and structure of $[\text{Mo}_2(\mu_3-\eta^4-\text{CCHMeCH})(\text{CO})_4(\eta-\text{C}_5\text{H}_5)_2]$, 1021-30
- The molecular structure of $[\text{Mo}(\text{CO})_5\text{H}(\eta-\text{C}_5\text{Me}_5)]$ and its conversion to $[\text{Mo}(\text{CO})_5\text{Cl}(\eta-\text{C}_5\text{Me}_5)]$ and $[\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2][\text{Mo}(\text{CO})_5(\eta-\text{C}_5\text{Me}_5)]$, 1041-4
- Synthesis and X-ray crystal structure of the novel hydridocarbonyl cluster $[\text{NEt}_4][\text{Re}_6(\mu-\text{H})(\mu-\text{Cl})_4]$, 1051-4
- 1,2,4-Triazolate (tz) complexes of rhodium(II), iridium(II), and palladium(II). Crystal structure of $[\text{Rh}_3(\mu_3-\text{tz})(\mu-\text{Cl})\text{Cl}(\eta^5-\text{tbb})(\text{CO})_4] \cdot 0.5\text{CH}_2\text{Cl}_2$ (tbb = tetrafluorobenzobarrelene), a trinuclear complex with extended metal-metal interactions, 1087-94
- Reactions of $[\text{Fe}(\text{cp})(\text{CO})_2\text{Cl}]$ ($\text{cp} = \eta$ -cyclopentadienyl) with 3-methylbut-2-enoic acid and its methyl ester. X-Ray crystal and molecular structure of bis(dicarbonyl(η -cyclopentadienyl)(3-methylbut-2-enoato)iron(II))hydrogen hexafluoroantimonate and μ -chloro-bis(dicarbonyl(η -cyclopentadienyl)iron(II)) hexafluoroantimonate, 1129-34
- The crystal structure and reactivity of $[(\eta-\text{C}_6\text{H}_5)\text{NiO}_2(\mu-\text{H})_3(\text{CO})_6(\text{PPh}_3\text{H})]$; ^1H and ^{31}P nuclear magnetic resonance spectroscopic characterization of $[(\eta-\text{C}_5\text{H}_5)\text{NiO}_2(\mu-\text{H})_2(\mu-\text{HgBr})(\text{CO})_6(\text{PPh}_3\text{H})]$ and related complexes, 1135-40
- Reactions of bis[1,2-bis(dimethylphosphino)ethane]-bis(dinitrogen)chromium(0) and -bis(carbonyl)chromium(0) with acids and oxidizing agents. X-Ray crystal structures of $\text{trans-Cr}^{\text{II}}(\text{O}_2\text{CCF}_3)_2(\text{dmpe})_2$, $\text{trans}[\text{Cr}^{\text{II}}(\text{NCR})_2(\text{dmpe})_2][\text{CF}_3\text{SO}_3]_2$ ($\text{R} = \text{Me}$ or Et), $\text{trans}[\text{Cr}^{\text{II}}\text{Cl}_2(\text{dmpe})_2]\text{BPh}_4$, CH_2Cl_2 , $\text{trans}[\text{Cr}^{\text{II}}(\text{CO})_2(\text{dmpe})_2]\text{BPh}_4$, and $[\text{Cr}^{\text{II}}\text{H}(\text{CO})_2(\text{dmpe})_2]\text{BPh}_4$, 1141-54
- Ligand fluxionality in close-packed rhodium carbonyl clusters, 1375-82
- Synthesis and characterization of high-nuclearity osmium-platinum cluster compounds. The molecular structures of $[\text{Os}_6\text{Pt}_2(\text{CO})_{16}(\text{C}_6\text{H}_{12})_2]$ and $[\text{Os}_6\text{Pt}_2(\text{CO})_{16}(\text{C}_6\text{H}_{12})_2][\text{P}(\text{OMe})_3]_2$ (C_6H_{12} = cyclo-octa-1,5-diene), 1395-402
- Carbon-sulphur and carbon-hydrogen bond cleavages in the reactions of phenyl vinyl sulphide with trisium clusters: crystal structure determination of $[\text{Os}_3(\mu-\text{SPh})(\mu-\text{CH}=\text{CH}_2)(\text{CO})_{10}]$, 1431-6
- Chelation of vinyl acetate and related unsaturated ketones: molecular structure of $[\text{Os}_3(\text{CO})_{10}(\text{CH}_2=\text{CHOCOMe})]$, 1437-42
- Molecular structures and dynamic behaviour of two isomers of $[\text{Ru}_3(\mu-\text{H})(\mu_3-\text{Me}_2\text{NC}_4\text{H}_7)(\text{CO})_9]$ formed from 1-dimethylaminobut-2-yne and containing η^3 -alkene-1,3-diyl and η^3 -alkene-1,2-diyl ligands respectively, 1459-64
- A general synthetic route for platinum sulphur dioxide cluster compounds and the X-ray structural characterisation of di- μ -carbonyl-carbonyl-tri(μ -sulphur dioxide)-tetrakis(triphenylphosphine)pentaplutonium-dichloromethane-propan-2-ol (1/2/1), $[\text{Pt}_5(\text{CO})(\mu-\text{CO})(\mu-\text{SO}_2)_3(\text{PPh}_3)_4] \cdot 2\text{CH}_2\text{Cl}_2 \cdot \text{Me}_2\text{CH}(\text{OH})$, 1535-42
- X-Ray structure analysis of the salts $[\text{N}(\text{PPh}_3)_2][\text{M}_2\text{H}_2(\text{CO})_{12}]$ ($\text{M} = \text{Ru}$ or Os); confirmation of the existence of discrete structural isomers for a hydrido-carbonyl cluster in the solid state, 1557-64
- Reactions of electrophilic alkynes with some iron and tungsten sulphur, selenium, and arsenic complexes, 1577-86
- Reduction-oxidation properties of organotransition-metal complexes. Part 23. Pentaphenylcyclopentadienyl carbonyl complexes of cobalt and rhodium, 1613-8
- Instant ligands. Part 1. Preparation of some bidentate fluorophosphine ligands derived from straight chain organic substrates, and their reactions to form molybdenum complexes, 1689-92
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 43. Carbon-tungsten triple bonds as formal four-electron donors; synthesis and reactions of the compounds $[\text{FeW}(\mu-\text{CC}_6\text{H}_4\text{Me}-4)(\text{CO})_2\text{L}]$ [$\text{L} = \text{HB}(\text{pz})_3$ [tris(pyrazol-1-yl)borate] or η - C_5H_5], and X-ray crystal structures of $[\text{FeW}(\mu-\text{CC}_6\text{H}_4\text{Me}-4)(\text{CO})_2\text{L}][\text{HB}(\text{pz})_3]$ and $[\text{FeW}(\mu-\text{CC}_6\text{H}_4\text{Me}-4)(\mu-\text{CO})(\mu-\text{Me}_2\text{PCH}_2\text{PMe}_2)(\text{CO})_2][\text{HB}(\text{pz})_3]$, 1697-708
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 44. Formation of unsaturated dimetal compounds with elimination of alkylidyne groups; X-ray crystal structures of $[\text{FeW}(\mu-\text{PPh}_3)(\text{CO})_2][\text{HB}(\text{pz})_3]$ [$\text{HB}(\text{pz})_3$ = tris(pyrazol-1-yl)borate] and $[\text{RhW}(\mu-\text{CO})_2(\text{CO})(\text{PPh}_3)_2(\eta-\text{C}_5\text{H}_5)]$, 1709-16
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 45. Synthesis of the pentanuclear metal complexes $[\text{M}'\text{M}_2\text{Re}_2(\mu-\text{CC}_6\text{H}_4\text{Me}-4)(\text{CO})_{16}]$ ($\text{M}' = \text{Ni}$ or Pt , $\text{M} = \text{Cr}$ or W) and related compounds; X-ray crystal structure of $[\text{ReWPt}(\mu-\text{CC}_6\text{H}_4\text{Me}-4)(\text{CO})_9(\text{PMe}_3)_2]$, 1717-22
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 46. Synthesis of heteronuclear trimetal compounds from the dimetallic compounds $[\text{ReM}(\mu\text{-CC}_6\text{H}_4\text{Me}-4)(\text{CO})_6]$ ($\text{M} = \text{Cr}$, Mo , or W) and $[\text{CoW}(\mu\text{-CC}_6\text{H}_4\text{Me}-4)(\text{CO})_6]$; X-ray structure of $[\text{CrReFe}(\mu_3-\text{CC}_6\text{H}_4\text{Me}-4)(\mu-\text{CO})(\text{CO})_{11}]$, 1723-30
- Reaction of $[(\text{OC})_2(\text{cp})\text{FeC}(\text{S})\text{SFe}(\text{cp})(\text{CO})_2]$ ($\text{cp} = \eta^5-\text{C}_5\text{H}_5$) with dicobalt octacarbonyl; X-ray crystal structure of $[\text{Co}_2\text{Fe}(\text{cp})(\text{CO})_9(\text{CS})]$ containing a six-electron donor thiocarbonyl group, 1791-4
- Bimetallic systems. Part 15. Some reactions of platinum-manganese carbonyl complexes containing bridging $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ (dppm) ligands, 1815-20
- Nuclear magnetic resonance of binuclear complexes containing a metallocyclopentadiene system, 1863-6
- Electrochemical oxidation of monosubstituted chromium carbonyl complexes. Ligand and solvent effects, 1867-72
- Electrochemistry of dinuclear, thiolato-bridged transition-metal compounds. Part 1. Electrochemical behaviour of $[(\eta^5-\text{C}_5\text{H}_5)_2(\text{CO})_2\text{M}(\mu-\text{SR})\text{W}(\text{CO})_2]$ ($\text{R} = \text{Me}$, $\text{M} = \text{Mo}$ or W ; $\text{R} = \text{Ph}$, $\text{M} = \text{W}$) complexes in non-aqueous media, 1917-22
- Electrochemistry of dinuclear, thiolato-bridged transition-metal compounds. Part 2. Reductive electrochemistry of metal-metal bonded complexes $[(\eta^5-\text{C}_5\text{H}_5)(\text{CO})_2\text{Mo}(\mu-\text{SMe})\text{W}(\text{CO})_4\text{L}]$ [$\text{L} = \text{CO}$ or $\text{P}(\text{OMe})_3$], 1923-30
- Reactions of co-ordinated ligands. Part 38. The reactions of 1,2-dienes, 1,3-dienes, and alkynes with the μ -allylidene complex $[\text{Mo}_2(\mu-\sigma-\eta^3-\text{CHCHMe}_2)(\text{CO})_4(\eta-\text{C}_5\text{H}_5)_2]$; molecular structures of $[\text{Mo}(\text{CO})_2(\eta-\text{C}_5\text{H}_5)(\mu-\eta^3-\eta^5-\text{CH}_2\text{C}(\text{CH}_3)\text{CHCHMe}_2)\text{Mo}(\text{CO})_2(\eta-\text{C}_5\text{H}_5)]$, $[\text{Mo}_2(\mu-\eta^4-\text{CMe}_2\text{CHCHCH}(\text{Bu})\text{CO})(\text{CO})_2(\eta-\text{C}_5\text{H}_5)_2]$ and $[\text{Mo}(\text{CO})_2(\eta-\text{C}_5\text{H}_5)(\mu-\eta^3-\eta^5-\text{C}(\text{Me})(\text{CO})\text{C}(\text{Me})(\text{O})\text{CHCHMe}_2)\text{Mo}(\text{CO})_2(\eta-\text{C}_5\text{H}_5)]$, 1971-82
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 47. Synthesis of tri-, tetra-, and penta-heteronuclear metal cluster compounds involving tungsten with platinum or nickel: crystal structures of the compounds $[\text{Pt}_3\text{W}(\mu_3-\text{CR})_2(\text{CO})_4(\text{cod})(\eta-\text{C}_5\text{H}_5)_2]$ and $[\text{Pt}_2\text{W}_2(\mu-\text{CR})_2(\mu_3-\text{CR})(\text{CO})_6(\eta-\text{C}_5\text{H}_5)_2]$ ($\text{R} = \text{C}_6\text{H}_4\text{Me}-4$, $\text{cod} = \text{cyclo-octa-1,3-diene}$), 2091-104
- Chemistry of di- and tri-metal complexes with bridging carbene or

CARBONYL (contd)

- carbyne ligands. Part 48. Reactions of the cluster complex $[\text{Fe}_2\text{W}(\mu_3\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\text{CO})_6(\eta\text{-C}_5\text{H}_5)]$ with $[\text{W}(\text{=CR})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$ ($\text{R} = \text{Me}$ or $\text{C}_6\text{H}_4\text{Me-4}$); crystal structures of $[\text{FeW}_2(\mu_3\text{-}\sigma\text{-}\eta^2\text{-C=CH}_2)(\text{CO})_7(\eta\text{-C}_5\text{H}_5)_2]$ and $[\text{FeW}_2(\mu_3\text{-MeC}_2\text{C}_6\text{H}_4\text{Me-4})(\text{CO})_7(\eta\text{-C}_5\text{H}_5)_2]$, 2105–12
- Reactions of the metallabromoalkane $[\text{Mo}(\text{CH}_2)_3\text{Br}](\text{CO})_3(\eta\text{-C}_5\text{H}_5)$ and the carbene complexes *trans*- $[\text{Mo}(\text{=C}(\text{CH}_2)_3\text{O})(\text{CO})_2(\eta\text{-C}_5\text{H}_5\text{R})]$ ($\text{R} = \text{H}$ or Me) with $\text{Li}(\text{BEt}_2\text{H})$. The synthesis ($\text{R} = \text{H}$ or Me) and X-ray structure ($\text{R} = \text{Me}$) of $[\text{Mo}(\text{CH}(\text{CH}_2)_3\text{O})(\text{CO})_2(\eta\text{-C}_5\text{H}_5\text{R})]$ containing an unusual oxygen-molybdenum donor interaction, 2119–26
- Kinetics and mechanism of halide promoted migratory CO insertion of $[\text{FeMe}(\text{O-C}_6\text{H}_4\text{AsMe}_2)_2](\text{CO})_3\text{ClO}_4$, 2137–44
- Substitution kinetics of $[\text{Os}_2(\text{CO})_{11}(\text{NMe})]$ and $[\text{Os}_2(\text{CO})_{10}(\text{NMe})_2]$, 2145–8
- Synthesis and characterisation of a phosphido-bridged ruthenium cluster: crystal and molecular structure of $[\text{Ru}_3\text{C}(\mu\text{-H})(\mu\text{-PPh}_2)(\text{CO})_3]$, 2149–54
- The heteronuclear cluster chemistry of the group 1B metals. Part 1. Structural similarities and differences among mixed-metal clusters compounds containing copper, silver, or gold atoms ligated by phosphines. X-Ray crystal structures of $[\text{CuRu}_4(\mu_3\text{-H})_3(\text{CO})_{12}(\text{PMePh})_3]$ and $[\text{CuRu}_4(\text{CO})_4(\text{C}_2\text{Bu})(\text{PPh}_3)_3]$, 2181–92
- Reversible carbon-nitrogen bond formation in the isomerisation of triosmium compounds derived from *t*-butyldiazomethane (Bu^tCHN_2); the X-ray crystal structure of $[\text{Os}_3\text{H}_2(\text{Bu}^t\text{CH=NNCO})(\text{CO})_6(\text{PMe}_2\text{Ph})]$, 2259–64
- Molybdenum-mediated methoxycarbonylation of propargyl halides: molecular and crystal structure of the vinylmolybdenum(II) complex $[\text{Mo}(\text{bipy})(\text{CO})_2(\text{C}_2\text{H}_5\text{O}_2)(\text{py})]\text{BF}_4$, 2405–10
- Chemistry of tetrairidium carbonyl clusters. Part 1. Synthesis, chemical characterization, and nuclear magnetic resonance study of mono- and di-substituted phosphine derivatives. X-Ray crystal structure determination of the diaxial isomer of $[\text{Ir}_4(\text{CO})_7(\mu\text{-CO})_2(\text{Me}_2\text{PCH}_2\text{CH}_2\text{PMe}_2)]$, 2411–22
- Synthesis and chemical characterization of the chalcogenide capped iridium carbonyl anions: $[\text{Ir}_3(\mu_3\text{-X})(\text{CO})_6]^-$ ($\text{X} = \text{S}$ or Se). Crystal and molecular structures of $[\text{NMe}_2(\text{CH}_2\text{Ph})][\text{Ir}_3(\mu_3\text{-S})(\text{CO})_6]$ and $[\text{NMe}_4][\text{Ir}_3(\mu_3\text{-Se})(\text{CO})_6]$, 2463–8
- Reaction of nitrobenzene with $[\text{M}_4(\text{CO})_{12}]$ ($\text{M} = \text{Fe}$ or Ru) in the presence of $[\text{Co}_2(\text{CO})_8]$: isolation and structure of $[\text{Ru}_3(\text{CO})_7(\text{NPh})(\eta^6\text{-C}_6\text{H}_6)]$, 2501–4
- A general route for the synthesis of tetranuclear clusters containing closed triruthenium and triosmium triangles, 2515–8
- Cluster chemistry. Part 45. Synthesis and some reactions of $[\text{Ru}_3(\mu_3\text{-PPhCH}_2\text{PPh}_2)(\text{CO})_6]^-$: X-ray crystal structures of $[\text{MRu}_3(\mu_3\text{-PPhCH}_2\text{PPh}_2)(\text{CO})_6(\text{PPh}_3)]$ ($\text{M} = \text{Cu}$, Ag , or Au), 2557–68
- Di-iodine oxidation of molybdenum(0)- η^6 -arene complexes. New results on molybdenum(II) and tungsten(II) carbonyl derivatives; crystal structures of $[\text{Mo}(\text{CO})_2(\eta^6\text{-C}_6\text{H}_5\text{Me}_3\text{-1,3,5})][\text{M}_2\text{I}_2(\text{CO})_6]$ ($\text{M} = \text{Mo}$ or W) and $[\text{Mo}(\text{CO})_2(\eta^6\text{-C}_6\text{Me}_6)][\text{MoI}_2(\text{CO})_4]$, 2569–80
- The photoelectron spectrum of hexacarbonyl- μ -di-*t*-butylacetylenedi-iron: a joint experimental and theoretical study, 2581–6
- Tetraethyl diphosphite-bridged binuclear carbonyl derivatives of decacarbonyldimanganese and pentacarbonylmanganese halides, 2617–22
- Iridium nitrosyl and carbonyl complexes with 2-pyridinecarbaldehyde, 2669–74
- Synthesis and characterization of a new family of unsaturated triangular rhenium cluster anions of formula $[\text{Re}_3(\mu\text{-H})_2(\text{CO})_6\text{L}]^-$ ($\text{L} =$ neutral two-electron donor ligand). X-Ray crystal and molecular structures of the tetraethylammonium salts of the anions with $\text{L} =$ triphenylphosphine and pyridine, 2691–8
- Mechanism of addition of 2-ethylpyridine to tricarbonyl(1-5- η -dienyl)iron(II) cations (dienyl = C_6H_5 , 2-MeOC $_6\text{H}_4$, or C_7H_9), 2707–10
- Crystal structure of $[\text{Ni}_2\text{Ru}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_6(\mu\text{-PPh})]$, an open square-pyramidal cluster obtained via condensation of co-ordinatively unsaturated $[\text{Ru}_3(\mu\text{-H})(\text{CO})_3(\mu\text{-PPh}_2)]$ with $[\text{Ni}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_2]$, 2737–40

CARBOXYLATE

The reactions of the tri- μ -hydroxo-bis(η^6 -*p*-cymeneosmium(II)) cation with aldehydes and acids and the homogeneously

catalysed oxidation of acetaldehyde and propionaldehyde with water. X-Ray structure of $[(\text{p-MeC}_6\text{H}_4\text{CHMe}_2)_2\text{Os}_2(\mu\text{-HCO}_2)(\mu\text{-OH})(\mu\text{-H})][\text{PF}_6]$, 1155–60

Zinc carboxylate complexes: structural characterisation of some binuclear and linear trinuclear complexes, 1283–8

Complexes of the platinum metals. Part 31. Reactions of binuclear ruthenium(II,III) and rhodium(II) carboxylates with chelating diphosphines; X-ray crystal structure of (acetato-*O,O'*)-bis[bis(diphenylphosphino)methane-*P,P'*][ruthenium(II) tetraphenylborate, 1771–8

Magnetic and spectroscopic study of some binuclear and trinuclear cobalt(II) carboxylate complexes, 2211–4

Zinc carboxylate complexes: structural characterisation of some binuclear and linear trinuclear complexes, 2287–6

Crystal structures and magnetism of binuclear copper(II) complexes with alkoxide bridges. Importance of orbital complementarity in spin coupling through two different bridging groups, 2633–40

Comparison of the formation constants of some chromium(II) and copper(II) complexes, 2721–4

CATALASE

Binding equilibria and catalase-like reactivity of deuterioferrihaem-poly-L-lysine complexes, 333–6

CATALYSIS

Homogeneous catalysis on metal clusters. The isomerisation and selective hydrogenation of dienes, alkenes, and alkynes in the presence of $[(\eta\text{-C}_5\text{H}_5)_2\text{NiOs}_3(\mu\text{-H})_3(\text{CO})_3]$ and $[(\eta\text{-C}_5\text{H}_5)_2\text{NiOs}_3(\mu\text{-H})_3(\text{CO})_3\text{L}]$ [$\text{L} = \text{PPh}_2\text{H}$ or $\text{P}(\text{C}_6\text{H}_4\text{Me-O})_3$]. Spectroscopic identification of the reaction intermediates and X-ray structure of $[\text{Os}_3(\mu\text{-H})(\text{CO})_9(\text{MeCCHMe})]$, 23–30

Binding equilibria and catalase-like reactivity of deuterioferrihaem-poly-L-lysine complexes, 333–6

Proton exchange and base-catalysed hydrolysis of some *trans*- and *cis*-dichloro(1,4,8,11-tetra-azacyclotetradecane) complexes of chromium(III), ruthenium(III), and rhodium(III), 427–32

The electrochemistry of $[\text{Pt}(\text{PEt}_3)_3]^+$; inverted and amplified cyclic voltammetric waves and catalytic hydrogen production at a mercury electrode, 1225–30

Kinetics and mechanism of the reduction of dodecatungstocobaltate(III) by oxalate. The catalytic role of alkali metal ions through outer-sphere bridging, 1301–4

Oxygenation studies. Part 8. Catalytic oxygenations of arylphosphines at platinum(0), 1383–8

Electrocatalytic reduction of carbon dioxide to methanol. Part 2. Effects of metal complex and primary alcohol, 1519–24

Photoredox chemistry of Keggin dodecatungstoborate $[\text{BW}_{12}\text{O}_{40}]^{3-}$ and role of heterogeneous catalysis in hydrogen formation, 1669–76

The oxovanadyl(IV) catalysed oxidation of adrenaline by molecular oxygen, 1833–8

Kinetics of the bromate-iodide-ascorbic acid clock reaction: different mechanism of the molybdenum and vanadium catalysis, 2675–80

CATECHOLATE

Catecholato complexes of ruthenium, iridium, rhenium, molybdenum, and tungsten, 1125–8

CHARGE DENSITY

The charge density in dichlorotetrakis(thiourea)nickel(II), $[\text{Ni}(\text{SC}(\text{NH}_2)_2)_4\text{Cl}_2]$: a contrast between spectroscopy and diffraction, 125–34

CHARGE TRANSFER

Laser flash photolysis study of the charge-transfer photochemistry of octacyanomolybdate(V) and octacyanotungstate(V) ions, 1217–24

CHLORIDE

Luminescence spectra of the mixed complexes $[\text{TeCl}_4\text{Br}_{6-x}]^{2-}$, 921–4

Reduction of a dimeric tantalum(II) compound in acetonitrile solution by pulse radiolysis, 1741–2

Cyano derivatives of some organochlorophosphate(V) ions, 1843–8

Heterocyclic nitrogen-containing electron-pair donor ligands: a thermochemical study of adducts with zinc, cadmium, and mercury chlorides, 1913–6

The preparation and crystal and molecular structures of trichlorobis(methyldiphenylphosphine)vanadium(III) and its acetonitrile adduct, 2253–8

Isolation and crystal structure of $[\text{NHMe}_2]_2[\text{ZrCl}_4(\text{OMe})(\text{MeOH})]\text{Cl}$. The first example of a linear zirconium-methoxide bond: structural and bonding implications, 2493–6

CHLORIDE (contd)

Crystal and molecular structure of

$[\text{H}_3\text{N}(\text{CH}_2)_5\text{NH}_2(\text{CH}_2)_2\text{NH}_2]_2\text{HgCl}_6$: a compound containing a discrete axially-compressed trigonal-bipyramidal pentachloromercurate anion, 2529-34

Structural studies of potassium tetrafluorochromate(III), $\text{K}[\text{CrF}_4]$, and the novel mixed chloride fluoride, dipotassium dichlorohexafluorotrichromate(III), $\text{K}_2[\text{Cr}_2\text{Cl}_2\text{F}_6]$, 2623-8

CHLOROACETATE

Kinetics of the displacement of chloroacetate ion from *cis*-bis(chloroacetato)bis(isopropylamine)platinum(II) and the (chloroacetato)(1,5-diamino-3-azapentane)platinum(II) cation, 1107-14

CHLOROMETHYLALLYL

Carbon-chlorine bond activation in 2-chloromethylallyl complexes of platinum(II), 1603-8

CHLOROPHENYL

Synthesis of heterotrimetallic complexes containing $\text{M}-\text{Hg}-\text{Pt}$ ($\text{M} = \text{Pt}, \text{Fe}, \text{Mn}, \text{or Co}$) arrays, 1011-4

CHLOROPROMAZINE

Interactions between phenothiazine drugs and metal ions. Part 2. Crystal and molecular structure of protonated trichloro[2-chloro-10-(3'-dimethylaminopropyl)phenothiazine-5']palladium(II), $[\text{Pd}(\text{cpzH})\text{Cl}_3]$; hydrogen-1 and carbon-13 nuclear magnetic resonance data for the chlorpromazine complexes $[\text{M}(\text{cpzH})\text{Cl}_3]$ ($\text{M} = \text{Pd or Pt}$), 1347-50

CHROMIUM

Proton exchange and base-catalysed hydrolysis of some *trans*- and *cis*-dichloro(1,4,8,11-tetra-azacyclotetradecane) complexes of chromium(III), ruthenium(III), and rhodium(III), 427-32

Stereochemistry and stereodynamics of η^6 -hexaethylbenzene transition metal complexes. Crystal and molecular structure of dicarbonyl(η^6 -hexaethylbenzene)(η^3 -maleic anhydride)molybdenum(0), 577-88

Trisubstituted Group 6 metal carbonyl complexes with di-2-pyridylamine ligands. Crystal structures of (2,2'-bipyridyl-*N,N'*)tricarbonyl(di-2-pyridylamine-*N'*)-molybdenum(0) and -tungsten(0), 759-64

An antimony-121 Mössbauer and electron spin resonance study of some antimony-molybdenum-oxygen and antimony-tungsten-oxygen compounds, 853-8

Chemistry of hydrogen isocyanide. Part 1. Reactions of $[\text{M}(\text{CO})_2(\text{CNH})]$ ($\text{M} = \text{Cr or W}$) with epoxides, 863-8

Reactions of bis[1,2-

bis(dimethylphosphino)ethane]-bis(dinitro)chromium(0) and -bis(carbonyl)chromium(0) with acids and oxidizing agents. X-Ray crystal structures of *trans*- $\text{Cr}(\text{H}_2\text{O}_2\text{CCF}_3)_2(\text{dmpe})_2$, *trans*- $[\text{Cr}^{\text{III}}(\text{NCR})_2(\text{dmpe})_2][\text{CF}_3\text{SO}_3]_2$ ($\text{R} = \text{Me or Et}$), *trans*- $[\text{Cr}^{\text{III}}\text{Cl}_2(\text{dmpe})_2]\text{BPh}_4$, *trans*- $[\text{Cr}(\text{CO})_2(\text{dmpe})_2]\text{BPh}_4$, and $[\text{Cr}^{\text{III}}\text{H}(\text{CO})_2(\text{dmpe})_2]\text{BPh}_4$, 1141-54

Tertiary phosphine aluminohydride complexes of chromium-, molybdenum-, and tungsten(II), 1329-32

The mechanism of hydrogenation by aqueous chromium(II) ion of the carbon-carbon double bond of olefinic compounds with polar substituents, 1491-8

Characterisation of CrO_2Br_2 and CrO_2BrCl by matrix-isolation infrared spectroscopy, 1587-90

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 45. Synthesis of the pentanuclear metal complexes $[\text{M}'\text{M}_2\text{Re}_2(\mu\text{-CC}_6\text{H}_4\text{Me-4})_2(\text{CO})_{10}]$ ($\text{M}' = \text{Ni or Pt}$, $\text{M} = \text{Cr or W}$) and related compounds; X-ray crystal structure of $[\text{ReW}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_4(\text{PMe}_2)_2]$, 1717-22

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 46. Synthesis of heteronuclear trimetal compounds from the dimetallic compounds $[\text{ReM}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_6]$ ($\text{M} = \text{Cr, Mo, or W}$) and $[\text{CoW}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_6]$; X-ray structure of $[\text{CrReFe}(\mu_3\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\text{CO})_{11}]$, 1723-30

Synthesis, characterization, and kinetics of formation of $[\text{Cr}(\text{H}_2\text{PO}_4)(\text{H}_2\text{O})_2]^{2+}$, 1839-42

Electrochemical oxidation of monosubstituted chromium carbonyl complexes. Ligand and solvent effects, 1867-72

Structural studies of potassium tetrafluorochromate(III), $\text{K}[\text{CrF}_4]$, and the novel mixed chloride fluoride, dipotassium dichlorohexafluorotrichromate(III), $\text{K}_2[\text{Cr}_2\text{Cl}_2\text{F}_6]$, 2623-8

Comparison of the formation constants of some chromium(II) and copper(II) complexes, 2721-4

CLUSTER

Spectroscopic studies on adsorbed metal carbonyls. Part 3.

Interaction of $[\text{Os}_3(\text{CO})_{12}]$ with silica, alumina, and titania, 7-14

Homogeneous catalysis on metal clusters. The isomerization and selective hydrogenation of dienes, alkenes, and alkynes in the presence of $[(\eta\text{-C}_6\text{H}_5)_3\text{NiOs}_3(\mu\text{-H})_3(\text{CO})_9]$ and $[(\eta\text{-C}_6\text{H}_5)_3\text{NiOs}_3(\mu\text{-H})_3(\text{CO})_9\text{L}]$ [$\text{L} = \text{PPh}_3\text{H or P}(\text{C}_6\text{H}_4\text{Me-o-3})_3$]. Spectroscopic identification of the reaction intermediates and X-ray structure of $[\text{Os}_3(\mu\text{-H})(\text{CO})_9(\text{MeCCHCMe})]$, 23-30

Synthesis and structural characterisation of some tetrahedral platinum-gold cluster compounds containing the sulphur dioxide ligand, 73-80

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 41. Synthesis of alkyldynetungsten complexes with (pyrazol-1-yl)borato ligands; crystal structures of $[\text{W}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{B}(\text{pz})_4)]$, $[\text{Rh}_2\text{W}(\mu_3\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\text{CO})_2(\eta\text{-C}_6\text{H}_5)_2(\text{HB}(\text{pz})_3)]$, $[\text{CH}_2\text{Cl}_2]$ and $[\text{FeRhW}(\mu_3\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-MeC}_2\text{Me})(\text{CO})_4(\eta\text{-C}_6\text{H}_5)_2(\text{HB}(\text{pz})_3)]$, 187-98

Syntheses, structures, and bonding of heteropentametallic clusters $[\text{MCo}_3(\text{CO})_{12}(\mu_3\text{-M'}(\text{EPh}_3))]^+$ ($\text{M} = \text{Fe or Ru}$; $\text{M}' = \text{Cu or Au}$; $\text{E} = \text{P or As}$); X-ray crystal structures of $[\text{RuCo}_3(\text{CO})_{12}(\mu_3\text{-M'}(\text{PPh}_3))]^+$ ($\text{M}' = \text{Cu or Au}$), 225-34

Reactions of $[\text{Os}_3(\text{CO})_9\text{C}]$ with diphosphines; synthesis, reactivity, and the X-ray crystal structure of $[\text{Os}_3(\text{CO})_9\text{C}(\text{Ph}_2\text{P}(\text{CH}_2)_3\text{PPh}_2)]$, 453-6

Chemistry of the unsaturated cluster compound $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}(\text{P}(\text{cyclo-C}_6\text{H}_{11})_3)_2]$; X-ray crystal structures of $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{11}(\text{P}(\text{cyclo-C}_6\text{H}_{11})_3)_2]$, $[\text{Os}_3\text{Pt}(\mu\text{-H})_4(\text{CO})_{10}(\text{P}(\text{cyclo-C}_6\text{H}_{11})_3)_2]$, and $[\text{Os}_3\text{Pt}(\mu\text{-H})(\mu\text{-CH}_2)(\text{CO})_{10}(\text{P}(\text{cyclo-C}_6\text{H}_{11})_3)_2]$ (two isomers) (1985, 177), 463-4

Doubly and triply bridged dihapto phenylethynyl triosmium clusters by oxidative addition of phenylethynyl gold compounds. X-Ray crystal structure of $[\text{Os}_3(\text{C}_6\text{MePh})(\text{Au}(\text{PMe}_2\text{Ph}))(\text{CO})_{10}]$, 543-6

The reaction of $[\text{Os}_3(\text{CO})_{10}(\text{MeCN})_2]$ with heterocyclic thioamides. The crystal and molecular structure of $[\text{Os}_3(\mu\text{-H})(\text{CO})_{10}(\mu\text{-SC=NCH}_2\text{CH}_2\text{S})]$, 633-40

The synthesis, structural and spectroscopic studies of $[\text{Ru}_3\text{Rh}_2\text{H}_2(\text{CO})_{12}]$, 681-6

Synthesis and structural characterisation of hexakis(triphenylphosphine)hexagold(2+) nitrate, $[\text{Au}_6(\text{PPh}_3)_6][\text{NO}_3]_2$, and related clusters with edge-sharing bitetrahedral geometries, 687-92

Chemistry of iridium carbonyl clusters. Synthesis and chemical characterization of the hexanuclear anions $[\text{Ir}_6(\text{CO})_{12}(\text{CO}_2\text{R})]^-$ ($\text{R} = \text{Me or Et}$) and $[\text{Ir}_6(\text{CO})_{14}(\text{CO}_2\text{Me})_2]^{2-}$. Crystal and molecular structure of $[\text{N}(\text{PPh}_3)_2][\text{Ir}_6(\mu\text{-CO})_6(\text{CO})_{11}(\text{CO}_2\text{Me})]$, 777-82

Synthesis and structural characterisation of $[\text{Pt}_2\text{Au}_2(\text{PPh}_3)_4(\text{CNC}_6\text{H}_5\text{Me-2,6})_2][\text{PF}_6]_2$; a platinum-gold cluster with a distorted butterfly geometry, 835-42

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 42. Synthesis of the compounds $[\text{N}(\text{PPh}_3)_2][\text{Fe}_2\text{W}(\mu\text{-CO})(\mu\text{-NO})(\mu_3\text{-CR})(\text{CO})_6(\eta\text{-C}_6\text{H}_5)]$ ($\text{R} = \text{Me or C}_6\text{H}_4\text{Me-4}$) and the X-ray crystal structure of the tolylmethylidyne complex, 869-74

Reactivity of trinuclear ruthenium complexes involving bis(diphenylphosphino)methane (dppm) as a bridging ligand: facile declusterification of $[\text{Ru}_3(\text{CO})_9(\mu\text{-dppm-PP})_2]$ in the presence of iodine and the crystal structure of $[\text{Ru}_2(\mu\text{-I})_2(\text{CO})_4(\mu\text{-dppm-PP})]$, 899-902

The syntheses and X-ray structure analyses of the heteronuclear monoanions $[\text{Os}_{10}\text{C}(\text{CO})_{24}\text{Cu}(\text{NCMe})]^-$ and $[\text{Os}_{10}\text{C}(\text{CO})_{24}\text{Au}(\text{PPh}_3)]^-$ as their $[\text{PPh}_3\text{Me}]^+$ salts, 975-80

New carbide clusters in the cobalt subgroup. Part 16. Preparation and structural characterization of μ_3 -carbido-penta- μ -carbonyl-octacarbonyl-octahydro-hexacobaltate(2-) as its tetraethylammonium salt, 981-4

Reactions of co-ordinated ligands. Part 37. Synthesis and structure of the dimolybdenum μ -allylidene complex $[\text{Mo}_2(\mu\text{-}\sigma\text{-}\eta^3\text{-CHCHCMe}_2)(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$; formation and crystal structure of the oxo- μ -allylidene complex $[\text{Mo}_2\text{O}(\mu\text{-}\sigma\text{-}\eta^3\text{-CHCHCMe}_2)(\mu\text{-CO})(\text{CO})(\eta\text{-C}_5\text{H}_5)_2]$. Thermal rearrangement to alkyne and 1,3-diene dimolybdenum species and structure of $[\text{Mo}_2(\mu_3\text{-}\eta^4\text{-CCHCMeCH})(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$, 1021-30

Synthesis and X-ray crystal structure of the novel hydridocarbonyl cluster $[\text{NiEt}_4][\text{Re}_4(\mu\text{-H})_4(\text{CO})_{14}]$, 1051-4

The crystal structure and reactivity of $[(\eta\text{-C}_6\text{H}_5)_3\text{NiOs}_3(\mu\text{-H})_3]$

CLUSTER (contd)

- (CO)₈(PPh₂H); ¹H and ³¹P nuclear magnetic resonance spectroscopic characterization of [(η-C₅H₅)NiOs₃(μ-H)₂(μ-HgBr)(CO)₈(PPh₂H)] and related complexes, 1135-40
- Ligand fluxionality in close-packed rhodium carbonyl clusters, 1375-82
- Synthesis and characterization of high-nuclearity osmium-platinum cluster compounds. The molecular structures of [Os₄Pt₂(CO)₁₆(C₆H₁₂)₂] and [Os₄Pt₂(CO)₁₆(C₆H₁₂)(P(OMe)₃)₂](C₆H₁₂ = cyclo-octa-1,5-diene), 1395-402
- Carbon-sulphur and carbon-hydrogen bond cleavages in the reactions of phenyl vinyl sulphide with trisium clusters: crystal structure determination of [Os₃(μ-SPh)(μ-CH=CH₂)(CO)₁₀], 1431-6
- Chelation of vinyl acetate and related unsaturated ketones: molecular structure of [Os₃(CO)₁₀(CH₂=CHOCOMe)], 1437-42
- Molecular structures and dynamic behaviour of two isomers of [Ru₃(μ-H)(μ₃-Me₂NC₄H₄(CO)₃)₂] formed from 1-dimethylaminobut-2-yne and containing η²-alkene-1,3-diyl and η²-alkene-1,2-diyl ligands respectively, 1459-64
- A general synthetic route for platinum sulphur dioxide cluster compounds and the X-ray structural characterisation of di-μ-carbonyl-carbonyl-tri(μ-sulphur dioxide)-tetraakis(triphenylphosphine)pentaplatinum-dichloromethane-propan-2-ol (1/2/1), [Pt₅(CO)(μ-CO)₂(μ-SO₂)₃(PPh₃)₄·2CH₂Cl₂·Me₂CH(OH)], 1535-42
- X-Ray structure analysis of the salts [N(PPh₃)₂][M₄H₃(CO)₁₂](M = Ru or Os); confirmation of the existence of discrete structural isomers for a hydrido-carbonyl cluster in the solid state, 1557-64
- Reaction of [(OC)₂(cp)FeC(S)SfFe(cp)(CO)₂](cp = η⁵-C₅H₅) with dicobalt octacarbonyl; X-ray crystal structure of [Co₂Fe(cp)(CO)₈(CS)] containing a six-electron donor thiocarbonyl group, 1791-4
- Carbon-13 nuclear magnetic resonance studies of synthetic [Fe₄S₄(SR)₄]²⁻ iron-sulphur clusters, 2013-6
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 47. Synthesis of tri-, tetra-, and penta-heteronuclear metal cluster compounds involving tungsten with platinum or nickel: crystal structures of the compounds [Pt₂W₂(μ₃-CR)₂(CO)₈(cod)₂(η-C₅H₅)₂] and [Pt₂W₂(μ-CR)₂(μ₃-CR)(CO)₈(η-C₅H₅)₂](R = C₆H₄Me-4, cod = cyclo-octa-1,5-diene), 2091-104
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 48. Reactions of the cluster complex [Fe₂W₂(μ₃-CC₆H₄Me-4)(μ-CO)(CO)₈(η-C₅H₅)₂] with [W(=CR)(CO)₃(η-C₅H₅)₂](R = Me or C₆H₄Me-4); crystal structures of [FeW₂(μ₃-σ-σ-η²-C-C₆H₄Me-4)(CO)₇(η-C₅H₅)₂] and [FeW₂(μ₃-MeC₂C₆H₄Me-4)(CO)₇(η-C₅H₅)₂], 2105-12
- Substitution kinetics of [Os₃(CO)₁₁(NCMe)] and [Os₃(CO)₁₀(NCMe)₂], 2145-8
- Synthesis and characterisation of a phosphido-bridged ruthenium cluster: crystal and molecular structure of [Ru₃C(μ-H)(μ-PPh₂)(CO)₁₁], 2149-54
- The heteronuclear cluster chemistry of the group 1B metals. Part 1. Structural similarities and differences among mixed-metal clusters compounds containing copper, silver, or gold atoms ligated by phosphines. X-Ray crystal structures of [CuRu₄(μ₃-H)₃(CO)₁₂(PMePh₂)₂] and [CuRu₃(CO)₉(C₂Bu)(PPh₃)₂], 2181-92
- Reversible carbon-nitrogen bond formation in the isomerisation of trisium compounds derived from t-butyl diazomethane (Bu^tCHN₂); the X-ray crystal structure of [Os₃H₂(Bu^tCH=NNCO)(CO)₈(PMe₂Ph)], 2259-64
- Chemistry of tetrairidium carbonyl clusters. Part 1. Synthesis, chemical characterization, and nuclear magnetic resonance study of mono- and di-substituted phosphine derivatives. X-Ray crystal structure determination of the diaxial isomer of [Ir₄(CO)₁₂(μ-CO)₂(Me₂PCH₂CH₂PMe₂)₂], 2411-22
- Reaction of nitrobenzene with [M₃(CO)₁₂](M = Fe or Ru) in the presence of [Co₂(CO)₈]: isolation and structure of [Ru₃(CO)₁₂(NPh)(η⁵-C₅H₅)], 2501-4
- A general route for the synthesis of tetranuclear clusters containing closed triruthenium and trisium triangles, 2515-8
- Cluster chemistry. Part 45. Synthesis and some reactions of [Ru₃(μ₃-PPhCH₂PPh₂)(CO)₁₂]: X-ray crystal structures of [MRu₃(μ₃-PPhCH₂PPh₂)(CO)₁₂(PPh₃)₂](M = Cu, Ag, or Au),

2557-68

Synthesis and characterization of a new family of unsaturated triangular rhenium cluster anions of formula [Re₃(μ-H)₃(CO)₃L]⁻ (L = neutral two-electron donor ligand). X-Ray crystal and molecular structures of the tetraethylammonium salts of the anions with L = triphenylphosphine and pyridine, 2691-8

Crystal structure of [Ni₂Ru₃(η-C₅H₅)₂(CO)₉(μ₃-PPh)], an open square-pyramidal cluster obtained via condensation of co-ordinatively unsaturated [Ru₃(μ-H)(CO)₉(μ-PPh₂)] with [Ni₂(η-C₅H₅)₂(CO)₂], 2737-40

COBALT

- Syntheses, structures, and bonding of heteropentametallic clusters [MCo₄(CO)₁₂(μ₃-M'(EPH₃))](M = Fe or Ru; M' = Cu or Au; E = P or As); X-ray crystal structures of [RuCo₄(CO)₁₂(μ₃-M'(PPh₃))](M' = Cu or Au), 225-34
- Interaction of metal ions with 2'-deoxyribonucleotides. Crystal and molecular structure of a cobalt(II) complex with 2'-deoxyinosine 5'-monophosphate, 309-12
- Synthesis and characterisation of some cobalt(II) complexes of Schiff-base ligands and their reactions with molecular oxygen. Effects of chelate ring size, 421-6
- Redox reactions of some iron(II), iron(III), and cobalt(III) picolinate complexes, 619-24
- Binuclear nickel(II) and cobalt(II) complexes of the novel binucleating ligand 3,6-bis(1'-pyrazolyl)pyridazine. Crystal and molecular structure and magnetism of bis[μ-3,6-bis(1'-pyrazolyl)pyridazine-N¹(Ni¹)/N²(Ni²)/N²(Ni²)]-bis[diaquanickel(II)] tetrachloride dihydrate, 625-32
- Very short OHO hydrogen bonds in a binuclear transition-metal complex. Neutron-diffraction study at 120 K of [Co₂{H₂N(CH₂)₃OH}₂]{H₂N(CH₂)₂O}₂}] [ClO₄]₂·0.5H₂O, 651-6
- Formation of N-C bonds via alkylation of transition metal nitrosyls. Reaction of ruthenium and other transition metal nitrosyls with benzyl bromide, 743-50
- Preferred sites for electron exchange between cytochrome c and [Fe(edta)]²⁻ and [Co(sep)]²⁺ complexes, 755-8
- Synthesis and X-ray structural characterization of novel binuclear complexes of copper(II), nickel(II), and cobalt(II) with an octadentate ligand, N,N',N'',N'''-tetrakis(2-aminoethyl)-1,4,8,11-tetra-azacyclotetradecane, 953-60
- New carbide clusters in the cobalt subgroup. Part 16. Preparation and structural characterization of μ₄-carbido-penta-μ-carbonyl-octacarbonyl-octahydro-hexacobaltate(2-) as its tetraethylammonium salt, 981-4
- Synthesis of heterotrimetallic complexes containing M-Hg-Pt (M = Pt, Fe, Mn, or Co) arrays, 1011-4
- Cobalt metallacycles. Part 14. Facile transformation of η⁴-diene complexes to metallacyclopentenes. Preparation and molecular structures of [Co(η⁵-C₅H₅)(η⁴-PhNC-C(Ph)(Ph)-CNPh)] and [Co{C(=NR)C(Ph)C(Ph)C(=NR)}](η⁵-C₅H₅)(CNC₆H₃Me₂-2,6)] (R = C₆H₄Me₂-2,6), 1193-200
- Cobalt metallacycles. Part 15. Regioselective formation and rearrangement of 4-iminocobaltacyclobutene complexes, 1201-6
- Cobalt metallacycles. Part 16. X-Ray structures of 4-iminocobaltacyclobutene complexes, 1207-12
- Kinetics and mechanism of the reduction of dodecatungstocobaltate(III) by oxalate. The catalytic role of alkali metal ions through outer-sphere bridging, 1301-4
- A cellular ligand-field study of the CuCl₄²⁻ ion in Cs₂[CuCl₄], 1531-4
- Reduction-oxidation properties of organotransition-metal complexes. Part 23. Pentaphenylcyclopentadienyl carbonyl complexes of cobalt and rhodium, 1613-8
- Cobalt(II) halide complexes in aqueous ammonium nitrate-calcium nitrate melts: electronic spectra and solvent extraction, 1663-8
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 46. Synthesis of heteronuclear trimetal compounds from the dimetallic compounds [ReM(μCC₆H₄Me-4)(CO)₃](M = Cr, Mo, or W) and [CoW(μCC₆H₄Me-4)(CO)₃]; X-ray structure of [CrReFe(μ₃-CC₆H₄Me-4)(μ-CO)(CO)₁₁], 1723-30
- A structural and isotopic NO₂⁻ exchange rate comparison of trans-[Co(ao-H-ao)(NO₂)₂] and cis-[Co(Hao)₂(NO₂)₂]NO₃, 1759-66
- Reaction of [(OC)₂(cp)FeC(S)SfFe(cp)(CO)₂](cp = η⁵-C₅H₅) with dicobalt octacarbonyl; X-ray crystal structure of [Co₂Fe(cp)(CO)₈(CS)] containing a six-electron donor thiocarbonyl group, 1791-4
- Evidence for reaction at two binding sites in the oxidation of

COBALT (contd)

- parley plastocyanin by tris(1,10-phenanthroline)cobalt(III), 2007-10
- Effect of oxidation state of plastocyanin on the remote binding site pK_a , 2011-2
- Specific effects of nucleophiles on the mercury(II)-assisted chloride aquation of the penta-amminechlorocobalt(III) cation and of the chloro[ethylenediaminetetra-acetato(3-)]cobaltate(III) anion, 2049-54
- Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 12. Reactions of spinach plastocyanin with inorganic redox partners, 2069-74
- The relative nucleophilic efficiency of water and the thiocyanate ion in the acid-catalysed substitution of azidopentacyanocobaltate(III), 2083-90
- Magnetic and spectroscopic study of some binuclear and trinuclear cobalt(II) carboxylate complexes, 2211-4
- Reactions of metal ions with triketones. Part 3. Kinetics and mechanisms of the reactions of nickel(II) and cobalt(II) with 1-phenylhexane-1,3,5-trione in methanol-water (70:30 v/v) solution, 2243-6
- Thiosemicarbazones as co-ordinating agents. Solution chemistry and X-ray structure of pyridoxal thiosemicarbazone trihydrate and spectroscopic properties of its metal complexes, 2455-62
- Reaction of nitrobenzene with $[M_3(CO)_{12}]$ ($M = Fe$ or Ru) in the presence of $[Co_2(CO)_8]$: isolation and structure of $[Ru_3(CO)_7(NPh)(\eta^4-C_6H_6)]$, 2501-4
- A general route for the synthesis of tetranuclear clusters containing closed triruthenium and trisium triangles, 2515-8
- Mechanism of reactions of cobalt(II) protoporphyrin IX dimethyl ester in protic and aprotic, co-ordinating solvents, 2535-8
- Areneazanium complexes of cobalt(I): synthesis and properties, 2551-6
- Complex formation equilibria between 2-amino-*N*-hydroxyacetamide and 2-amino-*N*-hydroxypentamide and cobalt(II), nickel(II), copper(II), and hydrogen ions in aqueous solutions, 2587-92
- X-Ray crystallographic and tungsten-183 nuclear magnetic resonance structural studies of the $[M_4(H_2O)_2(XW_2O_{10})_2]^{10-}$ heteropolyanions ($M = Co^{II}$ or Zn , $X = P$ or As), 2699-706

COMPETITION

- The relative nucleophilic efficiency of water and the thiocyanate ion in the acid-catalysed substitution of azidopentacyanocobaltate(III), 2083-90

CONDENSATION

- Condensation of α -phenylenediamine and phthalaldehyde using molybdenum(0) as template. Isolation and crystal and molecular structure of an intermediate molybdenum complex with an η^2 -bonded aldehydic group, 879-82

CONFORMATION

- A molecular-orbital study of tricarbonyl(1-5- η -cycloheptadienylium)iron and tricarbonyl(1-5- η -cyclooctadienylium)iron, 701-8
- Solution conformation of aqueous lanthanide(III)-antipyrine complexes, 1425-30

COPPER

- The uncatalysed and copper(II) promoted hydrolysis of 4-nitrophenyl glycinate, 39-42
- Preparation and complexation of polydentate and macrocyclic ligands incorporating benzimidazole. X-Ray crystal structure of 6,7,9,10,12,13,15,16-octahydro-23*H*,25*H*-bis(benzimidazo[1,2-*f*:2',1'-*o'*])[1,4,7,13,10,16]tetraoxadiazacyclo-octadecene, 47-54
- Crystal and molecular structure and magnetic properties of tris(diphenylmethoxy-bis[4,4,4-trifluoro-1-(2-thienyl)butane-1,3-dionato]dicopper(II)), 97-102
- Formation and stability of ternary complexes of copper(II) with ethylenediamine-*N*-acetic acid and amino acids in aqueous solution, 199-204
- Syntheses, structures, and bonding of heteropentametallic clusters $[M(CO)_2(\mu_2-M')(EPh_3)]$ ($M = Fe$ or Ru ; $M' = Cu$ or Au ; $E = P$ or As): X-ray crystal structures of $[RuCo_3(CO)_{12}(\mu_3-M')(PPh_3)]$ ($M' = Cu$ or Au), 225-34
- Effects of mixed-ligand complex formation on deprotonation of amide groups in acid amides and peptides, 235-40
- Pillaring of layers in α -zirconium phosphate by 1,10-phenanthroline and bis(1,10-phenanthroline)copper(II): formation of complex pillars *in situ*, 265-72
- Diaquadifluorobis(nicotinamide)copper(II) tetrahydrate: hydrogen bonding between ligand fluoride and lattice water, 313-6

Formamide as a precursor to cyanide in mixed-valence copper(II) cyanide complexes, 347-50

Structural, spectroscopic, and magnetic properties of mono- and binuclear copper(II) complexes of *N*-(2-pyridinyl)ketoacetamides, 437-44

Thermodynamics of formation of binuclear complexes of some sulphur-containing dipeptides with silver(I) and copper(II). Crystal structure of a methionyl-S-methylcysteine complex of copper(II), 499-504

Synthesis of the cage penta-azamacrocyclicalkane 12,17-dimethyl-1,5,9,12,17-penta-azabicyclo[7.5.5]nonadecane, its basicity, and metal complex formation. Crystal structure of the copper(II) perchlorate complex, 505-10

A pyrazole derivative of aminoethane as a tridentate chelating ligand towards transition metals. The X-ray structure of $[N,N$ -bis(pyrazol-1-ylmethyl)aminoethane]dibromocopper(II), 537-42

Reaction of bis(glycinato)copper(II) with formaldehyde and benzaldehyde phenylhydrazones: X-ray crystal structure of aquabis[(2,3,4,5-tetrahydro-2,6-diphenyl-1,2,4-triazin-4-yl)acetato-*O,N'*]copper(II) dihydrate, 553-6

Copper(II) complexes of pyrrole-containing Schiff-base macrocycles: crystal and molecular structures of a mononuclear macrocyclic complex, and of pyrrole-2,5-dicarbaldehyde, 693-700

Copper(I) Schiff-base complexes: reversible carbon monoxide binding, reactions with dioxygen, and the structure of a dinuclear complex containing co-ordinated and unco-ordinated alkene groups, 911-20

Synthesis and X-ray structural characterization of novel binuclear complexes of copper(II), nickel(II), and cobalt(II) with an octadentate ligand, *N,N',N''*-trikakis(2-aminoethyl)-1,4,8,11-tetra-azacyclotetradecane, 953-60

The syntheses and X-ray structure analyses of the heteronuclear monoanions $[Os_{10}Cl(CO)_{24}Cu(NCMe)]^-$ and $[Os_{10}Cl(CO)_{24}Au(PPh_3)]^-$ as their $[PPh_3Me]^+$ salts, 975-80

Synthesis of a pyridine-containing tetra-aza macrocycle, 7-methyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1), and characterisation of its nickel(II), copper(II), and zinc(II) complexes. Reduction of the pyridine ring of $[Ni(L^1)]^{2+}$ to give $[Ni(L^2)]^{2+}$ ($L^2 = 7$ -methyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadecane), and characterisation of $[Ni(L^2)]^{2+}$ by X-ray crystallography, 985-90

Spectroscopic and magnetic properties of $Cu_2(terpy)Cl_4$ (*terpy* = 2,2':6'2'-terpyridine). A magnetic system constructed of two exchange-coupled dimers, 1061-4

Dinuclear metal complexes. Part 4. Electrochemical studies of macrocyclic dicopper(II) complexes. Investigation of the effect of solvents, donor groups, and steric constraints on the stability of mixed-valence copper(II)-copper(I) complexes, 1175-80

Synthesis, X-ray structure, and magnetic properties of di- μ -chlorobis[*N*-(2-hydroxy-2-phenylethyl)salicylideneimino-copper(II)], 1213-6

The effect of a dansyl group on the co-ordinative ability of *N*-protected amino acids. Part 2. Binary copper(II) complexes and their pyridine and 2,2'-bipyridine adducts. Crystal and molecular structure of the complexes aquabis(*N*-dansylglycinato-*O*)bis(pyridine)copper(II) and (2,2'-bipyridine)(*N*-dansylglycinato-*NO*)(methanol)copper(II), and neutral *N*-dansylglycine, 1367-74

A cellular ligand-field study of the $CuCl_4^{2-}$ ion in $Cs_2[CuCl_4]$, 1531-4

Raman, resonance Raman, and infrared spectroscopic study of complexes containing copper(II)-tetrathio-molybdate(VI) and -tungstate(VI) anions, 1595-602

Binding ability of acetamide oxime with proton, copper(II), and dioxouranium(VI) in aqueous solutions, 1609-12

Structure-magnetism correlation in dimeric copper(II) carboxylates: crystal and molecular structure of tetra- μ -(propanoato-*O,O'*)-bis(aquacopper(II)), 1653-8

Preparation of 1,4,8,11-tetrakis(2-pyridylmethyl)-1,4,8,11-tetra-azacyclotetradecane (L^1) and a binuclear complex with copper(II). X-ray structure of $[Cu_2L^1Br_2][ClO_4]_2$, 1743-6

Crystal structure and magnetic properties of the alternating chain $[Cu_2(cda)] \cdot 4H_2O$, 1795-800

Preparation and crystal structure of an imidazole-bridged polynuclear complex $[(Cu(II)(dien))_n][ClO_4]_n$ (*dien* = diethylenetriamine), and its properties in dimethyl sulphoxide solution, 1949-54

Effects of macrocyclic ligand structure and axial ligation on the ligand-field spectra of tetra-azamacrocyclic copper(II) complexes in co-ordinating solvents, 1995-8

COPPER (contd)

- X-Ray crystal structure of [(1*SR*,4*RS*,7*RS*,8*SR*,11*RS*,14*RS*)-5,5,7,12,12,14-hexamethyl-1,4,8,11-tetraazacyclotetradecane]thiocyanatocopper(II) perchlorate dihydrate, 1999-2002
- Evidence for reaction at two binding sites in the oxidation of parsley plastocyanin by tris(1,10-phenanthroline)cobalt(III), 2007-10
- Effect of oxidation state of plastocyanin on the remote binding site pK_a , 2011-2
- Kinetic and equilibrium studies of the copper(II) promoted hydrolysis of salicyl phosphate. A rate acceleration of 10^8 for the hydrolysis of a phosphate monoester dianion, 2029-34
- Kinetic, spectroscopic, and structural (extended X-ray absorption fine structure) studies on the type I blue copper protein umecyanin, 2063-8
- Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 12. Reactions of spinach plastocyanin with inorganic redox partners, 2069-74
- Crystal structure and magnetic properties of dimeric [2-hydroxypropane-1,3-diylbis(3'-*t*-butyl-5'-methylsilylideniminato)]copper(II), 2169-72
- The heteronuclear cluster chemistry of the group IB metals. Part 1. Structural similarities and differences among mixed-metal clusters compounds containing copper, silver, or gold atoms ligated by phosphines. X-Ray crystal structures of $[\text{CuRu}_4(\mu_3\text{-H})_3(\text{CO})_{12}(\text{PMePh}_2)]$ and $[\text{CuRu}_3(\text{CO})_9(\text{C}_2\text{Bu})(\text{PPh}_3)]$, 2181-92
- A potentiometric and spectroscopic study of the interaction of the N terminal tetrapeptide fragment of fibrinopeptide A with Cu^{II} and Ni^{II} , 2221-6
- Fluorescent copper(I) complexes: correlation of structural and emission characteristics of $[\{\text{Cu}(\text{quin})_2\}_2]$ and $[\text{Cu}_4(\text{quin})_4]$ (quin = quinoline), 2303-10
- Spectroscopic and calorimetric studies of the complexing ability of some polyamido polymers containing amino-acid residues, 2325-30
- Synthesis, spectroscopic characterization, and magnetic properties of a mixed-valence copper(II) acetato complex with triphenylphosphine. Crystal structure of hexa- μ -acetato-tetrakis(triphenylphosphine)tetracopper(II), 2339-44
- Copper co-ordination chemistry of some quadridentate pyridazine and phthalazine (N_4) thioether ligands. Binuclear copper(II) complexes exhibiting two-electron reduction at positive potentials, 2381-6
- Studies on transition metal-peptide complexes. Part 12. Copper(II) complexes of dipeptides containing phenylalanine and tyrosine, 2443-8
- Fluorescent copper(I) complexes: an X-ray diffraction study of complexes of copper(I) iodide and pyridine derivatives of rhombic, $[\text{Cu}_2\text{I}_2(\text{3Me-py})_2]$, and polymeric structure, $[\{\text{Cu}(\text{2Me-py})\}_n]$ and $[\{\text{Cu}(\text{2,4Me}_2\text{-py})\}_n]$, 2449-54
- Thiosemicarbazones as co-ordinating agents. Solution chemistry and X-ray structure of pyridoxal thiosemicarbazone trihydrate and spectroscopic properties of its metal complexes, 2455-62
- Thermal, spectroscopic, and structural properties of aqua(malonato- O,O')(1,10-phenanthroline)copper(II) hydrate (1/1.5), 2519-24
- Cluster chemistry. Part 45. Synthesis and some reactions of $[\text{Ru}_3(\mu_3\text{-PPhCH}_2\text{PPh}_2)(\text{CO})_9]^-$: X-ray crystal structures of $[\text{MRu}_3(\mu_3\text{-PPhCH}_2\text{PPh}_2)(\text{CO})_9(\text{PPh}_3)]$ ($M = \text{Cu, Ag, or Au}$), 2557-68
- Complex formation equilibria between 2-amino-*N*-hydroxyacetamide and 2-amino-*N*-hydroxypentamide and cobalt(II), nickel(II), copper(II), and hydrogen ions in aqueous solutions, 2587-92
- Crystal structures and magnetism of binuclear copper(II) complexes with alkoxide bridges. Importance of orbital complementarity in spin coupling through two different bridging groups, 2633-40
- Proton ENDOR spectroscopy of bis(2,2,6,6-tetramethylheptane-3,5-dionato)copper(II) and crystal structure of bis(2,2,6,6-tetramethylheptane-3,5-dionato)palladium(II), 2655-62
- ENDOR Spectroscopy of bis(pentane-2,4-dionato)copper(II) and bis(hexafluoropentane-2,4-dionato)copper(II), 2663-8
- Magnetic and electrochemical studies on binuclear copper(II) complexes derived from 2,6-diacyl-4-methylphenol: the X-ray and molecular structure of an acyclic, binuclear Schiff-base complex, 2681-90
- Comparison of the formation constants of some chromium(II) and copper(II) complexes, 2721-4

Formaldehyde oxime as a precursor to cyanide in mixed-valence copper(II) complexes. Hydration of nitrile solvents, 2741-2

CROWN ETHER

- Solvated electrons and electron-cation aggregates in solutions of the alkali metals in 12-crown-4, 277-8
- Second-sphere co-ordination of rhodium complexes $[\text{Rh}(\text{L})(\text{NH}_3)_2]^+$ by dibenzo-3*n*-crown-*n* ethers ($n = 6-12$; L = cyclo-octa-1,5-diene (cod) or norbornadiene (nbd)). Solution ^1H nuclear magnetic resonance spectroscopic studies and X-ray crystal structures of $[\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-21-c-7}][\text{PF}_6]$, $[\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-24-c-8}][\text{PF}_6]$, $[\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-30-c-10}][\text{PF}_6]$, $[\text{Rh}(\text{nbd})(\text{NH}_3)_2\text{-db-24-c-8}][\text{PF}_6]$, and $[\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-36-c-12}][\text{PF}_6]$, 1639-52
- Preparation and crystal structure of quasi-cylindrical crown ether complexes with dimethyl- and diethyl-thallium(III) perchlorates, 1767-70
- X-Ray crystal structure of the complex of 15-crown-5 (1,4,7,10,13-pentaoxacyclopentadecane) with diaquatetrachlorotitanium(IV) at 120 K, 2335-8
- Tris(3,6-dioxahexyl)amine alkali-metal cation complexes. A fast atom bombardment mass spectrometry, infrared, and nuclear magnetic resonance study, 2525-8
- Dimethylthallium(III) complex of a cylindrical crown ether: molecular structure of $[\text{Tl}(\text{CH}_3)_2(\text{L})]\text{ClO}_4$, 2613-6

CRYPTAND

- A structural study of the complexation of the sodium ion by the cryptands 4,7,13,18-tetraoxa-1,10-diazabicyclo[8.5.5]jicosane and 4,7,13-trioxa-1,10-diazabicyclo[8.5.5]jicosane, 1075-80
- Thermodynamic parameters of the complexation of trivalent lanthanides by monocyclic and bicyclic cryptands and the tripodal ligand tris(3,6-dioxahexyl)amine in propylene carbonate, 2629-32

CRYSTAL STRUCTURE

- Di- and tetra-nuclear mixed-valence complexes of rhodium(III) and rhodium(II)-iridium(II) with the 2,2'-bi-imidazolate(2-) anion (bim) as bridging ligand. Crystal structure of $[\{\{\eta\text{-C}_5\text{Me}_5\}[\text{P}(\text{OEt})_3]\text{Rh}(\text{bim})\text{Rh}(\text{nbd})\}_2][\text{ClO}_4]_2$, 15-22
- Homogeneous catalysis on metal clusters. The isomerization and selective hydrogenation of dienes, alkenes, and alkynes in the presence of $[\{\eta\text{-C}_5\text{H}_5\text{NiO}_2(\mu\text{-H})(\text{CO})_2\}_n]$ and $[\{\eta\text{-C}_5\text{H}_5\text{NiO}_2(\mu\text{-H})(\text{CO})_2\}_n]$ [L = PPh_3H or $\text{P}(\text{C}_6\text{H}_4\text{Me-o})_3$]. Spectroscopic identification of the reaction intermediates and X-ray structure of $[\text{Os}_2(\mu\text{-H})(\text{CO})_6(\text{MeCCHMe})]$, 23-30
- Mixed-valence pyrazolate rhodium complexes. Molecular structure of $[(\text{C}_5\text{Me}_5)_2\text{CIRhCl}(\text{pzRh}(\text{tbf}))\text{-CH}_2\text{Cl}_2]$ (H_{pz} = pyrazole; tbf = tetrafluorobenzoborene), 31-8
- The crystal structure of calcium 1,1-dicyanoethylene-2,2-dithiolate pentahydrate, 43-6
- Preparation and complexation of polydentate and macrocyclic ligands incorporating benzimidazole. X-Ray crystal structure of 6,7,9,10,12,13,15,16-octahydro-23*H*,25*H*-bis(benzimidazo[1,2-*j*:2'-1'-*o*])[1,4,7,13,10,16]tetraoxadiazacyclo-octadecane, 47-54
- Synthesis and structural characterisation of some tetrahedral platinum-gold cluster compounds containing the sulphur dioxide ligand, 73-80
- N,N*-Dimethyl(trimethylsilyl)amine: crystal and molecular structure at 116 K and gas phase structure by electron diffraction, 91-6
- Crystal and molecular structure and magnetic properties of tris(di- μ -methoxy-bis[4,4,4-trifluoro-1-(2-thienyl)butane-1,3-dionato]dicopper(II)), 97-102
- Transition-metal derivatives of arenediazonium ions. Part 12. Complexes derived from pyrazole-4-diazonium and 3-pyrazolin-5-one-4-diazonium cations. X-Ray crystallographic characterisation of a sterically distorted organodiazonido-complex: dicarbonyl(3,5-dimethylpyrazol-4-yl)diazonido(tris(pyrazol-1-yl)methanemolybdenum(II) tetrafluoroborate-diethyl ether (1/1)), 103-8
- Hydrazinium as a ligand: structural, thermal, spectroscopic, and magnetic studies of hydrazinium lanthanide di-sulphate monohydrates; crystal structure of the neodymium compound, 119-24
- The charge density in dichlorotetrakis(thiourea)nickel(II), $[\text{Ni}(\text{SC}(\text{NH}_2)_2)_4\text{Cl}_2]$: a contrast between spectroscopy and diffraction, 125-34
- Binuclear methylplatinum(II) complexes. The molecular structure and fluxional behaviour of the face-to-face dimer $[\text{Pt}_2\text{I}_2\text{Me}_2(\mu\text{-Me}_2\text{PCH}_2\text{PMe}_2)_2]$, 151-6
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 39. Interconversion of ethylidyne,

CRYSTAL STRUCTURE (contd)

- ethylidene, vinyl, and ethylene groups at a platinum-tungsten centre; X-ray crystal structure of $[\text{PtW}(\mu\text{-CO})_2(\text{PEt}_3)_2(\eta\text{-C}_5\text{H}_5)(\eta\text{-C}_3\text{H}_5)]$ [BF₄], 165-72
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 40. Transformation of terminally bound alkylidene ligands to μ -alkylidene, μ -vinyl, μ -alkyl, and μ -acyl groups at a bimetal centre; X-ray crystal structures of $[\text{N}(\text{PPh}_3)_2][\text{ReW}(\mu\text{-CHR})(\text{CO})_3]$, $[\text{ReW}(\mu\text{-CH}_2\text{R})(\mu\text{-Me}_2\text{PCH}_2\text{PMe}_2)(\text{CO})_3]$, and $[\text{ReW}(\mu\text{-OCCH}_2\text{R})(\mu\text{-Ph}_2\text{PCH}_2\text{PPh}_2)(\text{CO})_3(\text{P}(\text{OMe})_3)]$ ($\text{R} = \text{C}_6\text{H}_4\text{Me-4}$), 173-86
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 41. Synthesis of alkylidene-tungsten complexes with (pyrazol-1-yl)borato ligands; crystal structures of $[\text{W}(\text{CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{B}(\text{pz})_2)]$, $[\text{Rh}_2\text{W}(\mu_3\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)_2(\text{HB}(\text{pz})_2)]$, $[\text{CH}_3\text{Cl}_2]$, and $[\text{FeRhW}(\mu_3\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-MeC}_6\text{Me})(\text{CO})_4(\eta\text{-C}_5\text{H}_5)(\text{HB}(\text{pz})_2)]$, 187-98
- Syntheses, structures, and bonding of heteropentametallic clusters $[\text{MCo}_3(\text{CO})_{12}(\mu_3\text{-M'}(\text{EPh}_3))]_n$ ($\text{M} = \text{Fe}$ or Ru ; $\text{M'} = \text{Cu}$ or Au ; $\text{E} = \text{P}$ or As); X-ray crystal structures of $[\text{RuCo}_3(\text{CO})_{12}(\mu_3\text{-M'}(\text{PPh}_3))]_n$ ($\text{M'} = \text{Cu}$ or Au), 225-34
- Dinitrogen complexes of tungsten with bulky phosphine co-ligands. Preparation and crystal structures of $[\text{W}(\text{N}_2)_2(\text{PEt}_2\text{Ph})_2(\mu\text{-N}_2)]$, *trans*- $[\text{W}(\text{N}_2)_2(\text{PEt}_2\text{Ph})_2]\cdot\text{C}_6\text{H}_6\text{O}$, and $[\text{W}(\eta\text{-C}_6\text{H}_5\text{PPH}_2)_2(\text{N}_2)(\text{PPH}_2)]$, and their reactions to give hydrazine or ammonia, 245-52
- Crown-shaped tetrametallic imido complexes of palladium. X-Ray crystal structure of $[\{\text{Pd}_2(\mu\text{-C}(\text{C}_6\text{F}_5)_3\text{NMe}_2)(\mu\text{-Cl})(\mu\text{-MeCO}_2)_2\}]_2$, 259-64
- The syntheses, structures, and electronic and resonance-Raman spectroscopy of halogen-bridged platinum(II,IV) chain complexes involving equatorially co-ordinated terdentate amines: X-ray crystal structure of $[\text{Pt}^{\text{IV}}(\text{Me-dien})][\text{Pt}^{\text{IV}}(\text{Me-dien})_2]_2$, and spectroscopy of $[\text{Pt}^{\text{IV}}(\text{dien})(\text{NO}_2)]$, $[\text{Pt}^{\text{IV}}(\text{dien})(\text{NO}_2)_2]\text{Br}_2$, 273-8
- Synthesis and characterisation of tungsten and rhenium aluminopolyhydrides: X-ray crystal structures of $(\text{Me}_3\text{P})_3\text{H}_2\text{W}(\mu\text{-H})_2\text{Al}(\mu\text{-O}^i\text{Bu})_2\text{Al}(\text{H})(\mu\text{-H})_2\text{WH}_2(\text{PMe}_3)_2$ and $(\text{Me}_3\text{P})_3\text{H}_2\text{W}(\mu\text{-H})_2\text{Al}(\text{H})(\mu\text{-H})_2\text{WH}_2(\text{PMe}_3)_2$, 279-86
- Mono- and bi-nuclear gold(I), gold(III), and gold(III) perchloratoaryl complexes with the ligand bis(diphenylphosphino)amine. Crystal and molecular structure of μ -bis(diphenylphosphino)amine]-dichlorobis(pentafluorophenyl)digold(III), 291-6
- Structure of 2,2-dibutyl-1,3,2-dioxastannolane in the solid state, 297-302
- Polyhedral phosphorane chemistry: crystal and molecular structure of the diphenylphosphido-bridged *arachno*-decaboranyl cluster compound $[\text{PMePh}_3][6,9\text{-}\mu(\text{PPh}_2)\text{B}_{10}\text{H}_{12}]$, 303-8
- Interaction of metal ions with 2'-deoxyribonucleotides. Crystal and molecular structure of a cobalt(II) complex with 2'-deoxyinosine 5'-monophosphate, 309-12
- Diaquadifluorobis(nicotinamide)copper(II) tetrahydrate: hydrogen bonding between ligand fluoride and lattice water, 313-6
- Preparation, properties, and X-ray crystal structure of *tris*(*O,O'*-diisopropyl phosphorodithioato)iron(III), $[\text{Fe}(\text{S}_2\text{P}(\text{OPr})_2)_3]$. Comparison of structure and bonding in phosphorodithioato- and dithiocarbamate-complexes, 351-4
- Reactivity of cyclopalladated compounds. Part 11. Reactions of five- versus seven-membered cyclopalladated rings with phosphine ligands. Crystal structures of $[(\text{NMe}_2\text{CH}_2\text{C}_6\text{H}_4)\text{-Pd}\{\text{C}(\text{CF}_3)=\text{C}(\text{CF}_3)\text{C}_6\text{H}_4\text{CH}_2\text{NMe}_2\}(\text{PMe}_2\text{Ph})]$ and $[(\text{NMe}_2\text{CH}_2\text{C}_6\text{H}_4)\text{-Pd}\{\text{C}(\text{CF}_3)=\text{C}(\text{CF}_3)\text{C}_6\text{H}_4\text{CH}_2\text{NMe}_2\}(\text{PMe}_2\text{Ph})]$, 359-64
- The chemistry of dinitrogen residues. Part 1. Diazenido-complexes of titanium, and some substituted analogues. X-Ray crystal structures of $[\text{Ti}(\text{C}_6\text{H}_5\text{Cl}_2(\text{NNPh}))_2]$, $[\text{Ti}(\text{C}_6\text{H}_5\text{Cl}_2(\text{NCBu}^t\text{Bu}))_2]$, and $[\text{Ti}(\text{C}_6\text{H}_5\text{Cl}_2(\text{NPPH}_3))]_2$, 377-84
- The chemistry of dinitrogen residues. Part 2. Organohydrazido(1-)-derivatives of titanium(IV). X-Ray crystal structures of $[\text{Ti}(\text{C}_6\text{H}_5\text{Cl}_2(\text{NPhNH}_2))]_2$ and $[\text{Ti}(\text{C}_6\text{H}_5\text{Cl}_2(\text{NHNMe}_2))]_2$, 385-92
- The chemistry of dinitrogen residues. Part 3. Hydrazido(2-)-derivatives of titanium(IV). X-Ray crystal structure of $[\text{Ti}(\text{C}_6\text{H}_5\text{Cl}_2(\text{NNPh}_2))]_2$, 393-8
- The methylamine analogues of Wollfram's red and Reihlen's green: syntheses, infrared, electronic, Raman, and resonance-Raman spectroscopy, and X-ray crystal structures of chain chlorine- and bromine-bridged platinum(II,IV) complexes of methylamine, 403-10
- Complexes with functional phosphines. Part 8. Interconversion study of $[\text{RuCl}_2(\text{Ph}_2\text{PCH}_2\text{C}(\text{O})\text{OEt})\text{L}_2]$, $[\text{RuCl}_2(\text{CO})(\text{Ph}_2\text{PCH}_2\text{C}(\text{O})\text{OEt})\text{L}]$, and $[\text{RuCl}_2(\text{CO})_2\text{L}_2]$ [$\text{L} = \text{Ph}_2\text{PCH}_2\text{C}(\text{O})\text{OEt}$] under CO. Synthesis and X-ray structure of *mer*- $[\text{RuCl}_2(\text{Ph}_2\text{PCH}_2\text{C}(\text{O})\text{OEt})\text{L}]$, 415-20
- Structure of a *cis*-dimetalla-alkene complex formed by the reaction of a ruthenium(II) complex with bis(phenylethynyl)mercury(II), 433-6
- Structural, spectroscopic, and magnetic properties of mono- and bi-nuclear copper(II) complexes of *N*-(2-pyridinyl)ketoacetamides, 437-44
- Insertion of nitrogen oxide into a zirconium-carbon bond: reaction of dialkylbis(cyclopentadienyl)zirconium(IV) complexes with nitrogen oxide, 445-8
- Reactions of $[\text{Os}_2(\text{CO})_{10}]$ with diphosphines; synthesis, reactivity, and the X-ray crystal structure of $[\text{Os}_2(\text{CO})_{10}\{\text{Ph}_2\text{P}(\text{CH}_2)_2\text{PPh}_2\}]$, 453-6
- Structure of 2,4-dinitrobenzenesulphenylimino(triphenyl)phosphorane, $\text{Ph}_3\text{PNSC}_6\text{H}_3(\text{NO}_2)_2$, 457-8
- Chemistry of the unsaturated cluster compound $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}\{\text{P}(\text{cyclo-C}_4\text{H}_{11})_3\}]$; X-ray crystal structures of $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}\{\text{P}(\text{cyclo-C}_4\text{H}_{11})_3\}]$, $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}\{\text{P}(\text{cyclo-C}_4\text{H}_{11})_3\}]$, and $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\mu\text{-CH}_2)(\text{CO})_{10}\{\text{P}(\text{cyclo-C}_4\text{H}_{11})_3\}]$ (two isomers) (1985, 177), 463-4
- Cyclometallation reactions in neopentyl and trimethylsilyl methyl systems of rhodium(III) and iridium(III). Formation and X-ray crystal structures of the four-membered metallocycles $[\text{Rh}(\text{CH}_2\text{CMe}_2\text{CH}_2)(\eta^5\text{-C}_5\text{Me}_5(\text{PPh}_3))]_2$ and $[\text{Ir}(\text{CH}_2\text{SiMe}_2\text{CH}_2)(\eta^5\text{-C}_5\text{Me}_5(\text{PPh}_3))]_2$, 477-88
- Thermodynamics of formation of binuclear complexes of some sulphur-containing dipeptides with silver(I) and copper(II). Crystal structure of a methionyl-S-methylcysteine complex of copper(II), 499-504
- Synthesis of the cage penta-azamacrocyclic alkane 12,17-dimethyl-1,5,9,12,17-penta-azabicyclo[7.5.5]nonadecane, its basicity, and metal complex formation. Crystal structure of the copper(II) perchlorate complex, 505-10
- Eleven-vertex *isocloso* type rhodaundecaboranes: crystal structures and nuclear magnetic resonance properties of $[(\text{PMe}_2\text{Ph})_2\text{RhHB}_{10}\text{H}_8(\text{OMe})_2]$ and $[(\text{PMe}_2\text{Ph})_2\text{RhHB}_{10}\text{H}_8\text{Cl}(\text{OMe})]$, 517-24
- A pyrazole derivative of aminoethane as a tridentate chelating ligand towards transition metals. The X-ray structure of $[\text{N,N-bis}(\text{pyrazol-1-ylmethyl})\text{aminoethane}]\text{dibromocopper(II)}$, 537-42
- Doubly and triply bridged dihapto phenylethynyl triosmium clusters by oxidative addition of phenylethynyl gold compounds. X-Ray crystal structure of $[\text{Os}_3(\text{C}_6\text{Ph})_3(\text{Au}(\text{PMe}_2\text{Ph}))(\text{CO})_{10}]$, 543-6
- Pentamethylcyclopentadienylrhodaborane chemistry. Part 1. High-yield planned synthesis, molecular structure, and nuclear magnetic resonance properties of the ten-vertex *nido*-6-rhodadecaborane $[(\eta^5\text{-C}_5\text{Me}_5)\text{RhB}_9\text{H}_{12}]$, 547-52
- Reaction of bis(glycinato)copper(II) with formaldehyde and benzaldehyde phenylhydrazine: X-ray crystal structure of aquabis(2,3,4,5-tetrahydro-2,6-diphenyl-1,2,4-triazin-4-yl)acetato-*O,N'*copper(II) dihydrate, 553-6
- The crystal structure of *R,S,R,S*-1,4,8,11-tetramethyl-1,4,8,11-tetraazacyclotetradecane)nickel(II) bis(trifluoromethanesulphonate)-acetone hydrate, $[\text{Ni}(\text{tmtactd})][\text{CF}_3\text{SO}_3]_2\cdot\text{Me}_2\text{CO}\cdot\text{H}_2\text{O}$, and a strain-energy minimization analysis of four-, five-, and six-coordinate nickel(II)-tmtactd solvento complexes, 565-70
- Oxidative dimerisation of arylamide complexes of platinum: X-ray structure of $[\text{Pt}_2(\text{PEt}_3)_4\text{Cl}_2(\text{N}_2\text{C}_6\text{H}_4\text{H}_{10})]\text{PF}_6$, 571-6
- Stereochemistry and stereodynamics of η^5 -hexaethylbenzene transition metal complexes. Crystal and molecular structure of dicarbonyl(η^5 -hexaethylbenzene)(η^2 -maleic anhydride)molybdenum(0), 577-88
- Synthesis, X-ray crystal structures and spectroscopic properties of two binuclear platinum(III) dithiocarboxylate complexes, 595-602
- Synthesis and structure of $[\text{Zr}(\text{R})\text{C}(\eta\text{-C}_5\text{H}_5)]_2$ [$\text{R} = \text{chiral, highly hindered alkyl: CHSiMe}_2\text{C}_6\text{H}_4\text{N}_2$, $\text{CHSiMe}_2\text{C}_6\text{H}_4\text{PPh}_2$, or $\text{CHSiMe}_2(\text{C}_6\text{H}_5)_2$]; influence of the functional group on the nature and stability of their d^1 reduction products, 603-14
- Some substituted urea complexes of thorium tetranitrate: crystal structure of tetra(nitrate-*O,O'*bis(tetramethylurea-*O*)-

CRYSTAL STRUCTURE (contd)

- thorium(IV), [Th(NO₃)₄(OC(NMe₂)₂)₂], 615-8
- Binuclear nickel(II) and cobalt(II) complexes of the novel binucleating ligand 3,6-bis(1'-pyrazolyl)pyridazine. Crystal and molecular structure and magnetism of bis(μ-3,6-bis(1'-pyrazolyl)pyridazine-N¹(Ni¹)N²(Ni²)N²(Ni²)-bis(diaquanickel(II)) tetrachloride dihydrate, 625-32
- The reaction of [Os₃(CO)₉(MeCN)₂] with heterocyclic thioamides. The crystal and molecular structure of [Os₃(μ-H)(CO)₁₀(μ-SC-NCH₂CH₂SS)], 633-40
- Interaction of palladium(II) with polydentate ligands, including the synthesis and structure of bis[tris(pyrazol-1-yl)borato-N,N']palladium(II) and the cations [Pd(L)]²⁺ [L = tris(pyrazol-1-yl)methane-N,N' or tris(pyridin-2-yl)methane-N,N'], 645-50
- Reactions of co-ordinated ligands. Part 36. The synthesis, structure, and reactivity of the three-alkyne 'fly-over' complex [Mo₂(μ-(σ-η³,η³-C₆Me₆)(η³-C₆H₅))₂]; formation and structure of [Mo₂(μ-(σ,η³-C₆Me₆)(CO)₂(η³-C₆H₅))₂], 657-68
- Synthesis of mono-, di-, and tri-nuclear gold complexes containing the (diphenylphosphino)methylidiphenylphosphino-methanide ligand. Crystal structures of [Au(C₆F₅)(Ph₂FCPPPh₂Me)] and [(C₆F₅)Au(Ph₂PCH(PPH₂Me)Au(C₆F₅))], 669-76
- Isocyanide complexes with Pt₂S and Pt₂CS cores. Crystal structure of μ-sulphido-bis[bis(2,4,6-tri-*t*-butylphenyl isocyanide)platinum], 677-80
- The synthesis, structural and spectroscopic studies of [Ru₂Rh₂H₂(CO)₁₂], 681-6
- Synthesis and structural characterisation of hexakis(triphenylphosphine)hexagold(2+) nitrate, [Au₆(PPh₃)₆][NO₃]₂, and related clusters with edge-sharing bitetrahedral geometries, 687-92
- Copper(II) complexes of pyrrole-containing Schiff-base macrocycles: crystal and molecular structures of a mononuclear macrocyclic complex, and of pyrrole-2,5-dicarbaldehyde, 693-700
- Crystal and molecular structure of 1,1,1-tetracarbonyl-2,2-η-cyclopentadienyl-bis(μ-diphenylphosphido)-molybdenumzirconium, [(cp)₂Zr(μ-PPh₂)₂Mo(CO)₄], 713-6
- Fluxionality and bonding in formamide and formamidate complexes of Pt^{II} and Pd^{II} containing the 2,6-bis(dimethylamino)methylphenyl ligand: a proton nuclear magnetic resonance study with X-ray crystal structures of [Pt(C₆H₄(CH₂NMe₂)₂)-2,6]-(μ-MeC₆H₄N=CHN(H)C₆H₄Me-p)[CF₃SO₃]₂ and [Pt(C₆H₄(CH₂NMe₂)₂)-2,6]-(μ-MeC₆H₄N=CHNC₆H₄Me-p)], 717-24
- Molybdenum and tungsten nitrosyl complexes containing bulky alkoxy, aryloxy, and arylamido ligands: their electrochemical behaviour and the structure of [Mo(HB(Me)₂pe)₂](NO)(OCH₂CH₂CH₂Br)], 733-42
- Trisubstituted Group 6 metal carbonyl complexes with di-2-pyridylamine ligands. Crystal structures of (2,2'-bipyridyl-N,N')tricarboxylate(di-2-pyridylamine-N')-molybdenum(0) and -tungsten(0), 759-64
- Organotellurium(IV) and -(II) dithiocarbamates: crystal and molecular structure of dimethylthiocarbamate(2-phenylazo-phenyl-C,N')tellurium(II), 771-6
- Chemistry of iridium carbonyl clusters. Synthesis and chemical characterization of the hexanuclear anions [Ir₆(CO)₁₂(CO₂R)]⁻ (R = Me or Et) and [Ir₆(CO)₁₄(CO₂Me)₂]²⁻. Crystal and molecular structure of [N(PPh₃)₂][Ir₆(μ-CO)₄(CO)₁₁(CO₂Me)], 777-82
- Actinide structural studies. Part 8. Some new oxygen-donor complexes of trichloro(cyclopentadienyl)neptunium(IV); the crystal structure of trichloro(η³-cyclopentadienyl)bis(methylidiphenylphosphine oxide)neptunium(IV), 783-8
- Axially asymmetric metal alkyls. Part 4. Synthesis and X-ray crystal structure of the tungsten(V) metallocyclic complex [(W(2-CH₂C₆H₄)₂)(O)₂](Mg(C₂H₅O)₂)-CH₂Cl₂], 789-94
- Comparative ten-vertex metallaborane chemistry: some nido-6-metalladecaboranes of tungsten, rhenium, ruthenium, osmium, and iridium; including the crystal and molecular structures of [6,6,6,6-(PMe₂Ph)₄H₂-nido-6-WB₁₀H₁₁]₂ and [6,6,6-(PMe₂Ph)₃-nido-6-OSB₁₀H₁₁], 795-802
- Neopentyl and trimethylsilylmethyl compounds of rhodium(III) and iridium(III) with *ortho*-metallated triphenylphosphine. X-Ray crystal structure of [Ir(C₆H₄PPh₂CH₂SiMe₃)(η³-C₃Me₃)], 803-12
- Transition metal complexes with terminal or bridging imidato(1-)-ligands. X-Ray crystal structures of *trans*-[Ir(CO)(NCOC₂F₄CO)(PPh₃)₂] and [(Pd(o-C₆H₄CH=NPh)(μ-NCOCC₂H₄CO)]₂-CH₂Cl₂. Spectroscopic studies of [Mn(CO)₅(NCOC₂H₄CO)], and the nature of the metal-nitrogen bond, 813-20
- Halogeno, hydrido, and hydrocarbyl derivatives of (η-cyclo-octatetraene)(η-pentamethylcyclopentadienyl)zirconium(IV): X-ray crystal structure of [Zr(η-C₈Me₅(η-C₈H₈)H)], 821-8
- Allyl derivatives of (cyclo-octatetraene)(η-pentamethylcyclopentadienyl)zirconium: X-ray crystal structure of [Zr(η-C₈Me₅)(1-4-η-C₈H₈)(η-C₃H₅)], 829-34
- Synthesis and structural characterisation of [Pt₂Au₂(PPh₃)₄(CNC₂H₃Me₂-2,6)₄][PF₆]₂; a platinum-gold cluster with a distorted butterfly geometry, 835-42
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 42. Synthesis of the compounds [N(PPh₃)₂][Fe₂W(μ-CO)(μ-NO)(μ₃-CR)(CO)₄(η-C₃H₅)] (R = Me or C₆H₄Me-4) and the X-ray crystal structure of the tolylmethylidyne complex, 869-74
- Condensation of *o*-phenylenediamine and phthalaldehyde using molybdenum(0) as template. Isolation and crystal and molecular structure of an intermediate molybdenum complex with an η²-bonded aldehydic group, 879-82
- Synthesis, vibrational spectra, and X-ray crystal structure of di-μ-hydroxo-bis[bromodichloro(tetrahydrofuran)tin(IV)]-tetrahydrofuran (1/2), 883-6
- Studies of metal formates. The synthesis and X-ray structure of potassium tetraformato-oxovanadate(IV), K₂[VO(HCO₂)₄], 895-8
- Reactivity of trinuclear ruthenium complexes involving bis(diphenylphosphino)methane (dppm) as a bridging ligand: facile declusterification of [Ru₃(CO)₉(μ-dppm-PP)₂] in the presence of iodine and the crystal structure of [Ru₂(μ₂)(CO)₄(μ-dppm-PP)], 899-902
- Rhenium nitrosyl complexes with simple and with sterically demanding aromatic thiolate ligands: X-ray crystal structures of [PPh₃][Re₂(SC₆H₄Me-4)(NO)₂]-CH₂Cl₂ and [Re(SC₆H₃Pr₂-2,6)₂(NO)] (1985, 1533), 903-4
- Copper(I) Schiff-base complexes: reversible carbon monoxide binding, reactions with dioxygen, and the structure of a dinuclear complex containing co-ordinated and unco-ordinated alkene groups, 911-20
- Zinc(II) bis(*O,O'*-dialkyl dithiophosphates): Interaction with small nitrogen bases. The crystal and molecular structure of hexakis(μ-*O,O'*-diethyl dithiophosphato)-μ₄-thio-tetrazine, Zn₆[S₂P(OEt)₂]₆S, 925-8
- Zinc(II) bis(*O,O'*-dialkyl dithiophosphates): complexation behaviour with pyridine and other multidentate nitrogen donor molecules. The crystal and molecular structures of the 1:1 complexes of bis(*O,O'*-diisopropyl dithiophosphato)zinc(II) with pyridine, 2,2'-bipyridine, and 2,2':6',2''-terpyridine and of (1,11-diamino-3,6,9-triazundecane)zinc(II) bis(*O,O'*-diethyl dithiophosphato), 929-38
- Synthesis, spectroscopic, and structural studies of dimethylthallium(III) complexes containing heterocyclic nitrogen-donor ligands, including 'TiC₂N₂O₂' and 'TiC₂O₆' geometries, 939-46
- Bis(perhalogenophenyl) derivatives of palladium(II) and platinum(II) containing S₂CP(C₆H₁₁)₃ as a mono- or bi-dentate ligand. Crystal structures of *cis*-[Pd(C₆F₅)₂][S₂CP(C₆H₁₁)₃] and *cis*-[Pt(C₆F₅)₂][SC(S)P(C₆H₁₁)₃(CO)]], 947-52
- Synthesis and X-ray structural characterization of novel binuclear complexes of copper(II), nickel(II), and cobalt(II) with an octadentate ligand, N,N',N'',N'''-tetrakis(2-aminoethyl)-1,4,8,11-tetra-azacyclotetradecane, 953-60
- Five-co-ordinate nitrosyl thiolato-complexes of molybdenum and tungsten. The preparation and X-ray crystal structures of [NHEt₃][Mo(SPh)₂(NO)], [PPh₃][WCl(SPh)₂(NO)], and [Mo(SC₆H₄Pr₂-2,4,6)₂(NH₃)(NO)], 967-74
- The syntheses and X-ray structure analyses of the heteronuclear monoanions [Os₁₀C(CO)₂₄Cu(NCMe)]⁻ and [Os₁₀C(CO)₂₄Au(PPh₃)₃]⁻ as their [PPh₃Me]⁺ salts, 975-80
- New carbide clusters in the cobalt subgroup. Part 16. Preparation and structural characterization of μ₆-carbido-penta-μ-carbonyl-octacarbonyl-octahydro-cubicalcobaltate(2-) as its tetraethylammonium salt, 981-4
- Synthesis of a pyridine-containing tetra-aza macrocycle, 7-methyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L¹),

CRYSTAL STRUCTURE (contd)

- and characterisation of its nickel(II), copper(II), and zinc(II) complexes. Reduction of the pyridine ring of $[\text{Ni}(\text{L}^1)]^{2+}$ to give $[\text{Ni}(\text{L}^2)]^{2+}$ ($\text{L}^2 = 7\text{-methyl-3,7,11,17-tetra-azabicyclo}[11.3.1]\text{heptadecane}$), and characterisation of $[\text{Ni}(\text{L}^2)]^{2+}$ by X-ray crystallography, 985-90
- Chemistry of polyfunctional molecules. Part 86. Organoarsenic compounds derived from 1,3-bis(di-iodoarsino)propane with monocyclic, tricyclic, and straight-chain structures; X-ray crystal structure of 2,8,13,14-tetraoxa-1,3,7,9-tetra-arsatricyclo[7.3.1.1^{3,7}.1^{4,6}]tetradecane, 997-1002
- Co-ordination chemistry of higher oxidation states. Part 18. Bidentate selenoether complexes of the tetravalent platinum metals. Crystal and molecular structure of $[\text{Pt}(\text{o-C}_6\text{H}_4(\text{SeMe}_2)_2)_2\text{Cl}_2]$, 1003-10
- Reactions of co-ordinated ligands. Part 37. Synthesis and structure of the dimolybdenum μ -allylidene complex $[\text{Mo}_2(\mu\text{-}\sigma\text{-CHCHCHMe}_2)(\text{CO})_2(\eta\text{-C}_3\text{H}_5)_2]$; formation and crystal structure of the oxo- μ -allylidene complex $[\text{Mo}_2\text{O}(\mu\text{-}\sigma\text{-}\eta^3\text{-CHCHCHMe}_2)(\mu\text{-CO})(\text{CO})(\eta\text{-C}_3\text{H}_5)_2]$. Thermal rearrangement to alkyne and 1,3-diene dimolybdenum species and structure of $[\text{Mo}_2(\mu\text{-}\eta^3\text{-CCHCHMeCH}(\text{CO})_2)(\eta\text{-C}_3\text{H}_5)_2]$, 1021-30
- Synthesis of diphenylantimony(III) dialkylthio- and diaryldithio-phosphinates and -arsinates; crystal structures of $\text{Ph}_2\text{SbS}_2\text{MPh}_2$ ($\text{M} = \text{P}$ or As), 1031-4
- The molecular structure of $[\text{Mo}(\text{CO})_3\text{H}(\eta\text{-C}_3\text{Me}_3)]$ and its conversion to $[\text{Mo}(\text{CO})_3\text{Cl}(\eta\text{-C}_3\text{Me}_3)]$ and $[\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2][\text{Mo}(\text{CO})_3(\eta\text{-C}_3\text{Me}_3)]$, 1041-4
- Synthesis and X-ray crystal structure of the novel hydridocarbonyl cluster $[\text{NEt}_4][\text{Re}_4(\mu\text{-H})_2(\text{CO})_{14}]$, 1051-4
- A structural study of the complexation of the sodium ion by the cryptands 4,7,13,18-tetraoxa-1,10-diazabicyclo[8.5.5]icosane and 4,7,13-trioxa-1,10-diazabicyclo[8.5.5]icosane, 1075-80
- Molecular mechanics studies of the conformation of the macrocycle β -2,12-dimethyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1) in the free state and in a series of nickel complexes. Crystal and molecular structure of L^1 , 1081-6
- 1,2,4-Triazole (tz) complexes of rhodium(II), iridium(II), and palladium(II). Crystal structure of $[\text{Rh}_2(\mu\text{-tz})(\mu\text{-Cl})\text{Cl}(\eta^4\text{-tbbf})(\text{CO})_4]_2 \cdot 0.5\text{CH}_2\text{Cl}_2$ ($\text{tbbf} = \text{tetrafluorobenzobarrelene}$), a trifluoromethyl complex with extended metal-metal interactions, 1087-94
- The crystal structures of the hexachloroantimonate salts of $(\text{CH}_3)_2\text{SS}(\text{CH}_3)^+$, $(\text{CH}_3)_3\text{S}^+$, and $(\text{CH}_3)_3\text{Se}^+$, 1095-100
- Kinetics and mechanism of the reaction between dimethyl sulphoxide and dichloro(pyridine-2-carboxylato)platinate(II) anion and the *cis-trans* isomerization of the products. X-Ray crystal structure of *trans*-(O,S)-chloro(dimethyl sulphoxide)[pyridine-2-carboxylato]platinate(II), 1101-6
- Spectroscopic and magnetic properties of $[\text{Fe}(\text{L})(\text{salacen})]\text{PF}_6$ ($\text{L} = \text{imidazole}$ or *N*-methylimidazole: new examples of intermediate electronic relaxation between $S = \frac{1}{2}$ and $S = \frac{3}{2}$ states. X-Ray crystal structure of $[\text{Fe}(\text{Him})_2(\text{salacen})]\text{PF}_6$, 1115-24
- Reactions of $[\text{Fe}(\text{cp})(\text{CO})_2\text{Cl}]$ ($\text{cp} = \eta$ -cyclopentadienyl) with 3-methylbut-2-enoic acid and its methyl ester. X-Ray crystal and molecular structure of bis(dicarbonyl(η -cyclopentadienyl)(3-methylbut-2-enoato)iron(II))hydrogen hexafluoroantimonate and μ -chloro-bis(dicarbonyl(η -cyclopentadienyl)iron(II))hexafluoroantimonate, 1129-34
- The crystal structure and reactivity of $[(\eta\text{-C}_6\text{H}_5)_3\text{NiO}_3(\mu\text{-H})_3(\text{CO})_6(\text{PPh}_3)_2]$; ^1H and ^{31}P nuclear magnetic resonance spectroscopic characterization of $[(\eta\text{-C}_6\text{H}_5)_3\text{NiO}_3(\mu\text{-H})_2(\mu\text{-HgBr})(\text{CO})_6(\text{PPh}_3)_2]$ and related complexes, 1135-40
- Reactions of bis[1,2-bis(dimethylphosphino)ethane]bis(dinitrogen)chromium(0) and -bis(carbonyl)chromium(0) with acids and oxidizing agents. X-Ray crystal structures of *trans*- $\text{Cr}^0(\text{O}_2\text{CCF}_3)_2(\text{dmpe})_2$, *trans*- $[\text{Cr}^0(\text{NCR})_2(\text{dmpe})_2][\text{CF}_3\text{SO}_3]_2$ ($\text{R} = \text{Me}$ or Et), *trans*- $[\text{Cr}^0\text{Cl}_2(\text{dmpe})_2]\text{BPh}_4$, CH_2Cl_2 , *trans*- $[\text{Cr}^0(\text{CO})_2(\text{dmpe})_2]\text{BPh}_4$, and $[\text{Cr}^0\text{H}(\text{CO})_2(\text{dmpe})_2]\text{BPh}_4$, 1141-34
- The reactions of the tri- μ -hydroxo-bis(η^5 -p-cymeneosmium(II)) cation with aldehydes and acids and the homogeneously catalysed oxidation of acetaldehyde and propionaldehyde with water. X-Ray structure of $(\mu\text{-MeC}_6\text{H}_4\text{CHMe}_2)_2\text{O}_3(\mu\text{-HCO}_2)(\mu\text{-OH})(\mu\text{-H})[\text{PF}_6]_2$, 1155-60
- Reactions of $[\text{Zn}(\text{S}_2\text{P}(\text{OR})_2)_2]$ with nitrogen bases and the single-crystal X-ray structures of $[\text{Zn}(\text{S}_2\text{P}(\text{OPr}^i)_2)_2] \cdot \text{H}_2\text{NCH}_2\text{CH}_2\text{NH}_2$ and $[\text{Zn}(\text{S}_2\text{P}(\text{OPr}^i)_2)_2] \cdot \text{NC}_3\text{H}_5$, 1161-6
- The anion of pyrimidine-2-thiol as a ligand to molybdenum, tungsten, and iron. Preparation of complexes, their structures and reactivity, 1181-8
- Cobalt metallacycles. Part 14. Facile transformation of η^4 -diene complexes to metallacyclopentenes. Preparation and molecular structures of $[\text{Co}(\eta^5\text{-C}_5\text{H}_5)(\eta^4\text{-PhNC}=\text{C}(\text{Ph})\text{C}(\text{Ph})=\text{CNPh})]$ and $[\text{Co}\{\text{C}(\text{NR})\text{C}(\text{Ph})\text{C}(\text{Ph})\text{C}(\text{NR})\}](\eta^5\text{-C}_5\text{H}_5)(\text{CNC}_6\text{H}_3\text{Me}_2\text{-2,6})$ ($\text{R} = \text{C}_6\text{H}_5\text{Me}_2\text{-2,6}$), 1193-200
- Cobalt metallacycles. Part 16. X-Ray structures of 4-iminocobaltacyclobutene complexes, 1207-12
- Synthesis, X-ray structure, and magnetic properties of di- μ -chloro-bis[*N*-(2-hydroxy-2-phenylethyl)salicylideneimino-copper(II)], 1213-6
- Nonahalogendiantimon(III)ates; their preparation and the crystal structures of $[\text{Hpy}]_3[\text{Sb}_2\text{Cl}_9]$, $[\text{NMe}_4]_3[\text{Sb}_2\text{Br}_9]$, and $[\text{NMe}_4]_3[\text{Sb}_2\text{Br}_7\text{Cl}_2]$, 1231-8
- Synthetic, structural, and spectroscopic studies of the ligating properties of organic disulphides: X-ray structures of mercury(II) chloride-dimethyl disulphide (1/1) and triethylammonium trichloromercurate, 1251-6
- Synthesis, crystal structure, and spectroscopic properties of $[\text{Mo}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_4][\text{BF}_4]_2$, $[\text{Rh}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_4][\text{BF}_4]_2$, and $[\text{Rh}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_4(\text{py})_2][\text{BF}_4]_2$, 1257-64
- Zinc carboxylate complexes: structural characterisation of some binuclear and linear trinuclear complexes, 1283-8
- Preparation, characterisation, and X-ray crystal structure of $[\text{W}_2\text{Cl}_4(\text{NHBu}^t)_2(\text{NH}_2\text{Bu}^t)_2]$: a triply-bonded tungsten compound containing *t*-butylamido ligands, 1305-8
- Triphenylphosphineimino-substituted tungsten(VI) fluorides. Crystal structure of tetrafluorobis(triphenylphosphine-iminato)tungsten(VI), 1309-10
- Aziridinolysis patterns of $(\text{NPCl}_2)_3$ and $(\text{NPCl}_2)_4$; crystal structures of *trans*- $\text{N}_3\text{P}_3(\text{NC}_2\text{H}_4)_2\text{Cl}_4$ and 2, *trans*-4- $\text{N}_4\text{P}_4(\text{NC}_2\text{H}_4)_2\text{Cl}_6$, 1317-28
- Rhenium complexes with di- and tri-thiolate ligands. The synthesis and X-ray crystal structures of square pyramidal $[\text{PPh}_4][\text{ReO}(\text{SCH}_2\text{CH}_2\text{S})_3]$ and $[\text{NMe}_4][\text{ReS}(\text{SCH}_2\text{CH}_2\text{S})_3]$ and trigonal prismatic $[\text{PPh}_4][\text{Re}(\{\text{SCH}_2\text{CH}_2\text{CCH}_3\}_2)_3]$, 1339-46
- Interactions between phenothiazine drugs and metal ions. Part 2. Crystal and molecular structure of protonated trichloro[2-chloro-10-(3'-dimethylaminopropyl)phenothiazine-S]palladium(II), $[\text{Pd}(\text{cpzH})\text{Cl}_3]$; hydrogen-1 and carbon-13 nuclear magnetic resonance data for the chloropromazine complexes $[\text{M}(\text{cpzH})\text{Cl}_3]$ ($\text{M} = \text{Pd}$ or Pt), 1347-50
- Synthesis and characterization of mono- and di-cyclometallated compounds of symmetric and asymmetric azines with palladium(II) and manganese(II). X-Ray crystal structure of $[\text{Mn}(\text{C}_6\text{H}_4\text{CH}=\text{N}-\text{N}=\text{CHPh})(\text{CO})_4]$, 1351-8
- The synthesis, properties, and structure of bis(amidino)-complexes of palladium. The crystal structure of bis(*N,N'*-di-*p*-tolylacetamidino)palladium(II), 1359-66
- The effect of a dansyl group on the co-ordinative ability of *N*-protected amino acids. Part 2. Binary copper(II) complexes and their pyridine and 2,2'-bipyridine adducts. Crystal and molecular structure of the complexes aquabis(*N*-dansylglycinato-*O*)bis(pyridine)copper(II) and (2,2'-bipyridine)(*N*-dansylglycinato-*NO*)(methanol)copper(II), and neutral *N*-dansylglycine, 1367-74
- Synthesis and characterization of high-nuclearity osmium-platinum cluster compounds. The molecular structures of $[\text{Os}_6\text{Pt}_2(\text{CO})_{16}(\text{C}_6\text{H}_{12})_2]$ and $[\text{Os}_6\text{Pt}_2(\text{CO})_{16}(\text{C}_6\text{H}_{12})_2][\text{P}(\text{OMe})_3]_2$ ($\text{C}_6\text{H}_{12} = \text{cyclo-octa-1,5-diene}$), 1392-402
- Actinide structural studies. Part 10. A mixed oxidation state neptunyl chloride: crystal structure of $\text{Cs}_3[\text{Np}^{\text{IV}}\text{O}_2][\text{Np}^{\text{V}}\text{O}_2]_2\text{Cl}_{12}$, 1403-4
- The reactions of di- μ -methylene-bis(pentamethylcyclopentadienyl)dirhodium(IV) complexes with benzylmagnesium chloride and with alkynylmagnesium chloride; X-ray structure of $[(\eta^5\text{-C}_5\text{Me}_5)_2\text{Rh}(\text{CH}_2\text{Ph})(\mu\text{-CH}_2)_2\text{Rh}(\eta^5\text{-C}_5\text{Me}_5\text{CH}_2\text{Ph})]$, 1419-24
- Carbon-sulphur and carbon-hydrogen bond cleavages in the reactions of phenyl vinyl sulphide with triosmium clusters: crystal structure determination of $[\text{Os}_3(\mu\text{-SPH})(\mu\text{-CH}=\text{CH}_2)(\text{CO})_{10}]$, 1431-6
- Chelation of vinyl acetate and related unsaturated ketones: molecular structure of $[\text{Os}_3(\text{CO})_{10}(\text{CH}_2=\text{CHOCOMe})]$, 1437-42
- Molecular structures and dynamic behaviour of two isomers of

CRYSTAL STRUCTURE (contd)

- [Ru₂(μ-H)(μ₃-Me₂C₄H₄CO)₂] formed from 1-dimethylaminobut-2-yne and containing η²-alkene-1,3-diyl and η²-alkene-1,2-diyl ligands respectively, 1459-64
- Crystal and molecular structure of [AsPh₄][Ru(Ol-MeSeCH₂CH₂SeMe)Cl₄], 1479-82
- Complexes with functional phosphines. Part 8. Interconversion study of [RuCl₂(Ph₃PCH₂C(O)OEt)L₂], [RuCl₂(CO)(Ph₃PCH₂C(O)OEt)L], and [RuCl₂(CO)₂L₂] [L = Ph₃PCH₂C(O)OEt] under CO. Synthesis and X-ray structure of *mer*-[RuCl₃(Ph₃PCH₂C(O)OEt)L] (1986, 415), 1483-4
- Synthesis, characterization, and crystal structure of μ-[1'-pyrrolidinecarbodithioato-S(Bi^{1,2})S'(Bi⁷)]-1,1,2,2-pentakis(1'-pyrrolidinecarbodithioato-SS')dibismuth(m) ethanol (1/1) and of di-μ-chloro-bis[bis(1'-pyrrolidinecarbodithioato-SS')(thiourea-S)bismuth(m)], 1513-8
- Bis-organonitride complexes of nitrosyl[tris(3,5-dimethylpyrazolyl)borato]-molybdenum and -tungsten. The crystal and molecular structure of [Mo(NO)(HBMe₂pz)₃](NBu⁺)₂], 1525-30
- A general synthetic route for platinum sulphur dioxide cluster compounds and the X-ray structural characterisation of di-μ-carbonyl-carbonyl-tri(μ-sulphur dioxide)-tetrakis(triphenylphosphine)pentaplatinum-dichloromethane-propan-2-ol (1/2/1), [Pt₅(CO)₄(μ-CO)₂(μ-SO₂)₂(PPh₃)₄·2CH₂Cl₂·Me₂CH(OH)], 1535-42
- Stereochemical activity of lone pairs. The crystal and molecular structures of the salts of chloro[1,4,7,10,13,16-hexaoxacyclooctadecane]tin(II). Calculation of macrocyclic cavity size by force field methods, 1543-50
- X-Ray structure analysis of the salts [N(PPh₃)₂][M₂H₂(CO)₂] (M = Ru or Os): confirmation of the existence of discrete structural isomers for a hydrido-carbonyl cluster in the solid state, 1557-64
- Preparation of *mer*-[Mo(N₂)₂(PPR⁺₂Ph)₃] from *trans*-[Mo(N₂)₂(PPR⁺₂Ph)₃], its X-ray crystal structure, spectroscopic properties, and protonation to give ammonia, 1591-4
- Mixed tri- and bi-dentate Schiff-base complexes of technetium(v) and rhenium(v). The crystal structure of *N*-(2-oxidophenyl)salicylideneiminato-*NOO'*oxo(8-quinolinolato-*NO*)technetium(v), 1623-8
- Evidence for carbon-hydrogen-titanium interactions: synthesis and crystal structures of the agostic alkyls [TiCl₂(Me₂PCH₂CH₂PM₂)R] (R = Et or Me), 1629-38
- Second-sphere co-ordination of cationic rhodium complexes [Rh(L)(NH₃)₂]⁺ by dibenzo-3*n*-crown-*n* ethers [*n* = 6-12; L = cyclo-octa-1,5-diene (cod) or norbornadiene (nbd)]. Solution ¹H nuclear magnetic resonance spectroscopic studies and X-ray crystal structures of [Rh(cod)(NH₃)₂·db-21-c-7][PF₆], [Rh(cod)(NH₃)₂·db-24-c-8][PF₆], [Rh(cod)(NH₃)₂·db-30-c-10][PF₆], [Rh(nbd)(NH₃)₂·db-24-c-8][PF₆], and [Rh(cod)(NH₃)₂·db-36-c-12][PF₆], 1639-52
- Structure-magnetism correlation in dimeric copper(II) carboxylates: crystal and molecular structure of tetra-μ-(propanoato-*O,O'*)-bis[aquacopper(II)], 1653-8
- Preparation and studies of paramagnetic diene complexes of molybdenum(III): molecular and electronic structures of [MoCl₂(η-C₄H₄)(η-C₃H₃)₂] and [Mo₂(μ-Cl)(μ₃-O)(μ₃-σ,σ':η²-η²-C₆(CF₃)₄)(η-C₃H₃)₂], 1677-88
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 43. Carbon-tungsten triple bonds as formal four-electron donors; synthesis and reactions of the compounds [FeW(μ-CC₆H₄Me-4)(CO)₂L] [L = HB(pz)₃ [tris(pyrazol-1-yl)borate] or η-C₃H₃], and X-ray crystal structures of [FeW(μ-CC₆H₄Me-4)(CO)₂][HB(pz)₃] and [FeW(μ-CC₆H₄Me-4)(μ-CO)(μ-Me₂PCH₂PM₂)(CO)₂][HB(pz)₃], 1697-708
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 44. Formation of unsaturated dimetal compounds with elimination of alkylidene groups; X-ray crystal structures of [FeW(μ-PPH₃)(CO)₂][HB(pz)₃] [HB(pz)₃ = tris(pyrazol-1-yl)borate] and [RhW(μ-CO)₂(CO)(PPH₃)₂(η-C₃H₃)], 1709-16
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 45. Synthesis of the pentanuclear metal complexes [M'₅Me₂(μ-CC₆H₄Me-4)₂(CO)₁₀] (M' = Ni or Pt, M = Cr or W) and related compounds; X-ray crystal structure of [ReW(μ-CC₆H₄Me-4)(CO)₉(PMe₃)₂], 1717-22

- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 46. Synthesis of heteronuclear trimetal compounds from the dimetallic compounds [ReM(μ-CC₆H₄Me-4)(CO)₂] (M = Cr, Mo, or W) and [CoW(μ-CC₆H₄Me-4)(CO)₂]; X-ray structure of [CrReFe(μ-CC₆H₄Me-4)(μ-CO)(CO)₁₁], 1723-30
- Synthesis, spectroscopic, and structural studies of the methylpalladium(II) complexes [PdMe(SMe₂)X]₂ (X = Cl, Br, or I); crystal structure of *trans*-[PdMe(SMe₂)(μ-Cl)]₂, 1731-4
- The crystal structures of [Hpy]₂[Sb₂OBrCl_{6-2n}] where *n* = 0, 2, and 4 and Hpy = pyridinium; stabilisation by very strong N-H...O hydrogen bonds, 1735-40
- Preparation of 1,4,8,11-tetrakis(2-pyridylmethyl)-1,4,8,11-tetraazacyclotetradecane (L') and a binuclear complex with copper(II). X-Ray structure of [Cu₂L'⁺Br₂][ClO₄]₂, 1743-6
- Template preparation of a nickel(II) pyridinophane complex; crystal and molecular structure of *cis*-dichloro[2,11-dithia[3,3](2,6)pyridinophane]nickel(II), 1747-50
- Bis(perhalogenophenyl) derivatives of palladium(II) and platinum(II) containing S₂CP(C₆H₁₁)₂ as a mono- or bi-dentate ligand. Crystal structures of *cis*-[Pd(C₆F₅)₂](S₂CP(C₆H₁₁)₂)] and *cis*-[Pt(C₆F₅)₂](S₂CP(C₆H₁₁)₂)] (1986, 947), 1751-2
- A structural and isotopic NO₂ exchange rate comparison of *trans*-[Co(ao-H-ao)(NO₂)₂] and *cis*-[Co(Hao)₂(NO₂)₂], 1759-66
- Preparation and crystal structure of quasi-cylindrical crown ether complexes with dimethyl- and diethyl-thallium(III) perchlorates, 1767-70
- Complexes of the platinum metals. Part 31. Reactions of binuclear ruthenium(II,III) and rhodium(II) carboxylates with chelating diphosphines; X-ray crystal structure of (acetato-*O,O'*)bis[bis(diphenylphosphino)methane-*P,P'*]ruthenium(II) tetraphenylborate, 1771-8
- Synthesis and characterisation of azido- and thiocyanato-gallium(III) porphyrins. Crystal structure of azido-(2,3,7,8,12,13,17,18-octaethylporphyrinato)gallium(III), 1779-84
- Ligand exchange reactions in cyclopalladated complexes of benzylideneanilines. Crystal structure of [Pd(C₆H₄CH=NC₆H₅)Br(PPh₃)₂], 1785-90
- Reaction of [(OC)₂(cp)FeC(S)SFe(cp)(CO)₂] (cp = η⁵-C₅H₅) with dicobalt octacarbonyl; X-ray crystal structure of [Co₂Fe(cp)(CO)₄](CS) containing a six-electron donor thiocarbonyl group, 1791-4
- Crystal structure and magnetic properties of the alternating chain [Cu₂(cdta)]·4H₂O, 1795-800
- Tributyltin(IV) penta(methoxycarbonyl)cyclopentadienides [SnBu₃]₂⁺[C₅(CO₂Me)₅]⁻. X-ray crystal structure of the diaquatributyltin(IV) salt, [SnBu₃(OH)₂]₂[C₅(CO₂Me)₅], and electron spin resonance spectrum of the radical C₅(CO₂Me)₅[•], 1873-8
- Synthesis, molecular structures, and nuclear magnetic resonance properties of the macropolyhedral metallaboranes [(PMe₂Ph)₄Pt₃B₁₄H₁₆] and [(PMe₂Ph)PtB₁₀H₁₀(PMe₂Ph)], and a discussion of the bonding at platinum in these and some related platinaborane clusters, 1879-94
- The synthesis, X-ray crystal structure, and solution characterization of a bis(diphosphine)-bridged dirhodium(II) complex containing a Rh₂P₄ six-membered ring, 1895-900
- The crystal and molecular structure of ferrocenium μ-oxo-bis(trichloroferrate(III)): a product of reaction of ferrocene with iron(III) chloride, 1937-40
- Five-co-ordinated gold(III) complexes. Part 1. Synthesis, structure, and properties of bromodicyano(1,10-phenanthroline)gold(III)-dimethylformamide (1/1), 1941-4
- Methyl- and phenyl-mercury(II) derivatives of 2-mercaptopyridine. Crystal and molecular structure of methyl(pyridine-2-thiolato)mercury(II), 1945-8
- Preparation and crystal structure of an imidazole-bridged polynuclear complex [(Cu(III)(dien))₄][ClO₄]₄ (dien = diethylenetriamine), and its properties in dimethyl sulphoxide solution, 1949-54
- Tris-μ-bis(diphenylphosphino)methane-di-platinum(0), 1955-64
- Lewis base adducts of Group 11 metal compounds. Part 24. Co-ordination of triphenylphosphine with silver nitrate. A solid-state cross-polarization magic angle spinning ³¹P nuclear magnetic resonance, crystal structure, and infrared spectroscopic study of Ag(PPh₃)₃NO₃ (*n* = 1-4), 1965-70
- Reactions of co-ordinated ligands. Part 38. The reactions of 1,2-dienes, 1,3-dienes, and alkynes with the μ-allylidene complex

CRYSTAL STRUCTURE (contd)

- [Mo₂(μ-σ:η³-CHCHCMe₂)(CO)₄(η-C₅H₅)₂]; molecular structures of [Mo(CO)₂(η-C₅H₅)₂](μ-η²:η²-CH₂C-CH₂CHCHCMe₂)[Mo(CO)₂(η-C₅H₅)₂], [Mo₂(μ-η⁴-CMe₂CHCHCHC(Bu)⁺CO)(CO)₂(η-C₅H₅)₂] and [Mo(CO)₂(η-C₅H₅)₂](μ-η²:η²-C(Me)₂C(Me)₂C(O)CHCHCMe₂)[Mo(CO)₂(η-C₅H₅)₂], 1971-82
- X-Ray crystal structure of [(1*SR*,4*RS*,7*RS*,8*SR*,11*RS*,14*RS*)-5,5,7,12,12,14-hexamethyl-1,4,8,11-tetraazacyclotetradecane]thiocyanatocopper(II) perchlorate dihydrate, 1999-2002
- (η²-Acetonitrile)bis(η⁵-cyclopentadienyl)molybdenum(II): the first structurally characterized complex containing an η²-nitrile ligand, 2017-20
- Structure and bonding in octahedral uranium(IV) complexes of the type UX₄·2L (X = halogen, L = unidentate, neutral oxygen donor). Part 1. The crystal structures of tetrabromobis(*NN'*-dimethyl-*NN'*-diphenylurea)uranium(IV) and α- and β-tetrachlorobis(*NN'*-dimethyl-*NN'*-diphenylurea)uranium(IV), 2035-42
- Structure and bonding in octahedral uranium(IV) complexes of the type UX₄·2L (X = halogen, L = unidentate, neutral oxygen donor). Part 2. The crystal structures of tetrachlorobis[tris(pyridolindyl)phosphine oxide]-, tetrachlorobis(di-isobutyl sulphoxide)-, and tetrabromobis(triphenylarsine oxide)-uranium(IV), 2043-8
- Reaction of NO₂ with palladium(II) and platinum(II) aryl complexes; the crystal structure of *trans*-[Pd(ONO₂)₂(OPPh₃)(PPh₃)], 2055-62
- Alkali-metal complexes with tris(2-diphenylphosphoryl)ethyl)amine. Crystal structures of [Li₂[N(CH₂CH₂POPh₂)₃]₂], [Li{N(CH₂CH₂POPh₂)₃}]₂[BPh₄], and [Na{N(CH₂CH₂POPh₂)₃}(H₂O)(BuOH)]₂[BPh₄], 2075-82
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 47. Synthesis of tri-, tetra-, and penta-heteronuclear metal cluster compounds involving tungsten with platinum or nickel: crystal structures of the compounds [Pt₃W₂(μ₃-CR)₂(CO)₄(cod)(η-C₅H₅)₂] and [Pt₂W₃(μ-CR)₂(μ₃-CR)(CO)₆(η-C₅H₅)₂] (R = C₆H₄Me-4, cod = cyclo-octa-1,5-diene), 2091-104
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 48. Reactions of the cluster complex [Fe₂W(μ₃-CC₆H₄Me-4)(μ-CO)(CO)₂(η-C₅H₅)₂] with [W(=CR)(CO)₂(η-C₅H₅)₂] (R = Me or C₆H₄Me-4); crystal structures of [FeW₂(μ₃-σ:σ'-η²-C-CH₂)(CO)₂(η-C₅H₅)₂] and [FeW₂(μ₃-MeC₂C₆H₄Me-4)(CO)₂(η-C₅H₅)₂], 2105-12
- Pentamethylcyclopentadienylrhodium complexes with the pyridazine ligand. Molecular structure of [(Rh(C₅Me₅)₂(μ-Cl)₂(μ-pydz)] [ClO₄]₂·H₂O (pydz = pyridazine), 2113-8
- Reactions of the metallabromoalkane [Mo{(CH₂)₃Br}(CO)₃(η-C₅H₅)₂] and the carbene complexes *trans*-[Mo{(=C(CH₂)₃O)(CO)₂(η-C₅H₅R)) (R = H or Me) with Li(BEt₃H). The synthesis (R = H or Me) and X-ray structure (R = Me) of [Mo{(CH(CH₂)₃O)(CO)₂(η-C₅H₅R)) containing an unusual oxygen-molybdenum donor interaction, 2119-26
- Syntheses and reactions of acyclic and cyclic carbene complexes *cis*-[Ml(=CMeNHMe)(CO)₂(η-C₅H₅)] (M = Mo or W) and *cis*-[Ml(=C(CH₂)₃NMe)(CO)₂(η-C₅H₅)] (M = Mo, n = 3 or 4; M = W, n = 3) obtained through alkyl migration to methyl isocyanide co-ordinated to molybdenum or tungsten. X-Ray structure of *cis*-[Mo{(=C(CH₂)₃NMe)(CO)₂(η-C₅H₅)]₂, 2127-36
- Synthesis and characterisation of a phosphido-bridged ruthenium cluster: crystal and molecular structure of [Ru₃C(μ-H)(μ-PPh₃)₂(CO)₁₁], 2149-54
- The reaction of WS₂Cl₂ with pyridine: crystal structure of di-μ-sulphido-bis(chlorobis(pyridine)sulphido)tungsten(VI)-pyridine (1/2), [W₂S₄Cl₂(py)₄]₂·2py, 2165-8
- Crystal structure and magnetic properties of dimeric [2-hydroxypropane-1,3-diylbis(3'-*t*-butyl-5'-methylsilylidenecyclopentadienyl)]copper(II), 2169-72
- The heteronuclear cluster chemistry of the group IB metals. Part 1. Structural similarities and differences among mixed-metal clusters compounds containing copper, silver, or gold atoms ligated by phosphines. X-Ray crystal structures of [CuRu₄(μ₃-H)₃(CO)₁₂(PMePh)₃] and [CuRu₄(CO)₁₂(C₆Bu⁺)(PPh₃)], 2181-92
- η³-Allyl rhodium complexes with azolate ligands. Crystal structures of the trinuclear 1,2,4-triazolate (tz) complexes [Rh₃(μ₃-tz)₃(η³-C₃H₅)₃] and [Rh₃(μ₃-tz)(μ-Cl)Cl(η³-C₃H₅)₂(CO)₄][0.5C₂H₄Cl₂], 2193-200
- Synthesis of the tridentate pyridine donor 2,6-bis[1-phenyl-1-(pyridin-2-yl)ethyl]pyridine (L), including separation of *meso* and *rac* diastereoisomers via methylmercury(II) derivatives, and an X-ray structural study of [HgMe(*meso*-L)]NO₃·2H₂O, 2201-4
- Interaction of palladium(II) acetate with substituted pyridines, including a cyclometallation reaction and the structure of [Pd(*meso*-[(py)PhMeC]₂C₃H₅N)(O₂CMe)][O₂CMe]·3H₂O, 2205-10
- Synthesis and reactivity of bis(*o*-nitrophenyl)platinum. X-Ray crystal and molecular structure of [Pt{(o-C₆H₄N(O)O)}(o-C₆H₄NO₂)(PPh₃)], 2215-20
- The chemistry of [W(PMe₃)₄(η²-CH₂PMe₂H)]; synthesis of hydroxy-hydrido, fluoro-hydrido, and silyl-hydrido derivatives and the dimerisation of ethylene and propene giving η⁴-diene derivatives. Crystal structure of [W(PMe₃)₄H₂(OH₂)F]F, 2227-36
- Triaquahencosatungstodiphosphate(6-) heteropolyanion, [P₂W₂₁O₇₁(OH)₂]₆⁻: X-ray crystallographic and ¹⁸³W nuclear magnetic resonance structural studies, 2237-42
- The preparation and crystal and molecular structures of trichlorobis(methyldiphenylphosphine)vanadium(III) and its acetonitrile adduct, 2253-8
- Reversible carbon-nitrogen bond formation in the isomerisation of triosmium compounds derived from *t*-butyldiazomethane (Bu⁺CHN₂); the X-ray crystal structure of [Os₃H₂(Bu⁺CH-NNCO)(CO)₄(PMe₂Ph)], 2259-64
- Iron complexes of *N*-substituted thiosilylidenecyclopentadienes. Part 4. Preparation, structure, and reactivity of pentadentate [*N,N'*-4-azahexane-1,7-diylbis(thiosilylidenecyclopentadienyl)]iron(II) derivatives, 2271-6
- Preparation and nuclear magnetic resonance properties of eleven-vertex *closo*-type osmaundecaboranes and the X-ray crystal structure of the *ortho*-cycloboronated compound [2.5-(OEt)₂-1-(PPh₃)-1-(o-Ph₂P₂C₆H₄)-*closo*-1-OsB₁₀H₇]₃, 2277-82
- Synthesis, crystal structure, and gas-phase photoelectron spectroscopic study of *B,B'*-bis[1,3-dicyclohexyl-1,3,2-diazaborolidin-2-yl], 2283-6
- Zinc carboxylate complexes: structural characterisation of some binuclear and linear trinuclear complexes, 2287-6
- Triphenylphosphineiminato-substituted tungsten(VI) fluorides. Crystal structure of tetrafluorobis(triphenylphosphineiminato)tungsten(VI), 2287-8
- cis* and *trans* Palladium(II) and platinum(II) complexes with 1,8-bis(diphenylphosphino)-3,6-dioxaoctane and their structure characterization. The first example of an eleven-membered diphosphine chelate involving *cis* geometry, 2289-96
- Fluorescent copper(II) complexes: correlation of structural and emission characteristics of [CuL(quin)₂]₂ and [Cu₄L₄(quin)₄] (quin = quinoline), 2303-10
- Sterically hindered metal alkenyls. Part 1. Synthesis, reactions, and crystal and molecular structures of some palladium and platinum σ-alkenyls, 2315-20
- X-Ray crystal structure of the complex of 15-crown-5 (1,4,7,10,13-pentaoxacyclopentadecane) with diaquatetrachlorotin(IV) at 120 K, 2335-8
- Synthesis, spectroscopic characterization, and magnetic properties of a mixed-valence copper(II) acetato complex with triphenylphosphine. Crystal structure of hexa-μ-acetato-tetrakis(triphenylphosphine)tetracopper(II), 2339-44
- Preparation, stereochemistry, and crystal structures of some complexes of the macrocycle 3,3',7,7',11,11',15,15'-octamethyl-1,9-dithia-5,13-diazacyclohexadecane with Co^{II}, Ni^{II}, Cu^I, Cu^{II}, Zn^{II}, Rh^{III}, Ag^I, Cd^{II}, Pt^{II}, and Hg^{II} salts, 2351-60
- Some attempts to prepare five-co-ordinated gold(III) complexes. Crystal and molecular structures of [Au(C₆H₄CH₂NMe₂)(phen)(PPh₃)] [BF₄]₂·CH₂Cl₂, [Au(C₆H₄CH₂NMe₂)(NC₉H₇O)]·BF₄, and [Au(C₆H₄CH₂NMe₂)(H₂NC₆H₄S)]ClO₄, 2361-6
- The preparation and characterisation of (disulphur dinitrido)bis(phosphine) complexes, [M(S₂N₂)(PR₃)₂] (M = Pt, PR₃ = PMe₃, PMe₂Ph, PPh₃, PEt₃, PPt⁺, PBu⁺, or iPh₂PCH₂CH₂PPh₂; M = Pd, PR₃ = iPh₂PCH₂CH₂PPh₂). X-Ray crystal structure of [Pt(S₂N₂)(PMe₃)₂], 2367-70

CRYSTAL STRUCTURE (contd)

- Subvalent group 4B metal alkyls and amides. Part 9. Germanium and tin alkene analogues, the dimetallenes M_2R_4 [$M = Ge$ or Sn , $R = CH(SiMe_3)_2$]: X-ray structures, molecular orbital calculations for M_2H_4 and trends in the series M_2R_4 [$M = C$, Si , Ge , or Sn ; $R' = R$, Ph , C_6H_5 , Me , $2,4,6$, or $C_6H_5Et_2-2,6$], 2387-94
- Molybdenum-mediated methoxycarbonylation of propargyl halides: molecular and crystal structure of the vinylmolybdenum(II) complex $[Mo(bipy)(CO)_2(C_6H_5O_2X(py))BF_4]$, 2405-10
- Chemistry of tetrairidium carbonyl clusters. Part 1. Synthesis, chemical characterization, and nuclear magnetic resonance study of mono- and di-substituted phosphine derivatives. X-Ray crystal structure determination of the diaxial isomer of $[Ir_4(CO)_7(\mu-CO)_2(PMe_2CH_2CH_2PMe_2)]$, 2411-22
- Synthesis, reactions, and nuclear magnetic resonance studies of some substituted *arachno*-decaborane and *arachno*-nonaborane derivatives, and the isolation of novel polyhedral diplatino-boranes. Crystal and molecular structure of $[Pt_2(PMe_2Ph)_2(\eta^3-B_2H_5)(\eta^3-B_3H_6)]$, 2433-42
- Fluorescent copper(I) complexes: an X-ray diffraction study of complexes of copper(I) iodide and pyridine derivatives of rhombic, $[Cu_2I_2(3Me-py)_4]$, and polymeric structure, $[Cu(2Me-py)]_n$, and $[Cu(2,4Me_2-py)]_n$, 2449-54
- Thiosemicarbazones as co-ordinating agents. Solution chemistry and X-ray structure of pyridoxal thiosemicarbazone trihydrate and spectroscopic properties of its metal complexes, 2455-62
- Synthesis and chemical characterization of the chalcogenide capped iridium carbonyl anions: $[Ir_3(\mu_3-X)_2(CO)_6]^-$ ($X = S$ or Se). Crystal and molecular structures of $[NMe_3(CH_2Ph)]_2[Ir_3(\mu_3-S)_2(CO)_6]$ and $[NMe_4][Ir_3(\mu_3-Se)_2(CO)_6]$, 2463-8
- Arene-osmium chemistry: synthesis *via* osmium atoms of $[Os(\eta^6-C_6H_5)(\eta^6-C_6H_4)]$, $[Os(\eta^6-C_6H_5Me_3-i,3,5)]_2(\mu-H)_2(\mu-CH(C_6H_5Me_2-3,5))]$, $[Os(\eta^6-C_6H_5Me_2-1,3,5)]_2(\mu-CH(C_6H_5Me_2-3,5))]$, and $[Os(\eta^6-C_6H_5)_2(\mu-CH(C_6H_5Me_2-3,5))]$, X-ray crystal structure of $[Os(\eta^6-C_6H_5Me_2-1,3,5)]_2(\mu-CH(C_6H_5Me_2-3,5))]$, 2477-84
- Isolation and crystal structure of $[NHMe_2]_2[ZrCl_4(OMe)(MeOH)]Cl$. The first example of a linear zirconium-methoxide bond: structural and bonding implications, 2493-6
- Reaction of nitrobenzene with $[M_3(CO)_9]$ ($M = Fe$ or Ru) in the presence of $[Co_2(CO)_8]$: isolation and structure of $[Ru_3(CO)_9(NPh)(\eta^6-C_6H_5)]$, 2501-4
- Thermal, spectroscopic, and structural properties of aqua(malonato-*O,O'*)(1,10-phenanthroline)copper(II) hydrate (1/1.5), 2519-24
- Crystal and molecular structure of $[H_2N(CH_2)_2NH_2(CH_2)_2NH_2]_2 \cdot HgCl_2$: a compound containing a discrete axially-compressed trigonal-bipyramidal pentachloromercurate anion, 2529-34
- Structure and fluxional behaviour of some aqua-complexes of rhodium(III) and iridium(III), 2545-50
- Cluster chemistry. Part 45. Synthesis and some reactions of $[Ru_3(\mu_3-PPhCH_2PPh_2)(CO)_3]^-$: X-ray crystal structures of $[MRu_3(\mu_3-PPhCH_2PPh_2)(CO)_3](PPh_3)$ ($M = Cu$, Ag , or Au), 2557-68
- Di-iodine oxidation of molybdenum(0)- η^6 -arene complexes. New results on molybdenum(II) and tungsten(II) carbonyl derivatives; crystal structures of $[Mo(CO)_2(\eta^6-C_6H_5Me_2-1,3,5)]$, $[Mo(CO)_2(\eta^6-C_6H_5Me_2-1,3,5)]$ ($M = Mo$ or W) and $[Mo(CO)_2(\eta^6-C_6H_5Me_2)]$, $[Mo(CO)_2(\eta^6-C_6H_5Me_2)]$, 2569-80
- Dimethylthallium(III) complex of a cylindrical crown ether: molecular structure of $[Tl(CH_3)_2(L)]ClO_4$, 2613-6
- Structural studies of potassium tetrafluorochromate(III), $K[CrF_4]$, and the novel mixed chloride fluoride, dipotassium dichlorohexafluorotrichromate(III), $K_2[Cr_2Cl_2F_6]$, 2623-8
- Crystal structures and magnetism of binuclear copper(II) complexes with alkoxide bridges. Importance of orbital complementarity in spin coupling through two different bridging groups, 2633-40
- Proton ENDOR spectroscopy of bis(2,2,6,6-tetramethylheptane-3,5-dionato)copper(II) and crystal structure of bis(2,2,6,6-tetramethylheptane-3,5-dionato)palladium(II), 2655-62
- Magnetic and electrochemical studies on binuclear copper(II) complexes derived from 2,6-diacetyl-4-methylphenol: the X-ray and molecular structure of an acyclic, binuclear Schiff-base complex, 2681-90
- Synthesis and characterization of a new family of unsaturated triangular rhenium cluster anions of formula $[Re_3(\mu-H)_4(CO)_3L]^-$ ($L =$ neutral two-electron donor ligand). X-Ray

crystal and molecular structures of the tetraethylammonium salts of the anions with $L =$ triphenylphosphine and pyridine, 2691-8

X-Ray crystallographic and tungsten-183 nuclear magnetic resonance structural studies of the $[M_4(H_2O)_2(XW_9O_{34})_2]^{10-}$ heteropolyanions ($M = Co$ or Zn , $X = P$ or As), 2699-706

Alkyl compounds of ruthenium(III) and -(V) and osmium(III). X-Ray crystal structures of hexakis(trimethylsilylmethyl)- and hexakis(neopentyl)-diruthenium(III), dioxohexakis(trimethylsilylmethyl)diruthenium(V), and bis(η^3 -allyl)tetrakis(neopentyl)diosmium(III), 2711-20

Crystal structure of $[Ni_2Ru_3(\eta-C_5H_5)_2(CO)_6(\mu_2-PPh)]$, an open square-pyramidal cluster obtained *via* condensation of co-ordinatively unsaturated $[Ru_3(\mu-H)(CO)_6(\mu-PPh_2)]$ with $[Ni_2(\eta-C_5H_5)_2(CO)_2]$, 2737-40

Crystal structure of $[Zr(dmpe)(CH_2Si(CH_3)_3)_4](dmpe = PMe_2CH_2CH_2PMe_2)$. Evidence in support of the postulation for the presence of an agostic hydrogen, 2743

CYANIDE

- Reactions of the multiply bonded dirhenium complexes $[Re_2X_4(L-L)_2]^{2+}$ ($X = Cl$ or Br , $L-L = Ph_2PCH_2CH_2PPh_2$ or $Ph_2PCH_2CH_2AsPh_2$; $n = 0$ or 1) with isocyanides and nitriles. Reaction without metal-metal bond disruption, 55-60
- Formamide as a precursor to cyanide in mixed-valence copper(II) cyanide complexes, 347-50
- Laser flash photolysis study of the charge-transfer photochemistry of octacyanomolybdate(V) and octacyanotungstate(V) ions, 1217-24
- Electrocatalytic reduction of carbon dioxide to methanol. Part 2. Effects of metal complex and primary alcohol, 1519-24
- Cyano derivatives of some organochlorophosphate(V) ions, 1843-8
- Five-co-ordinated gold(III) complexes. Part 1. Synthesis, structure, and properties of bromodicyano(1,10-phenanthroline)gold(III)-dimethylformamide (1/1), 1941-4
- The complex $[Fe(phen)_2(CN)_2]$ ($phen = 1,10$ -phenanthroline) and its solutions, 2349-50
- Borane anions with bridging cyanide ligands: preparation and properties of derivatives of $[B_2H_4]^-$ and $[B_3H_4]^-$, 2645-50
- Ligand substitution kinetics in complexes of pyridine and pyrazine derivatives with pentacyanoruthenate(II), 2731-6
- Formaldehyde oxime as a precursor to cyanide in mixed-valence copper(II) complexes. Hydration of nitrile solvents, 2741-2

CYCLOHEPTADIENYL

A molecular-orbital study of tricarbonyl(1-5- η -cycloheptadienyl)iron and tricarbonyl(1-5- η -cyclooctadienyl)iron, 701-8

CYCLOHEXADIENYL

- Synthesis and properties of some cyclohexadienylrhenium polyhydride complexes, 525-30
- Synthesis of some (η -arene)dihydridorhenium cations and their reactions with $LiAlH_4$ and $LiAlD_4$, 531-6

CYCLOHEXANEDIAMINETETRA-ACETATE

Crystal structure and magnetic properties of the alternating chain $[Cu_2(cdda)] \cdot 4H_2O$, 1795-800

CYCLOHEXYL

- Tin-119 and nitrogen-14 nuclear magnetic resonance and tin-119 variable-temperature Mössbauer spectroscopic study of tricyclohexyltin isothiocyanate including the first observation of resolved $^{117,119}Sn$ - ^{14}N coupling in an organotin compound, 875-8

CYCLOMETALLATION

- Cyclometallation reactions in neopentyl and trimethylsilylmethyl systems of rhodium(III) and iridium(III). Formation and X-ray crystal structures of the four-membered metallacycles $[Rh(CH_2CMe_2CH_2)(\eta^3-C_3Me_3)(PPh_3)]$ and $[Ir(CH_2SiMe_2CH_2)(\eta^3-C_3Me_3)(PPh_3)]$, 477-88
- Neopentyl and trimethylsilylmethyl compounds of rhodium(III) and iridium(III) with *ortho*-metallated triphenylphosphine. X-Ray crystal structure of $[Ir(C_6H_4PPh_2)(CH_2SiMe_3)(\eta^3-C_3Me_3)]$, 803-12

CYCLO-OCTADIENE

- Synthesis of $[Re(\eta-C_8H_{16})(\eta^3-C_6H_{11})]$, $[Re(\eta-C_8H_{16})(\eta^3-C_6H_{11})H]BF_4$, and $[Re(\eta-C_8H_{16})(\eta^3-C_6H_{11})Ph]$ using rhenium atoms: characterization by application of a modified heteronuclear ^{13}C - 1H J-resolved two-dimensional nuclear magnetic resonance experiment, 343-6
- Synthesis and characterization of high-nuclearity osmium-platinum cluster compounds. The molecular structures of

CYCLO-OCTADIENE (contd)

$[\text{Os}_2\text{Pt}_2(\text{CO})_{16}(\text{C}_8\text{H}_{12})_2]$ and $[\text{Os}_2\text{Pt}_2(\text{CO})_{16}(\text{C}_8\text{H}_{12})\{\text{P}(\text{OMe})_3\}_2]$ (C_8H_{12} = cyclo-octa-1,5-diene), 1395-402

Second-sphere co-ordination of cationic rhodium complexes $[\text{Rh}(\text{L})(\text{NH}_3)_2]^+$ by dibenzo-3*n*-crown-*n* ethers [n = 6-12; L = cyclo-octa-1,5-diene (cod) or norbornadiene (nbd)]. Solution ^1H nuclear magnetic resonance spectroscopic studies and X-ray crystal structures of $[\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-21-c-7}][\text{PF}_6]$, $[\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-24-c-8}][\text{PF}_6]$, $[\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-30-c-10}][\text{PF}_6]$, $[\text{Rh}(\text{nbd})(\text{NH}_3)_2\text{-db-24-c-8}][\text{PF}_6]$, and $[\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-36-c-12}][\text{PF}_6]_2$, 1639-52

The synthesis, X-ray crystal structure, and solution characterization of a bis(diphosphine)-bridged dirhodium(II) complex containing a Rh_2P_4 six-membered ring, 1895-900

CYCLO-OCTADIENYL IUM

A molecular-orbital study of tricarbonyl(1-5- η -cycloheptadienyl)iron and tricarbonyl(1-5- η -cyclo-octadienyl)iron, 701-8

CYCLO-OCTATETRAENE

Halogeno, hydrido, and hydrocarbyl derivatives of (η -cyclo-octatetraene)(η -pentamethylcyclopentadienyl)zirconium(IV): X-ray crystal structure of $[\text{Zr}(\eta\text{-C}_5\text{Me}_5)(\eta\text{-C}_8\text{H}_8)]$, 821-8

Allyl derivatives of (cyclo-octatetraene)(η -pentamethylcyclopentadienyl)zirconium: X-ray crystal structure of $[\text{Zr}(\eta\text{-C}_5\text{Me}_5)(1-4-\eta\text{-C}_3\text{H}_5)(\eta\text{-C}_8\text{H}_8)]$, 829-34

Reduction-oxidation properties of organotransition-metal complexes. Part 24. The oxidative dimerisation of $[\text{Ru}(\text{CO})_2\text{L}(\eta^4\text{-cot})]$ (L = CO or PPh_3 , cot = cyclo-octatetraene), 1619-22

CYCLOPENTADIENIDE

Tributyltin(IV) penta(methoxycarbonyl)cyclopentadienides $[\text{SnBu}_3\text{L}_2]^{+}[\text{C}_5(\text{CO}_2\text{Me})_5]^{-}$. X-ray crystal structure of the diaquatributyltin(IV) salt, $[\text{SnBu}_3(\text{OH})_2][\text{C}_5(\text{CO}_2\text{Me})_5]$, and electron spin resonance spectrum of the radical $\text{C}_5(\text{CO}_2\text{Me})_5^{\cdot}$, 1873-8

CYCLOPENTADIENYL

Insertion of nitrogen oxide into a zirconium-carbon bond: reaction of dialkylbis(cyclopentadienyl)zirconium(IV) complexes with nitrogen oxide, 445-8

Actinide structural studies. Part 8. Some new oxygen-donor complexes of trichloro(cyclopentadienyl)neptunium(IV); the crystal structure of trichloro(η^5 -cyclopentadienyl)bis(methyldiphenylphosphine oxide)neptunium(IV), 783-8

Halogeno, hydrido, and hydrocarbyl derivatives of (η -cyclo-octatetraene)(η -pentamethylcyclopentadienyl)zirconium(IV): X-ray crystal structure of $[\text{Zr}(\eta\text{-C}_5\text{Me}_5)(\eta\text{-C}_8\text{H}_8)]$, 821-8

Allyl derivatives of (cyclo-octatetraene)(η -pentamethylcyclopentadienyl)zirconium: X-ray crystal structure of $[\text{Zr}(\eta\text{-C}_5\text{Me}_5)(1-4-\eta\text{-C}_3\text{H}_5)(\eta\text{-C}_8\text{H}_8)]$, 829-34

Carbonylchloro[2-(phenylazo)phenyl-*C,N*]platinum and cyclopentadienyl[2-(phenylazo)phenyl-*C,N*]platinum, 1059-60

Reactions of $[\text{Fe}(\text{cp})(\text{CO})_2\text{Cl}]$ (cp = η -cyclopentadienyl) with 3-methylbut-2-enoic acid and its methyl ester. X-ray crystal and molecular structure of bis[dicarbonyl(η -cyclopentadienyl)(3-methylbut-2-enoato)iron(II)]hydrogen hexafluoroantimonate and μ -chloro-bis[dicarbonyl(η -cyclopentadienyl)iron(II)] hexafluoroantimonate, 1129-34

(η^2 -Acetonitrile)bis(η^5 -cyclopentadienyl)molybdenum(II): the first structurally characterized complex containing an η^2 -nitrile ligand, 2017-20

Reactions of the metallabromoalkane $[\text{Mo}\{(\text{CH}_2)_3\text{Br}\}(\text{CO})_3(\eta\text{-C}_5\text{H}_5)]$ and the carbene complexes *trans*-

$[\text{Mo}\{=\text{C}(\text{CH}_2)_3\text{O}\}(\text{CO})_2(\eta\text{-C}_5\text{H}_5\text{R})]$ (R = H or Me) with $\text{Li}(\text{BEt}_3\text{H})$. The synthesis (R = H or Me) and X-ray structure (R = Me) of $[\text{Mo}\{\text{CH}(\text{CH}_2)_3\text{O}\}(\text{CO})_2(\eta\text{-C}_5\text{H}_5\text{R})]$ containing an unusual oxygen-molybdenum donor interaction, 2119-26

CYCLOPHOSPHAZENE

Azidolysis patterns of $(\text{NPCL}_2)_3$ and $(\text{NPCL}_2)_4$: crystal structures of *trans*- $\text{N}_3\text{P}_3(\text{NC}_2\text{H}_5)_3\text{Cl}_4$ and *trans*- $4\text{-N}_4\text{P}_4(\text{NC}_2\text{H}_5)_2\text{Cl}_6$, 1317-28

CYCLOTETRAPHOSPHAZATRIENE

Mass spectrometric studies on cyclo- and poly-phosphazenes. Part 5. Oligomerization of octachlorocyclotetraphosphazetriaene $\text{N}_4\text{P}_4\text{Cl}_8$, 905-10

CYCLOTHIAPHOSPHAZENE

Reactivity of cyclothiaphosphazenes towards alkyl-lithium reagents, 1389-94

CYCLOTRIPHOSPHAZENE

Reactivity of hexachlorocyclotriphosphazene towards alkyl-lithium reagents, 1269-76

CYMENE

The reactions of the tri- μ -hydroxo-bis(η^6 -*p*-cymeneosmium(II)) cation with aldehydes and acids and the homogeneously catalysed oxidation of acetaldehyde and propionaldehyde with water. X-ray structure of $[(p\text{-MeC}_6\text{H}_4\text{CHMe}_2)_2\text{Os}_2(\mu\text{-HCO}_2)(\mu\text{-OH})(\mu\text{-H})][\text{PF}_6]$, 1155-60

CYTOCHROME C

Preferred sites for electron exchange between cytochrome c and $[\text{Fe}(\text{edta})]^{4-}$ and $[\text{Co}(\text{sep})]^{2+}$ complexes, 755-8

DECOMPOSITION

A kinetic study of the gas-phase thermolysis of tetraborane(10), 81-90

The chemistry of dinitrogen residues. Part 4. The decomposition of hydrazide(1-) and hydrazide(2-) when bound to titanium(IV), 399-402

Mechanisms and kinetics of the thermal decomposition of sodium sulphide pentahydrate under controlled water vapour pressure, 469-76

Formation and decomposition of an α -alkoxyalkyl complex of palladium(II), 641-4

DEOXYINOSINE MONOPHOSPHATE

Interaction of metal ions with 2'-deoxyribonucleotides. Crystal and molecular structure of a cobalt(II) complex with 2'-deoxyinosine 5'-monophosphate, 309-12

DEUTERIUM

A kinetic investigation of the base-catalysed deuterium-exchange reaction of tris(2,2'-bipyridine)osmium(II) ion in dimethyl sulphoxide solution, 1993-4

DEUTEROFERRIHAEM

Binding equilibria and catalase-like reactivity of deuterioferrihaem-poly-L-lysine complexes, 333-6

DIALKYL DISULPHIDE

Synthetic, structural, and spectroscopic studies of the ligating properties of organic disulphides: X-ray structures of mercury(II) chloride-dimethyl disulphide (1/1) and triethylammonium trichloromercurate, 1251-6

DIALKYL DITHIOCARBAMATE

Electron spin resonance studies of one-electron reduction products of nickel(II) and palladium(II) complexes containing tetrathiomolybdate, tetrathiotungstate, and dialkylthiocarbamate ligands, $(\text{M}(\text{M}'\text{S}_4)(\text{R}_2\text{NCS}_2)_2)_2^{2-}$ (n = 0-2, M = Ni or Pd, M' = Mo or W), 1065-74

DIALKYL DITHIOPHOSPHATE

Zinc(II) bis(*O,O'*-dialkyl dithiophosphates): Interaction with small nitrogen bases. The crystal and molecular structure of hexakis(μ -*O,O'*-diethyl dithiophosphato)- μ_4 -thio-tetrazinc, $\text{Zn}_4[\text{S}_2\text{P}(\text{OEt})_2]_6\text{S}$, 925-8

Zinc(II) bis(*O,O'*-dialkyl dithiophosphates): complexation behaviour with pyridine and other multidentate nitrogen donor molecules. The crystal and molecular structures of the 1:1 complexes of bis(*O,O'*-diisopropyl dithiophosphato)zinc(II) with pyridine, 2,2'-bipyridine, and 2,2':6,2'-terpyridine and of (1,11-diamino-3,6,9-triazadecane)zinc(II) bis(*O,O'*-diethyl dithiophosphato), 929-38

DIAMINOCARBOXYLIC ACID

Stability and structure of some binary and mixed-ligand complexes of zinc(II), 1-6

DIARSINE

Co-ordination chemistry of higher oxidation states. Part 17. Synthesis and properties of nickel(IV) complexes with neutral ligands, and structures of $[\text{Ni}(\text{o-C}_6\text{H}_4(\text{EMe}_2)_2)_2\text{Cl}_2][\text{ClO}_4]_2$ (E = P or As; n = 1 or 2) by nickel *K*-edge extended X-ray absorption fine structure, 317-22

Kinetics and mechanism of halide promoted migratory CO insertion of *fac*- $[\text{FeMe}(\text{o-C}_6\text{H}_4(\text{AsMe}_2)_2)(\text{CO})_3]\text{ClO}_4$, 2137-44

DIAZABOROLIDINE

Synthesis, crystal structure, and gas-phase photoelectron spectroscopic study of *B,B'*-bis(1,3-dicyclohexyl-1,3,2-diazaborolidin-2-yl), 2283-6

DIAZENIDE

Transition-metal derivatives of arenediazonium ions. Part 12. Complexes derived from pyrazole-4-diazonium and 3-pyrazolin-5-one-4-diazonium cations. X-ray crystallographic characterisation of a sterically distorted organodiazenido-complex: dicarbonyl(3,5-dimethylpyrazol-4-yl)diazenido)tris(pyrazol-1-yl)methanemolybdenum(II) tetrafluoroborate-diethyl ether (1/1), 103-8

DIAZENIDE (contd)

New diazenido-complexes of molybdenum(IV), tungsten(IV), and rhenium(III), 213-6

The chemistry of dinitrogen residues. Part 1. Diazenido-complexes of titanium, and some substituted analogues. X-Ray crystal structures of $[\text{Ti}(\text{C}_2\text{H}_5)_2\text{Cl}_2(\text{NNPh})]$, $[\text{Ti}(\text{C}_2\text{H}_5)_2\text{Cl}_2(\text{NCBu}^t\text{Bu})]$, and $[\text{Ti}(\text{C}_2\text{H}_5)_2\text{Cl}_2(\text{NPPH}_2)]$, 377-84

Mechanism of alkylation of alkyldiazenido-complexes of molybdenum(II) and tungsten(II): influence of metal and co-ligands on the nucleophilicity of a diazenido-group, 1473-8

DIAZINETHIONE

Complexation of gold(I) thiomalate ('Myocrisin') with 1,3-diazinane-2-thione in aqueous solution followed by ^{13}C nuclear magnetic resonance spectroscopy, 1049-50

DIAZOMETHANE

Reversible carbon-nitrogen bond formation in the isomerisation of triosmium compounds derived from *t*-butyldiazomethane (Bu^tCHN_2); the X-ray crystal structure of $[\text{Os}_3\text{H}_2(\text{Bu}^t\text{CH}=\text{NNO})(\text{CO})_9(\text{PMe}_2\text{Ph})]$, 2259-64

DIAZONIUM

Transition-metal derivatives of arenediazonium ions. Part 12. Complexes derived from pyrazole-4-diazonium and 3-pyrazolin-5-one-4-diazonium cations. X-Ray crystallographic characterisation of a sterically distorted organodiazenido-complex: dicarbonyl(3,5-dimethylpyrazol-4-yl)diazonido(tris(pyrazol-1-yl)methanemolybdenum(II) tetrafluoroborate-diethyl ether (1/1)), 103-8

DIBORATE

A neutron diffraction study $[\text{N}(\text{PPh}_3)_2]^+[\text{B}_2\text{H}_7]^- \cdot \text{CH}_2\text{Cl}_2$ at 80 K, 1753-8

DIBUTYLACETYLENE

The photoelectron spectrum of hexacarbonyl- μ -di-*t*-butylacetylene-diron: a joint experimental and theoretical study, 2581-6

DICYANOETHYLENEDITHIOLATE

The crystal structure of calcium 1,1-dicyanoethylene-2,2-dithiolate pentahydrate, 43-6

DIENE

Preparation and studies of paramagnetic diene complexes of molybdenum(III); molecular and electronic structures of $[\text{MoCl}_2(\eta^2\text{-C}_4\text{H}_6)(\eta^2\text{-C}_3\text{H}_3)]$ and $[\text{Mo}_2(\mu\text{-Cl})(\mu_3\text{-O})(\mu_3\text{-}\sigma,\sigma:\eta^2\text{-C}_4(\text{CF}_3)_4)(\eta^2\text{-C}_3\text{H}_3)_2]$, 1677-88

Reactions of co-ordinated ligands. Part 38. The reactions of 1,2-dienes, 1,3-dienes, and alkenes with the μ -allylidene complex $[\text{Mo}_2(\mu\text{-}\sigma:\eta^2\text{-CHCHCH}(\text{Bu}^t)\text{CO})(\text{CO})_4(\eta^2\text{-C}_3\text{H}_3)_2]$; molecular structures of $[\text{Mo}(\text{CO})_2(\eta^2\text{-C}_3\text{H}_3)(\mu\text{-}\eta^3:\eta^2\text{-CH}_2\text{C}(\text{CH}_3)\text{CHCHCH}_2)]$, $[\text{Mo}(\text{CO})_2(\eta^2\text{-C}_3\text{H}_3)]$, $[\text{Mo}_2(\mu\text{-}\eta^4\text{-CMe}_2\text{CHCHCH}(\text{Bu}^t)\text{CO})(\text{CO})_4(\eta^2\text{-C}_3\text{H}_3)_2]$ and $[\text{Mo}(\text{CO})_2(\eta^2\text{-C}_3\text{H}_3)(\mu\text{-}\eta^2:\eta^2\text{-C}(\text{Me})\text{C}(\text{Me})\text{C}(\text{O})\text{CHCHCH}_2)]$, $[\text{Mo}(\text{CO})_2(\eta^2\text{-C}_3\text{H}_3)]$, 1971-82

DIENYL

Mechanism of addition of 2-ethylpyridine to tricarbonyl(1-5- η -dienyl)iron(II) cations (dienyl = C_6H_7 , 2-MeOC₆H₆, or C_7H_9), 2707-10

DIETHYLENETRIAMINE

The syntheses, structures, and electronic and resonance-Raman spectroscopy of halogen-bridged platinum(II,IV) chain complexes involving equatorially co-ordinated terdentate amines: X-ray crystal structure of $[\text{Pt}^{\text{IV}}(\text{Me-dien})][\text{Pt}^{\text{IV}}(\text{Me-dien})\text{I}_2]_2$, and spectroscopy of $[\text{Pt}^{\text{IV}}(\text{dien})(\text{NO}_2)]$, $[\text{Pt}^{\text{IV}}(\text{dien})(\text{NO}_2)\text{Br}_2]$, 273-8

Preparation and crystal structure of an imidazolate-bridged polynuclear complex $[\{\text{Cu}(\text{im})(\text{dien})\}_n][\text{ClO}_4]_n$ (dien = diethylenetriamine), and its properties in dimethyl sulphoxide solution, 1949-54

DIETHYLENETRIAMMONIUM

Crystal and molecular structure of $[\text{H}_3\text{N}(\text{CH}_2)_2\text{NH}_2(\text{CH}_2)_2\text{NH}_3]_2\text{HgCl}_6$: a compound containing a discrete axially-compressed trigonal-bipyramidal pentachloromercurate anion, 2529-34

DIFORMATOSILANE

Diformatosilane: preparation, characterisation, and molecular structure in the gas phase by electron diffraction, 113-8

DIHYDROGEN

The electrochemistry of $[\text{PtH}(\text{PEt}_3)_2]^+$; inverted and amplified cyclic voltammetric waves and catalytic hydrogen production at a mercury electrode, 1225-30

Photoredox chemistry of Keggin dodecatungstoborate $[\text{BW}_{12}\text{O}_{40}]^{3-}$ and role of heterogeneous catalysis in hydrogen formation, 1669-76

DI-IMINO BUTADIENE

Cobalt metallacycles. Part 14. Facile transformation of η^4 -diene complexes to metallacyclopentenes. Preparation and molecular structures of $[\text{Co}(\eta^2\text{-C}_4\text{H}_6)(\eta^4\text{-PhNC}=\text{C}(\text{Ph})\text{C}(\text{Ph})\text{-CNPh})]$ and $[\text{Co}\{\text{C}(\text{NR})\text{C}(\text{Ph})\text{C}(\text{Ph})\text{C}(\text{NR})\}](\eta^2\text{-C}_3\text{H}_3)(\text{CNC}_6\text{H}_5\text{Me}_2\text{-2,6})$ ($\text{R} = \text{C}_6\text{H}_5\text{Me}_2\text{-2,6}$), 1193-200

DI-IMINO BUTENEDIYL

Cobalt metallacycles. Part 14. Facile transformation of η^4 -diene complexes to metallacyclopentenes. Preparation and molecular structures of $[\text{Co}(\eta^2\text{-C}_4\text{H}_6)(\eta^4\text{-PhNC}=\text{C}(\text{Ph})\text{C}(\text{Ph})\text{-CNPh})]$ and $[\text{Co}\{\text{C}(\text{NR})\text{C}(\text{Ph})\text{C}(\text{Ph})\text{C}(\text{NR})\}](\eta^2\text{-C}_3\text{H}_3)(\text{CNC}_6\text{H}_5\text{Me}_2\text{-2,6})$ ($\text{R} = \text{C}_6\text{H}_5\text{Me}_2\text{-2,6}$), 1193-200

DI-ISOBUTYL SULPHOXIDE

Structure and bonding in octahedral uranium(IV) complexes of the type $\text{UX}_6 \cdot 2\text{L}$ ($\text{X} = \text{halogen}$, $\text{L} = \text{unidentate, neutral oxygen donor}$). Part 2. The crystal structures of tetrachlorobis[tris(pyrrolidinyl)phosphine oxide]-, tetrachlorobis(di-isobutyl sulphoxide)-, and tetrabromobis(triphenylarsine oxide)-uranium(IV), 2043-8

DIMERISATION

Reduction-oxidation properties of organotransition-metal complexes. Part 24. The oxidative dimerisation of $[\text{Ru}(\text{CO})_2\text{L}(\eta^4\text{-cot})]$ ($\text{L} = \text{CO}$ or PPh_3 , $\text{cot} = \text{cyclo-octatetraene}$), 1619-22

DIMETHYLAMINOMETHYLPHENYL

Some attempts to prepare five-co-ordinated gold(III) complexes.

Crystal and molecular structures of $[\text{Au}(\text{C}_6\text{H}_4\text{CH}_2\text{NMe}_2\text{-2})(\text{phen})\text{-}(\text{PPh}_3)]$, $[\text{BF}_4] \cdot \text{CH}_2\text{Cl}_2$, $[\text{Au}(\text{C}_6\text{H}_4\text{CH}_2\text{NMe}_2\text{-2})(\text{NC}_6\text{H}_5\text{O})\text{-BF}_4]$, and $[\text{Au}(\text{C}_6\text{H}_4\text{CH}_2\text{NMe}_2\text{-2})(\text{H}_2\text{NC}_6\text{H}_4\text{SO})\text{ClO}_4]$, 2361-6

DIMETHYLAMINONAPHTHALENESULPHONYL

The effect of a dansyl group on the co-ordinative ability of *N*-protected amino acids. Part 2. Binary copper(II) complexes and their pyridine and 2,2'-bipyridine adducts. Crystal and molecular structure of the complexes aquabis(*N*-dansylglycinato-*O*)bis(pyridine)copper(II) and (2,2'-bipyridine)(*N*-dansylglycinato-*NO*)(methanol)copper(II), and neutral *N*-dansylglycine, 1367-74

DIMETHYLFORMAMIDE

Reactions in mixed non-aqueous solutions containing sulphur dioxide. Part 8. Phase studies of sulphur dioxide-dimethyl sulphoxide and sulphur dioxide-dimethylformamide mixtures, 2603-6

DIMETHYLSILYL

Electron diffraction investigation of the molecular structures of dimethylsilyl isocyanate and dimethylsilyl isothiocyanate, 859-62

DIMETHYL SULPHIDE

Synthesis, spectroscopic, and structural studies of the methylpalladium(II) complexes $[\text{PdMe}(\text{SMe}_2)\text{X}]_2$ ($\text{X} = \text{Cl}$, Br , or I); crystal structure of *trans*- $[\{\text{PdMe}(\text{SMe}_2)(\mu\text{-Cl})\}_2]$, 1731-4

DIMETHYL SULPHOXIDE

Kinetics and mechanism of the reaction between dimethyl sulphoxide and dichloro(pyridine-2-carboxylato)platinate(II) anion and the *cis-trans* isomerization of the products. X-Ray crystal structure of *trans*-(*O,S*)-chloro(dimethyl sulphoxide)(pyridine-2-carboxylato)platinum(II), 1101-6

Preparation and crystal structure of an imidazolate-bridged polynuclear complex $[\{\text{Cu}(\text{im})(\text{dien})\}_n][\text{ClO}_4]_n$ (dien = diethylenetriamine), and its properties in dimethyl sulphoxide solution, 1949-54

A kinetic investigation of the base-catalysed deuterium-exchange reaction of tris(2,2'-bipyridine)osmium(II) ion in dimethyl sulphoxide solution, 1993-4

Reactions in mixed non-aqueous solutions containing sulphur dioxide. Part 7. A Raman spectroscopic study of adduct formation between sulphur dioxide and dimethyl sulphoxide, 2597-602

Reactions in mixed non-aqueous solutions containing sulphur dioxide. Part 8. Phase studies of sulphur dioxide-dimethyl sulphoxide and sulphur dioxide-dimethylformamide mixtures, 2603-6

DINITROGEN

Dinitrogen complexes of tungsten with bulky phosphine co-ligands. Preparation and crystal structures of $[\text{W}(\text{N}_2)_2(\text{PEt}_3\text{Ph})_2(\mu\text{-N}_2)]$, *trans*- $[\text{W}(\text{N}_2)_2(\text{PEt}_3\text{Ph})_2\text{C}_6\text{H}_5\text{O}]$, and $[\text{W}(\eta^2\text{-C}_6\text{H}_5\text{PPR}_2)(\text{N}_2)(\text{PPR}_2\text{Ph})]$ and their reactions to give hydrazine or ammonia, 245-52

Reactions of bis[1,2-bis(dimethylphosphino)ethane]-bis(dinitrogen)chromium(0) and -bis(carbonyl)chromium(0) with acids and oxidizing agents. X-Ray

DINITROGEN (contd)

crystal structures of *trans*-Cr^{III}(O₂CCF₃)₂(dmpe)₂, *trans*-[Cr^{III}(NCR)₂(dmpe)₂][CF₃SO₃]₂ (R = Me or Et), *trans*-[Cr^{III}Cl₂(dmpe)₂][BPh₄-CH₂Cl]₂, *trans*-[Cr(CO)₂(dmpe)₂][BPh₄], and [Cr^{III}H(CO)₂(dmpe)₂][BPh₄], 1141–54

Electron-transfer reactions in nitrogen fixation. Part 2. The electrosynthesis of ammonia: identification and estimation of products, 1453–8

Preparation of *mer*-[Mo(N₂)₃(PPR⁺, Ph)₃] from *trans*-[Mo(N₂)₂(PPR⁺, Ph)₄]; its X-ray crystal structure, spectroscopic properties, and protonation to give ammonia, 1591–4

Mechanisms of reactions of bases with *trans*-[Mo(NNH₂)X(Ph₂PCH₂CH₂PPh₂)₂]⁺ (X = F, Br, or *p*-MeC₆H₄SO₃), 2155–64

DIOXASTANNOLANE

Structure of 2,2-dibutyl-1,3,2-dioxastannolane in the solid state, 297–302

DIOXYGEN

Kinetic and mechanistic studies on the reaction of dioxygen with hexa-aquamolybdenum(III), 157–64

Synthesis and characterisation of some cobalt(II) complexes of Schiff-base ligands and their reactions with molecular oxygen. Effects of chelate ring size, 421–6

Copper(I) Schiff-base complexes: reversible carbon monoxide binding, reactions with dioxygen, and the structure of a dinuclear complex containing co-ordinated and unco-ordinated alkene groups, 911–20

The oxovanadyl(IV) catalysed oxidation of adrenaline by molecular oxygen, 1833–8

Dioxygen activation in the photochemistry of some oxo-metalloporphyrin complexes, 2311–4

DIPHENYLACETYLENE

The electron-transfer properties of alkyne-bridged dipalladium complexes: synthesis and reactions of [Pd₂(μ-PhC≡CPh)(η-C₅Ph₅)₂][PF₆], and comments on the mechanism of the oxidative cleavage of binuclear organotransition-metal complexes, 373–6

DIPHENYLPHOSPHIDE

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 44. Formation of unsaturated dimetal compounds with elimination of alkyldiene groups; X-ray crystal structures of [FeW(μ-PPH₂)(CO)₂HB(pz)₃], [HB(pz)₃] = tris(pyrazol-1-yl)borate] and [RhW(μ-CO)(CO)(PPH₂)(η-C₅H₅)₂], 1709–16

DIPHOSPHENE

The reactivity of diphosphenes towards electrophilic and nucleophilic reagents, 1801–8

DIPHOSPHINE

Reactions of the multiply bonded dirhenium complexes [Re₂X₄(L-L)]⁺ (X = Cl or Br, L-L = Ph₂PCH₂CH₂PPh₂ or Ph₂PCH₂CH₂AsPh₂; n = 0 or 1) with isocyanides and nitriles. Reaction without metal-metal bond disruption, 55–60

Binuclear methylplatinum(II) complexes. The molecular structure and fluxional behaviour of the face-to-face dimer [Pt₂I₂Me₂(μ-Me₂PCH₂PMe₂)₂], 151–6

New diazenido-complexes of molybdenum(IV), tungsten(IV), and rhenium(III), 213–6

Co-ordination chemistry of higher oxidation states. Part 17. Synthesis and properties of nickel(IV) complexes with neutral ligands, and structures of [Ni(σ-C₆H₄(EMe₂)₂)₂Cl₂][ClO₄]₂ (E = F or As; n = 1 or 2) by nickel K-edge extended X-ray absorption fine structure, 317–22

Reactions of [Os₂(CO)₁₀] with diphosphines; synthesis, reactivity, and the X-ray crystal structure of [Os₂(CO)₁₀][C(Ph₂P(CH₂)₂PPh₂)]₂, 453–6

Reactivity of trinuclear ruthenium complexes involving bis(diphenylphosphino)methane (dppm) as a bridging ligand: facile declusterification of [Ru₃(CO)₉(μ-dppm-PP)₂] in the presence of iodine and the crystal structure of [Ru₃(μ-I)₂(CO)₄(μ-dppm-PP)]₂, 899–902

Reactions of bis[1,2-bis(dimethylphosphino)ethane]-bis(dinitrogen)chromium(0) and -bis(carbonyl)chromium(0) with acids and oxidizing agents. X-Ray crystal structures of *trans*-Cr⁰(O₂CCF₃)₂(dmpe)₂, *trans*-[Cr⁰(NCR)₂(dmpe)₂][CF₃SO₃]₂ (R = Me or Et), *trans*-[Cr⁰Cl₂(dmpe)₂][BPh₄-CH₂Cl]₂, *trans*-[Cr(CO)₂(dmpe)₂][BPh₄], and [Cr⁰H(CO)₂(dmpe)₂][BPh₄], 1141–54

Electron-transfer reactions in nitrogen fixation. Part 2. The electrosynthesis of ammonia: identification and estimation of

products, 1453–8

Mechanism of alkylation of alkyldiazenido-complexes of molybdenum(II) and tungsten(II): influence of metal and co-ligands on the nucleophilicity of a diazenido-group, 1473–8

Evidence for carbon-hydrogen-titanium interactions: synthesis and crystal structures of the agostic alkyls

[TiCl₃(Me₂PCH₂CH₂PMe₂)R] (R = Et or Me), 1629–38

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 43. Carbon-tungsten triple bonds as formal four-electron donors; synthesis and reactions of the compounds [FeW(μ-CC₆H₄Me-4)(CO)₂L] [L = HB(pz)₃ [tris(pyrazol-1-yl)borate] or η-C₅H₅] and X-ray crystal structures of [FeW(μ-CC₆H₄Me-4)(CO)₂HB(pz)₃] and [FeW(μ-CC₆H₄Me-4)(μ-CO)(μ-Me₂PCH₂PMe₂)(CO)₂HB(pz)₃], 1697–708

Complexes of the platinum metals. Part 31. Reactions of binuclear ruthenium(II,III) and rhodium(II) carboxylates with chelating diphosphines; X-ray crystal structure of (acetato-*O,O'*)bis[bis(diphenylphosphino)methane-*P,P'*]ruthenium(II) tetraphenylborate, 1771–8

The reactivity of diphosphenes towards electrophilic and nucleophilic reagents, 1801–8

Bimetallic systems. Part 14. Mixed iridium(I)-platinum(II) acetylide complexes containing bridging Ph₂PCH₂PPh₂ ligands, 1809–14

Bimetallic systems. Part 15. Some reactions of platinum-manganese carbonyl complexes containing bridging Ph₂PCH₂PPh₂ (dppm) ligands, 1815–20

Synthesis and reactivity of neutral and cationic pentafluorophenyl platinum(II) derivatives, 1849–56

The synthesis, X-ray crystal structure, and solution characterization of a bis(diphosphine)-bridged dirhodium(II) complex containing a Rh₂P₄ six-membered ring, 1895–900

Tris-μ-[bis(diphenylphosphino)methane]-diplatinum(0), 1955–64

Mechanisms of reactions of bases with *trans*-

[Mo(NNH₂)X(Ph₂PCH₂CH₂PPh₂)₂]⁺ (X = F, Br, or *p*-MeC₆H₄SO₃), 2155–64

cis and *trans* Palladium(II) and platinum(II) complexes with 1,8-bis(diphenylphosphino)-3,6-dioxaoctane and their structure characterization. The first example of an eleven-membered diphosphine chelate involving *cis* geometry, 2289–96

Chemistry of tetrairidium carbonyl clusters. Part 1. Synthesis, chemical characterization, and nuclear magnetic resonance study of mono- and di-substituted phosphine derivatives. X-Ray crystal structure determination of the diaxial isomer of [Ir₄(CO)₁₂(μ-CO)₃(Me₂PCH₂CH₂PMe₂)₂], 2411–22

Reactions of the dirhenium(II) complexes [Re₂X₄(dppm)₂] (X = Cl or Br, dppm = Ph₂PCH₂PPh₂) with isocyanides. Part 2. The A-frame-like mono-isocyanide species [Re₂(μ-X)(μ-dppm)₂X₂(CNR)]⁺ (R = Me, Bu^t, or C₆H₅Me₂-2,6; n = 0 or 1), 2607–12

Tetraethyl diphosphite-bridged binuclear carbonyl derivatives of decacarbonyldimanganese and pentacarbonylmanganese halides, 2617–22

Crystal structure of [Zr(dmpe)(CH₂Si(CH₃)₃)₄](dmpe = PMe₂CH₂CH₂PMe₂). Evidence in support of the postulation for the presence of an agostic hydrogen, 2743

DIPHOSPHITE

Tetraethyl diphosphite-bridged binuclear carbonyl derivatives of decacarbonyldimanganese and pentacarbonylmanganese halides, 2617–22

DIPYRIDYLAMINE

Trisubstituted Group 6 metal carbonyl complexes with di-2-pyridylamine ligands. Crystal structures of (2,2'-bipyridyl-*N,N'*)tricarboxyl(di-2-pyridylamine-*N,N'*)-molybdenum(0) and -tungsten(0), 759–64

DISELENACYCLOPENTANE

Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(IV) complexes. Part 6. Synchronous pyramidal inversion of chalcogen atoms in

[(PtXMe₃)₂(ECH₂CMe₂CH₂E)] complexes (E = S or Se; X = Cl, Br, or I), 961–6

DISELENAHEXANE

Crystal and molecular structure of [AsPh₄][Ru(DL-MeSeCH₂CH₂SeMe)Cl₄], 1479–82

DISULPHUR DINITRIDE

The preparation and characterisation of (disulphur dinitrido)bis(phosphine) complexes, [M(S₂N₂)(PR₃)₂] (M = Pt, PR₃ = PMe₃, PMe₂Ph, PMePh₂, PPh₃, PEt₃, PPr⁺, PBu⁺, or iPh₂PCH₂CH₂PPh₂; M = Pd, PR₃ = iPh₂PCH₂CH₂PPh₂). X-Ray crystal structure of [Pt(S₂N₂)(PMe₃)₂], 2367–70

DITHIACYCLOPENTANE

Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(IV) complexes. Part 6. Synchronous pyramidal inversion of chalcogen atoms in

$[(\text{PtXMe})_2(\text{ECH}_2\text{CMe}_2\text{CH}_2\text{E})]$ complexes (E = S or Se; X = Cl, Br, or I), 961-6

DITHIADIAZACYCLOHEXADECANE

Preparation, stereochemistry, and crystal structures of some complexes of the macrocycle 3,3,7,7,11,11,15,15-octamethyl-1,9-dithia-5,13-diazacyclohexadecane with Co^{II} , Ni^{II} , Cu^{I} , Cu^{II} , Zn^{II} , Rh^{III} , Ag^{I} , Cd^{II} , Pt^{II} , and Hg^{II} salts, 2351-60

DITHIADIAZOLINYL

Electron spin resonance study of $\text{CH}_3\text{CNSSN}^+$, $\text{C}_6\text{H}_5\text{CNSSN}^+$, and SNSSN^{++} free radicals, 1465-72

DITHIOACETYLACETONATE

Synthesis and properties of tris(dithioacetylacetonato)vanadium(III), 887-90

DITHIOARSINATE

Synthesis of diphenylantimony(III) dialkylthio- and diarylthio-phosphinates and -arsinates; crystal structures of $\text{Ph}_2\text{SbS}_2\text{MPh}_2$ (M = P or As), 1031-4

DITHIOCARBAMATE

Preparation, properties, and X-ray crystal structure of tris(*O,O'*-diisopropyl phosphorodithioato)iron(III), $[\text{Fe}(\text{S}_2\text{P}(\text{OPr})_2)_3]$. Comparison of structure and bonding in phosphorodithioato- and dithiocarbamate-complexes, 351-4

Mechanism of the reaction of iron(III) dithiocarbamates with iodine, 365-8

Organyltellurium(IV) and -(II) dithiocarbamates: crystal and molecular structure of dimethylthiocarbamato(2-phenylazophenyl-*C,N'*)tellurium(II), 771-6

DITHIOCARBOXYLATE

Synthesis, X-ray crystal structures and spectroscopic properties of two binuclear platinum(III) dithiocarboxylate complexes, 595-602

DITHIOPHOSPHATE

Reactions of $[\text{Zn}(\text{S}_2\text{P}(\text{OR})_2)_2]$ with nitrogen bases and the single-crystal X-ray structures of $[\text{Zn}(\text{S}_2\text{P}(\text{OPr})_2)_2]$, $\text{H}_2\text{NCH}_2\text{CH}_2\text{NH}_2$ and $[\text{Zn}(\text{S}_2\text{P}(\text{OPr})_2)_2]\cdot\text{NC}_5\text{H}_5$, 1161-6

DITHIOPHOSPHINATE

Synthesis of diphenylantimony(III) dialkylthio- and diarylthio-phosphinates and -arsinates; crystal structures of $\text{Ph}_2\text{SbS}_2\text{MPh}_2$ (M = P or As), 1031-4

DODECABORATE

Polyhedral phosphaborane chemistry: crystal and molecular structure of the diphenylphosphido-bridged *arachno*-decaboranyl cluster compound $[\text{PMePh}_3][6,9-\mu(\text{PPh}_2)\text{B}_{10}\text{H}_{12}]$, 303-8

DODECATUNGSTOBORATE

Photoredox chemistry of Keggin dodecatungstoborate $[\text{BW}_{12}\text{O}_{40}]^{5-}$ and role of heterogeneous catalysis in hydrogen formation, 1669-76

EFFECT

Tetra-alkylammonium fluorides and chlorides in glacial acetic acid solution: nuclear magnetic resonance studies, deuterium fractionation factors (ϕ), and anion hydrogen bonding, 2641-4

ELECTROCHEMISTRY

Preparation, spectroscopic characterisation, electrochemical and photochemical properties of *cis*-bis(2,2'-bipyridyl)carbonylruthenium(II) complexes, 253-8

The electron-transfer properties of alkyne-bridged palladium complexes: synthesis and reactions of $[\text{Pd}_2(\mu\text{-PhC}_2\text{Ph})(\eta\text{-C}_6\text{H}_5)_2][\text{PF}_6]$, and comments on the mechanism of the oxidative cleavage of binuclear organotransition-metal complexes, 373-6

Complexes with functional phosphines. Part 8. Interconversion

study of $[\text{RuCl}_2(\text{Ph}_2\text{PCH}_2\text{C}(\text{O}(\text{OEt})\text{L})_2]$, $[\text{RuCl}_2(\text{CO})(\text{Ph}_2\text{PCH}_2\text{C}(\text{O}(\text{OEt})\text{L})_2]$, and $[\text{RuCl}_2(\text{CO})_2\text{L}_2]$ ($\text{L} = \text{Ph}_2\text{PCH}_2\text{C}(\text{O}(\text{OEt})\text{L})$ under CO. Synthesis and X-ray

structure of *mer*- $[\text{RuCl}_2(\text{Ph}_2\text{PCH}_2\text{C}(\text{O}(\text{OEt})\text{L})_2]$, 415-20

Synthesis and structure of $[\text{Zr}(\text{R})\text{Cl}(\eta\text{-C}_5\text{H}_9)_2]$ ($\text{R} = \text{chiral, highly hindered alkyl: CHSiMe}_2\text{C}_6\text{H}_4\text{N-2, CHSiMe}_2\text{C}_6\text{H}_4\text{PPh}_2\text{-o, or CHSiMe}_2\text{C}_6\text{H}_4\text{-9}$); influence of the functional group on the nature and stability of their d^1 reduction products, 603-14

Molybdenum and tungsten nitrosyl complexes containing bulky alkoxy, aryloxy, and arylamido ligands: their electrochemical behaviour and the structure of

$[\text{Mo}(\text{HB}(\text{Me}_2\text{pz})_3)(\text{NO})(\text{OCH}_2\text{CH}_2\text{CH}_2\text{Br})]$, 733-42

Synthesis and properties of tris(dithioacetylacetonato)vanadium(III), 887-90

Synthesis, characterisation, electrochemical properties, photochemical properties, and reactivity of bis(2,2'-bipyridyl)hydridoruthenium complexes, 1045-8

Electron spin resonance studies of one-electron reduction products of nickel(II) and palladium(II) complexes containing tetrathiomolybdate, tetrathiotungstate, and dialkylthiocarbamate ligands, $(\text{M}(\text{M}'\text{S}_4)(\text{R}_2\text{NCS}_2)_{2-\lambda})^{n-}$ ($n = 0-2$, $\text{M} = \text{Ni}$ or Pd , $\text{M}' = \text{Mo}$ or W), 1065-74

Dinuclear metal complexes. Part 4. Electrochemical studies of macrocyclic dicopper(II) complexes. Investigation of the effect of solvents, donor groups, and steric constraints on the stability of mixed-valence copper(II)-copper(I) complexes, 1175-80

The electrochemistry of $[\text{PtH}(\text{PEt}_3)_3]^+$; inverted and amplified cyclic voltammetric waves and catalytic hydrogen production at a mercury electrode, 1225-30

Electron-transfer reactions in nitrogen fixation. Part 2. The electrosynthesis of ammonia: identification and estimation of products, 1453-8

Mechanism of alkylation of alkylidiazeneo-complexes of molybdenum(II) and tungsten(II): influence of metal and co-ligands on the nucleophilicity of a diazenido-group, 1473-8

Complexes with functional phosphines. Part 8. Interconversion study of $[\text{RuCl}_2(\text{Ph}_2\text{PCH}_2\text{C}(\text{O}(\text{OEt})\text{L})_2]$, $[\text{RuCl}_2(\text{CO})(\text{Ph}_2\text{PCH}_2\text{C}(\text{O}(\text{OEt})\text{L})_2]$, and $[\text{RuCl}_2(\text{CO})_2\text{L}_2]$ ($\text{L} = \text{Ph}_2\text{PCH}_2\text{C}(\text{O}(\text{OEt})\text{L})$ under CO. Synthesis and X-ray

structure of *mer*- $[\text{RuCl}_2(\text{Ph}_2\text{PCH}_2\text{C}(\text{O}(\text{OEt})\text{L})_2]$ (1986, 415), 1483-4

Electrocatalytic reduction of carbon dioxide to methanol. Part 2. Effects of metal complex and primary alcohol, 1519-24

Bis-organoamide complexes of nitrosyl[tris(3,5-dimethylpyrazolyl)borato]-molybdenum and -tungsten. The crystal and molecular structure of $[\text{Mo}(\text{NO})(\text{HB}(\text{Me}_2\text{pz})_3)(\text{NHBu})_2]$, 1525-30

Reduction-oxidation properties of organotransition-metal complexes. Part 24. The oxidative dimerisation of $[\text{Ru}(\text{CO})_2\text{L}(\eta^4\text{-cot})]$ ($\text{L} = \text{CO}$ or PPh_3 , $\text{cot} = \text{cyclo-octatetraene}$), 1619-22

A potentiometric, spectrophotometric, and calorimetric investigation of molybdenum(VI)-oxalate complex formation, 1857-62

Electrochemical oxidation of monosubstituted chromium carbonyl complexes. Ligand and solvent effects, 1867-72

The hydrolysis of metal ions. Part 9. Iron(III) in perchlorate, nitrate, and chloride media (1 mol dm⁻³), 1901-6

Electrochemistry of dinuclear, thiolato-bridged transition-metal compounds. Part 1. Electrochemical behaviour of $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\text{M}(\mu\text{-SR})\text{W}(\text{CO})_2]$ ($\text{R} = \text{Me}$, $\text{M} = \text{Mo}$ or W ; $\text{R} = \text{Ph}$, $\text{M} = \text{W}$) complexes in non-aqueous media, 1917-22

Electrochemistry of dinuclear, thiolato-bridged transition-metal compounds. Part 2. Reductive electrochemistry of metal-metal bonded complexes $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{Mo}(\mu\text{-SMe})\text{W}(\text{CO})_2\text{L}]$ ($\text{L} = \text{CO}$ or $\text{P}(\text{OMe})_3$), 1923-30

Potentiometric studies on complexes of silver(I) in solutions. Part 2. Correlation between the stability of the silver(I)-azole complexes and the ligand basicity, 2025-8

Electrochemistry of the manganese(III)-manganese(IV) 5,10,15,20-tetrakis(*p*-trimethylammoniophenyl)porphyrinate couple, 2297-302

Copper co-ordination chemistry of some quadridentate pyridazine and phthalazine (N_4) thioether ligands. Binuclear copper(II) complexes exhibiting two-electron reduction at positive potentials, 2381-6

Ring size effects on the chemical properties of tervalent nickel complexes with tetra-aza macrocyclic ligands in aqueous solutions. An electrochemical and pulse radiolytic study, 2509-14

Anodically generated mercury(II) ion as indicator for metal-ligand formation equilibria, 2651-4

Magnetic and electrochemical studies on binuclear copper(II) complexes derived from 2,6-diacyetyl-4-methylphenol: the X-ray and molecular structure of an acyclic, binuclear Schiff-base complex, 2681-90

ELECTRON DIFFRACTION

N,N-Dimethyl(trimethylsilyl)amine: crystal and molecular structure at 116 K and gas phase structure by electron diffraction, 91-6

Diformosilane: preparation, characterisation, and molecular structure in the gas phase by electron diffraction, 113-8

Electron diffraction investigation of the molecular structures of dimethylsilyl isocyanate and dimethylsilyl isothiocyanate, 859-62

Subvalent group 4B metal alkyls and amides. Part 8. Germanium

ELECTRON DIFFRACTION (contd)

and tin carbene analogues MR_2 ($M = \text{Ge or Sn}$, $R = \text{CH}(\text{SiMe}_3)_2$): syntheses and structures in the gas phase (electron diffraction); molecular-orbital calculations for MH_2 and GeMe_2 , 1551-6

Gas-phase electron diffraction study of tetrafluoro(seleno)tungsten(vi), WSeF_6 , 1821-4

ELECTRONIC

Cobalt(II) halide complexes in aqueous ammonium nitrate-calcium nitrate melts: electronic spectra and solvent extraction, 1663-8

Effects of macrocyclic ligand structure and axial ligation on the ligand-field spectra of tetra-azamacrocyclic copper(II) complexes in co-ordinating solvents, 1995-8

ELECTRON TRANSFER

The electron-transfer properties of alkyne-bridged dipalladium complexes: synthesis and reactions of $[\text{Pd}_2(\mu\text{-PhC}_3\text{Ph}(\eta\text{-C}_5\text{H}_5)_2)]\text{PF}_6$, and comments on the mechanism of the oxidative cleavage of binuclear organotransition-metal complexes, 373-6

Redox reactions of some iron(II), iron(III), and cobalt(III) picolinate complexes, 619-24

Preferred sites for electron exchange between cytochrome c and $[\text{Fe}(\text{edta})]^{2-}$ and $[\text{Co}(\text{sep})]^{2+}$ complexes, 755-8

Electron-transfer reactions in nitrogen fixation. Part 2. The electrosynthesis of ammonia: identification and estimation of products, 1453-8

Kinetics of the reduction of a tetra- μ -acetato-dirhodium cation by substituted 1,2- and 1,4-dihydroxybenzene compounds in aqueous perchlorate media, 1931-6

Evidence for reaction at two binding sites in the oxidation of parsley plastocyanin by tris(1,10-phenanthroline)cobalt(III), 2007-10

Effect of oxidation state of plastocyanin on the remote binding site pK_a , 2011-2

Kinetic, spectroscopic, and structural (extended X-ray absorption fine structure) studies on the type 1 blue copper protein umecyanin, 2063-8

Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 12. Reactions of spinach plastocyanin with inorganic redox partners, 2069-74

Kinetics of the oxidation of water by silver(II) ions complexed with 2,2'-bipyridine in aqueous nitrate media, 2593-6

ENDOR

Proton ENDOR spectroscopy of bis(2,2,6,6-tetramethylheptane-3,5-dionato)-copper(II) and crystal structure of bis(2,2,6,6-tetramethylheptane-3,5-dionato)palladium(II), 2655-62

ENDOR Spectroscopy of bis(pentane-2,4-dionato)copper(II) and bis(hexafluoropentane-2,4-dionato)copper(II), 2663-8

EPOXIDE

Chemistry of hydrogen isocyanide. Part 1. Reactions of $[\text{M}(\text{CO})_2(\text{CNH})]$ ($M = \text{Cr or W}$) with epoxides, 863-8

EQUILIBRIUM

Binding equilibria and catalase-like reactivity of deuterioferrihaem-poly-L-lysine complexes, 333-6

Kinetics and equilibria of 1:1 complex formation of hexa-aquatitanium(III) with malonic and methylmalonic acid, 1693-6

A potentiometric, spectrophotometric, and calorimetric investigation of molybdenum(vi)-oxalate complex formation, 1857-62

The hydrolysis of metal ions. Part 9. Iron(III) in perchlorate, nitrate, and chloride media (1 mol dm^{-3}), 1901-6

Adsorption equilibrium of uranium from aqueous $[\text{UO}_2(\text{CO}_3)_2]^{4-}$ solutions on a polymer bearing amidoxime groups, 1983-6

Kinetic and equilibrium studies of the copper(II) promoted hydrolysis of salicyl phosphate. A rate acceleration of 10^8 for the hydrolysis of a phosphate monoester dianion, 2029-34

Anodically generated mercury(II) ion as indicator for metal-ligand formation equilibria, 2651-4

E.S.R.

Solvated electrons and electron-cation aggregates in solutions of the alkali metals in 12-crown-4, 323-8

Electron spin resonance studies of one-electron reduction products of nickel(II) and palladium(II) complexes containing tetrathiomolybdate, tetrathiotungstate, and dialkylthiocarbamate ligands, $[\text{M}(\text{M}'\text{S}_4)(\text{R}_2\text{NCS}_2)_2]^{2-}$ ($n = 0-2$, $M = \text{Ni or Pd}$, $M' = \text{Mo or W}$), 1065-74

Electron spin resonance study of $\text{CH}_3\text{CNSSN}^\bullet$, $\text{C}_6\text{H}_5\text{CNSSN}^\bullet$, and SSN^\bullet free radicals, 1465-72

Preparation and studies of paramagnetic diene complexes of

molybdenum(III); molecular and electronic structures of $[\text{MoCl}_2(\eta\text{-C}_4\text{H}_9)(\eta\text{-C}_3\text{H}_5)]$ and $[\text{Mo}_3(\mu\text{-Cl})(\mu_3\text{-O})(\mu_3\text{-O}, \sigma\text{-}\eta^5\text{-}\eta^5\text{-C}_6(\text{CF}_3)_4)(\eta\text{-C}_3\text{H}_5)_2]$, 1677-88

Tributyltin(IV) penta(methoxycarbonyl)cyclopentadienides $[\text{SnBu}_3\text{L}_2]^+ [\text{C}_5(\text{CO}_2\text{Me})_5]^-$. X-Ray crystal structure of the diaquatributyltin(IV) salt, $[\text{SnBu}_3(\text{OH})_2]_2^+ [\text{C}_5(\text{CO}_2\text{Me})_5]_2^-$, and electron spin resonance spectrum of the radical $\text{C}_5(\text{CO}_2\text{Me})_5^\bullet$, 1873-8

Kinetic, spectroscopic, and structural (extended X-ray absorption fine structure) studies on the type 1 blue copper protein umecyanin, 2063-8

Proton ENDOR spectroscopy of bis(2,2,6,6-tetramethylheptane-3,5-dionato)copper(II) and crystal structure of bis(2,2,6,6-tetramethylheptane-3,5-dionato)palladium(II), 2655-62

ENDOR Spectroscopy of bis(pentane-2,4-dionato)copper(II) and bis(hexafluoropentane-2,4-dionato)copper(II), 2663-8

ETHENYL

Sterically hindered metal alkenyls. Part 1. Synthesis, reactions, and crystal and molecular structures of some palladium and platinum σ -alkenyls, 2315-20

Sterically hindered metal alkenyls. Part 2. Synthesis and properties of tin(IV) alkenyls: stereochemical features and energetics of isomerisation of $\text{SnMe}_3[\text{C}(\text{C}_6\text{H}_5)(\text{CMe}_2)_2]$, 2321-4

ETHYLENEDIAMINEACETIC ACID

Formation and stability of ternary complexes of copper(II) with ethylenediamine-N-acetic acid and amino acids in aqueous solution, 199-204

ETHYLIDENE

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 39. Interconversion of ethylidyne, ethylidene, vinyl, and ethylene groups at a platinum-tungsten centre; X-ray crystal structure of $[\text{PtW}(\mu\text{-CO})_2(\text{PEt}_3)_2(\eta\text{-C}_5\text{H}_5)(\eta\text{-C}_3\text{H}_5)][\text{BF}_4]$, 165-72

ETHYNYL

Preparation and ligand-exchange reactions of phosphinegold ethynyl complexes, 411-4

Formation and isomerisation of *cis*-bis(phenylethynyl)bis(tertiary phosphine)platinum complexes, 1987-92

EXAFS

Spectroscopic studies on adsorbed metal carbonyls. Part 3. Interaction of $[\text{Os}_2(\text{CO})_{12}]$ with silica, alumina, and titania, 7-14

Co-ordination chemistry of higher oxidation states. Part 17.

Synthesis and properties of nickel(IV) complexes with neutral ligands, and structures of $[\text{Ni}(\sigma\text{-C}_6\text{H}_4(\text{EMe}_2)_2)_2\text{Cl}_2][\text{ClO}_4]_2$ ($\text{E} = \text{P or As}$; $n = 1$ or 2) by nickel K-edge extended X-ray absorption fine structure, 317-22

Kinetic, spectroscopic, and structural (extended X-ray absorption fine structure) studies on the type 1 blue copper protein umecyanin, 2063-8

EXCHANGE

Preparation and ligand-exchange reactions of phosphinegold ethynyl complexes, 411-4

Proton exchange and base-catalysed hydrolysis of some *trans*- and *cis*-dichloro(1,4,8,11-tetra-azacyclotetradecane) complexes of chromium(III), ruthenium(III), and rhodium(III), 427-32

Exchange kinetics of gold(I) phosphine complexes by nuclear magnetic resonance line shape analysis, 1297-300

Reactivity of cyclotriaphosphazenes towards alkyl-lithium reagents, 1389-94

A structural and isotopic NO_2^- exchange rate comparison of *trans*- $[\text{Co}(\text{ao-H-ao})(\text{NO}_2)_2]$ and *cis*- $[\text{Co}(\text{Hao})_2(\text{NO}_2)_2]\text{NO}_3$, 1759-66

Ligand exchange reactions in cyclopalladated complexes of benzylideneanilines. Crystal structure of $[\text{Pd}(\text{C}_6\text{H}_4\text{CH}=\text{NC}_6\text{H}_5)\text{Br}(\text{PPh}_3)_2]$, 1785-90

A kinetic investigation of the base-catalysed deuterium-exchange reaction of tris(2,2'-bipyridine)osmium(II) ion in dimethyl sulphoxide solution, 1993-4

The temperature dependence of ^{29}Si nuclear magnetic resonance linewidths in aqueous silicate solutions and their effect on exchange rate determinations, 2265-70

EXTRACTION

Binding ability of acetamide oxime with proton, copper(II), and dioxouranium(VI) in aqueous solutions, 1609-12

FAR I.R.

Synthesis, spectroscopic, and structural studies of the methylpalladium(II) complexes $[\text{PdMe}(\text{SMe}_2)_2\text{X}]_2$ ($\text{X} = \text{Cl, Br, or I}$); crystal structure of *trans*- $[\text{PdMe}(\text{SMe}_2)(\mu\text{-Cl})_2]$, 1731-4

FERROCENE

The crystal and molecular structure of ferrocenium μ -oxo-bis[trichloroferrate(III)]: a product of reaction of ferrocene with iron(III) chloride, 1937-40

FERROCENIUM

The crystal and molecular structure of ferrocenium μ -oxo-bis[trichloroferrate(III)]: a product of reaction of ferrocene with iron(III) chloride, 1937-40

FIBRINOPEPTIDE

A potentiometric and spectroscopic study of the interaction of the N terminal tetrapeptide fragment of fibrinopeptide A with Cu^{II} and Ni^{II} , 2221-6

FISCHER-TROPSCH

Decomposition reactions of dimethyl-di- μ -methylene-bis(η -pentamethylcyclopentadienyl)dirhodium and their relation to the mechanism of the Fischer-Tropsch reactions; the formation of propylene from three C_1 ligands, 1565-76

FLUORESCENCE

Fluorescent copper(I) complexes: correlation of structural and emission characteristics of $[\text{Cu}(\text{quin})_2]_2$ and $[\text{Cu}_4\text{I}_4(\text{quin})_4]$ (quin = quinoline), 2303-10

FLUORIDE

Diaquadifluorobis(nicotinamide)copper(II) tetrahydrate: hydrogen bonding between ligand fluoride and lattice water, 313-6

Vanadium(V) fluoride complexes in organic solvents. A vanadium-51 and fluorine-19 nuclear magnetic resonance study, 751-4

Some reactions of uranium chloride pentafluoride, 1289-96

Triphenylphosphineimino-substituted tungsten(VI) fluorides. Crystal structure of tetrafluorobis(triphenylphosphine-iminato)tungsten(VI), 1309-10

Gas-phase electron diffraction study of tetrafluoro(seleno)tungsten(VI), WSeF_6 , 1821-4

The chemistry of $[\text{W}(\text{PMe}_3)_4(\eta^5\text{-CH}_2\text{PMe}_2)_2\text{H}]$: synthesis of hydroxy-hydrido, fluoro-hydrido, and silyl-hydrido derivatives and the dimerisation of ethylene and propene giving η^4 -diene derivatives. Crystal structure of $[\text{W}(\text{PMe}_3)_4\text{H}_2(\text{OH})_2\text{F}]$, 2227-36

Triphenylphosphineimino-substituted tungsten(VI) fluorides. Crystal structure of tetrafluorobis(triphenylphosphineiminato)tungsten(VI), 2287-8

Structural studies of potassium tetrafluoroaluminate(III), $\text{K}[\text{CrF}_4]$, and the novel mixed chloride fluoride, dipotassium dichlorohexafluoroaluminate(III), $\text{K}_2[\text{Cr}_2\text{Cl}_2\text{F}_6]$, 2623-8

Tetra-alkylammonium fluorides and chlorides in glacial acetic acid solution: nuclear magnetic resonance studies, deuterium fractionation factors (ϕ), and anion hydrogen bonding, 2641-4

FLUORINE-19

Vanadium(V) fluoride complexes in organic solvents. A vanadium-51 and fluorine-19 nuclear magnetic resonance study, 751-4

FLUOROPHOSPHINE

Instant ligands. Part 1. Preparation of some bidentate fluorophosphine ligands derived from a straight chain organic substrates, and their reactions to form molybdenum complexes, 1689-92

FLUXIONALITY

Binuclear methylplatinum(II) complexes. The molecular structure and fluxional behaviour of the face-to-face dimer $[\text{Pt}_2\text{I}_2\text{Me}_2(\mu\text{-Me}_2\text{PCH}_2\text{PMe}_2)_2]$, 151-6

Fluxional characteristics of palladium(II) halide complexes of cyclic selenoethers. A dynamic nuclear magnetic resonance study, 205-12

Cationic allyldinitrosyl complexes of iron, 459-62

Synthesis and properties of some cyclohexadienylrhodium polyhydride complexes, 525-30

Rhenium nitrosyl complexes with simple and with sterically demanding aromatic thiolate ligands: X-ray crystal structures of $[\text{PPh}_3][\text{Re}_2(\text{SC}_6\text{H}_4\text{Me-4})_2(\text{NO})_2]\text{-CH}_2\text{Cl}_2$ and $[\text{Re}(\text{SC}_6\text{H}_3\text{Pr}^2\text{-2,6})(\text{NO})]$ (1985, 1533), 903-4

Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(IV) complexes. Part 6. Synchronous pyramidal inversion of chalcogen atoms in $[(\text{PtXMe}_3)_2\text{-}(\text{ECH}_2\text{CMe}_2\text{CH}_2\text{E})]$ complexes (E = S or Se; X = Cl, Br, or I), 961-6

Ligand fluxionality in close-packed rhodium carbonyl clusters, 1375-82

Molecular structures and dynamic behaviour of two isomers of $[\text{Ru}_2(\mu\text{-H})(\mu_3\text{-Me}_2\text{NC}_6\text{H}_4)_2(\text{CO})_4]$ formed from 1-dimethylamino-2-yne and containing η^2 -alkene-1,3-diyl and η^2 -alkene-1,2-diyl ligands respectively, 1459-64

Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(IV) complexes. Part 7.

Intramolecular rearrangements in complexes of tris(methylthio)methane, 2173-80

Structure and fluxional behaviour of some aqua-complexes of rhodium(III) and iridium(III), 2545-50

FORMALDEHYDE

Formaldehyde oxime as a precursor to cyanide in mixed-valence copper(I,II) complexes. Hydration of nitrile solvents, 2741-2

FORMAMIDE

Formamide as a precursor to cyanide in mixed-valence copper(I,II) cyanide complexes, 347-50

FORMAMIDINE

Fluxionality and bonding in formamidine and formamidate complexes of Pt^{II} and Pd^{II} containing the 2,6-bis[(dimethylamino)methyl]phenyl ligand: a proton nuclear magnetic resonance study with X-ray crystal structures of $[\text{Pt}(\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_2\text{-2,6})(\text{p-MeC}_6\text{H}_4\text{N=CHN}(\text{H})\text{C}_6\text{H}_4\text{Me-p})][\text{CF}_3\text{SO}_3]$ and $[\text{Pt}(\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_2\text{-2,6})(\text{p-MeC}_6\text{H}_4\text{N=CHNC}_6\text{H}_4\text{Me-p})]$, 717-24

FORMATE

Studies of metal formates. The synthesis and X-ray structure of potassium tetraformato-oxovanadate(IV), $\text{K}_2[\text{VO}(\text{HCO}_2)_4]$, 895-8

FREE RADICAL

Electron spin resonance study of $\text{CH}_3\text{CNSSN}^{\cdot-}$, $\text{C}_6\text{H}_5\text{CNSSN}^{\cdot-}$, and $\text{SNSSN}^{\cdot-}$ free radicals, 1465-72

FUMARIC ACID

The mechanism of hydrogenation by aqueous chromium(II) ion of the carbon-carbon double bond of olefinic compounds with polar substituents, 1491-8

GALLIUM

Synthesis and characterisation of azido- and thiocyanato-gallium(III) porphyrins. Crystal structure of azido-(2,3,7,8,12,13,17,18-octaethylporphyrinato)gallium(III), 1779-84

GERMANIUM

Subvalent group 4B metal alkyls and amides. Part 8. Germanium and tin carbene analogues MR_2 [M = Ge or Sn, R = $\text{CH}(\text{SiMe}_3)_2$]: syntheses and structures in the gas phase (electron diffraction); molecular-orbital calculations for MH_2 and GeMe_2 , 1551-6

Subvalent group 4B metal alkyls and amides. Part 9. Germanium and tin alkene analogues, the dimetallenes M_2R_4 [M = Ge or Sn, R = $\text{CH}(\text{SiMe}_3)_2$]: X-ray structures, molecular orbital calculations for M_2H_4 and trends in the series $\text{M}_2\text{R}'_4$ [M = C, Si, Ge, or Sn; R' = R, Ph, C_6H_5 , $\text{Me}_2\text{-2,4,6}$, or $\text{C}_6\text{H}_3\text{Et}_2\text{-2,6}$], 2387-94

GOLD

Synthesis and structural characterisation of some tetrahedral platinum-gold cluster compounds containing the sulphur dioxide ligand, 73-80

Syntheses, structures, and bonding of heteropentametallic clusters $[\text{MCo}_3(\text{CO})_{12}(\mu_3\text{-M}'(\text{EPh}_3))]_2$ (M = Fe or Ru; M' = Cu or Au; E = P or As): X-ray crystal structures of $[\text{RuCo}_3(\text{CO})_{12}(\mu_3\text{-M}'(\text{PPh}_3))]_2$ (M' = Cu or Au), 225-34

Mono- and bi-nuclear gold(I), gold(II), and gold(III) perhalogenoaryl complexes with the ligand bis(diphenylphosphino)amine. Crystal and molecular structure of μ -bis(diphenylphosphino)amine]-dichlorobis(pentafluorophenyl)digold(II), 291-6

Preparation and ligand-exchange reactions of phosphinegold ethynyl complexes, 411-4

Doubly and triply bridged dihapto phenylethynyl triosmium clusters by oxidative addition of phenylethynyl gold compounds. X-ray crystal structure of $[\text{Os}_3(\text{C}\equiv\text{CPh})[\text{Au}(\text{PMe}_2\text{Ph})](\text{CO})_{10}]$, 543-6

Synthesis of mono-, di-, and tri-nuclear gold complexes containing the (diphenylphosphino)methyl(diphenylphosphonio)methanide ligand. Crystal structures of $[\text{Au}(\text{C}_6\text{F}_5)(\text{Ph}_2\text{PCHPh}_2\text{Me})]$ and $[(\text{C}_6\text{F}_5)\text{Au}(\text{Ph}_2\text{PCH}(\text{PPh}_2\text{Me})\text{Au}(\text{C}_6\text{F}_5))]_2$, 669-76

Synthesis and structural characterisation of hexakis(triphenylphosphine)hexagold(2+) nitrate, $[\text{Au}_6(\text{PPh}_3)_6][\text{NO}_3]_2$, and related clusters with edge-sharing bitetrahedral geometries, 687-92

Synthesis and structural characterisation of $[\text{Pt}_2\text{Au}_2(\text{PPh}_3)_4(\text{CNC}_6\text{H}_5\text{Me}_2\text{-2,6})_2][\text{PF}_6]_2$: a platinum-gold cluster with a distorted butterfly geometry, 835-42

The syntheses and X-ray structure analyses of the heteronuclear monoanions $[\text{Os}_{10}\text{C}(\text{CO})_{24}\text{Cu}(\text{NCMe})]^-$ and

GOLD (contd)

- [Os₁₀C(CO)₂₄Au(PPh₃)₃]⁺ as their [PPh₃Me]⁺ salts, 975-80
- Complexation of gold(I) thiomalate ('Mycroisin') with 1,3-diazinane-2-thione in aqueous solution followed by ¹³C nuclear magnetic resonance spectroscopy, 1049-50
- 1,2,4-Triazole (tz) complexes of rhodium(I), iridium(I), and palladium(I). Crystal structure of [Rh₃(μ₃-tz)(μ-Cl)Cl(η⁶-tbb)(CO)₄]-0.5CH₂Cl₂ (tbb = tetrafluorobenzobarrelene), a trinuclear complex with extended metal-metal interactions, 1087-94
- Exchange kinetics of gold(I) phosphine complexes by nuclear magnetic resonance line shape analysis, 1297-300
- Five-co-ordinated gold(III) complexes. Part 1. Synthesis, structure, and properties of bromodicyano(1,10-phenanthroline)gold(III)-dimethylformamide (1/1), 1941-4
- The heteronuclear cluster chemistry of the group 1B metals. Part 1. Structural similarities and differences among mixed-metal clusters compounds containing copper, silver, or gold atoms ligated by phosphines. X-Ray crystal structures of [CuRu₄(μ₃-H)₃(CO)₁₂(PMePh₂)] and [CuRu₄(CO)₉(C₂Bu')(PPh₃)], 2181-92
- Some attempts to prepare five-co-ordinated gold(III) complexes. Crystal and molecular structures of [Au(C₆H₄CH₂NMe₂-2)(phen)(PPh₃)] [BF₄], [Au(C₆H₄CH₂NMe₂-2)(NC₅H₄O)]-BF₄, and [Au(C₆H₄CH₂NMe₂-2)(H₂NC₆H₄S)]ClO₄, 2361-6
- Cluster chemistry. Part 45. Synthesis and some reactions of [Ru₃(μ₃-PPhCH₂PPH₂)(CO)₆]⁺: X-ray crystal structures of [MRu₃(μ₃-PPhCH₂PPH₂)(CO)₆](PPh₃) (M = Cu, Ag, or Au), 2557-68

GUANOSINE MONOPHOSPHATE

- Reaction intermediates of *cis*-diammineaquahydroxo)platinum(II) with guanosine 5'-monophosphate characterized by proton nuclear magnetic resonance spectroscopy, 135-40

HALIDE

- Nonahaloantimonate(III)ates; their preparation and the crystal structures of [Hpy]₃[Sb₂Cl₆], [NMe₄]₃[Sb₂Br₆], and [NMe₄]₃[Sb₂Br₃Cl₃], 1231-8
- Haloeno-oxodiantimonate(III)ates, 1239-42
- The reactions of some methylphosphorus(V) compounds with 25 oleum and 100% H₂SO₄, 1443-6
- Cobalt(II) halide complexes in aqueous ammonium nitrate-calcium nitrate melts: electronic spectra and solvent extraction, 1663-8
- Synthesis, spectroscopic, and structural studies of the methylpalladium(II) complexes [PdMe(SMe₂X)₂] (X = Cl, Br, or I); crystal structure of *trans*-[PdMe(SMe₂(μ-Cl))₂], 1731-4
- The crystal structures of [Hpy]₂[Sb_nOBr_{6-n}Cl_n]⁻ where *n* = 0, 2, and 4 and Hpy = pyridinium; stabilisation by very strong N-H...O hydrogen bonds, 1735-40
- Structure and bonding in octahedral uranium(IV) complexes of the type UX₄·2L (X = halogen, L = unidentate, neutral oxygen donor). Part 1. The crystal structures of tetrabromobis(*NN'*-dimethyl-*NN'*-diphenylurea)uranium(IV) and α- and β-tetrachlorobis(*NN'*-dimethyl-*NN'*-diphenylurea)uranium(IV), 2035-42
- Structure and bonding in octahedral uranium(IV) complexes of the type UX₄·2L (X = halogen, L = unidentate, neutral oxygen donor). Part 2. The crystal structures of tetrachlorobis[tris(pyrrolidinyl)phosphine oxide]-, tetrachlorobis(di-isobutyl sulphoxide)-, and tetrabromobis(triphenylarsine oxide)-uranium(IV), 2043-8

HAMMETT EQUATION

- Relative stabilities of *trans*-dichloro(olefin)(pyridine)platinum(II) complexes. Re-examination of Hammett equation for *para*-substituted styrene complexes, 891-4

HEPTANEDIONATE

- Proton ENDOR spectroscopy of bis(2,2,6,6-tetramethylheptane-3,5-dionato)copper(II) and crystal structure of bis(2,2,6,6-tetramethylheptane-3,5-dionato)palladium(II), 2655-62

HETEROPOLYANION

- Kinetics and mechanism of the reduction of dodecatungstocobaltate(III) by oxalate. The catalytic role of alkali metal ions through outer-sphere bridging, 1301-4
- Photoredox chemistry of Keggin dodecatungstoborate [BW₁₂O₄₀]³⁻ and role of heterogeneous catalysis in hydrogen formation, 1669-76
- On the identification of molybdophosphate complexes in aqueous solution, 1825-32

- Triquaenicosatungstodiphosphate(6-) heteropolyanion, [P₂W₂₁O₇₁(OH)₂]⁶⁻: X-ray crystallographic and ¹⁸³W nuclear magnetic resonance structural studies, 2237-42

- X-Ray crystallographic and tungsten-183 nuclear magnetic resonance structural studies of the [M₄(H₂O)₂(XW₉O₃₄)₂]¹⁰⁻ heteropolyanions (M = Co^{II} or Zn, X = P or As), 2699-706

HEXAETHYLBENZENE

- Stereochemistry and stereodynamics of η⁶-hexaethylbenzene transition metal complexes. Crystal and molecular structure of dicarbonyl(η⁶-hexaethylbenzene)(η²-maleic anhydride)molybdenum(0), 577-88

HEXANETRIONE

- Reactions of metal ions with triketones. Part 3. Kinetics and mechanisms of the reactions of nickel(II) and cobalt(II) with 1-phenylhexane-1,3,5-trione in methanol-water (70:30 v/v) solution, 2243-6

HEXAOXACYCLO-OCTADECANE

- Stereochemical activity of lone pairs. The crystal and molecular structures of the salts of chloro(1,4,7,10,13,16-hexaoxacyclo-octadecane)tin(II). Calculation of macrocyclic cavity size by force field methods, 1543-50

HOLE SIZE

- The close equivalence to earlier reported methods of a recently reported method of calculating hole sizes in macrocyclic ligands: a comment, 2505-4
- The close equivalence to earlier reported methods of a recently reported method of calculating hole sizes in macrocyclic ligands: a reply, 2505-8

HYDRATION

- Kinetics of hydration of calcium sulphate hemihydrate, 729-32

HYDRAZIDE

- The chemistry of dinitrogen residues. Part 2. Organohydrazido(1-)-derivatives of titanium(IV). X-Ray crystal structures of [Ti(C₆H₅)Cl₂(NPhNH₂)] and [Ti(C₆H₅)Cl₂(NHNMe₂)], 385-92
- The chemistry of dinitrogen residues. Part 3. Hydrazido(2-)-derivatives of titanium(IV). X-Ray crystal structure of [Ti(C₆H₅)Cl(NNPh₂)₂], 393-8
- The chemistry of dinitrogen residues. Part 4. The decomposition of hydrazide(1-) and hydrazide(2-) when bound to titanium(IV), 399-402
- Mechanisms of reactions of bases with *trans*-[Mo(NNH₂)X(Ph₂PCH₂CH₂PPh₂)₂]⁺ (X = F, Br, or *p*-MeC₆H₄SO₃), 2155-64

HYDRAZINE

- Kinetics and mechanism of oxidation of hydrazine by tri-iodide ion in aqueous acidic media, 1189-92

HYDRAZINIUM

- Hydrazinium as a ligand: structural, thermal, spectroscopic, and magnetic studies of hydrazinium lanthanide di-sulphate monohydrates; crystal structure of the neodymium compound, 119-24

HYDRIDE

- Homogeneous catalysis on metal clusters. The isomerization and selective hydrogenation of dienes, alkenes, and alkynes in the presence of [(η-C₅H₅)NiOs(μ-H)₂(CO)₃] and [(η-C₅H₅)NiOs(μ-H)₂(CO)₃]₂ [L = PPh₃H or P(C₆H₄Me-O)₃]. Spectroscopic identification of the reaction intermediates and X-ray structure of [Os₃(μ-H)(CO)₉(MeCCHCMe)], 23-30
- Protonation reactions of the mononuclear rhenium polyhydride complexes [ReH₇(PPh₃)₂], [ReH₇(PPh₃)₂L] (L = unidentate ligand), and [ReH₄L(PPh₃)₃], 67-72
- Synthesis and characterisation of tungsten and rhenium aluminopolyhydrides: X-ray crystal structures of (Me₃P)₃H₃W(μ-H)₂Al(H)(μ-OBu)₂Al(H)(μ-H)₂WH₂(PMe₂)₃ and (Me₃P)₃H₃W(μ-H)₂Al(H)(μ-H)₂WH₂(PMe₂)₃, 279-86
- Tertiary phosphine aluminohydride complexes of ruthenium(II) and osmium(II), 287-90
- Chemistry of the unsaturated cluster compound [Os₃Pt(μ-H)₂(CO)₁₀{P(cyclo-C₆H₁₁)₃}]₂: X-ray crystal structures of [Os₃Pt(μ-H)₂(CO)₁₁{P(cyclo-C₆H₁₁)₃}]₂, [Os₃Pt(μ-H)₂(CO)₁₀{P(cyclo-C₆H₁₁)₃}]₂, and [Os₃Pt(μ-H)₂(μ-CH₂)(CO)₁₀{P(cyclo-C₆H₁₁)₃}]₂ (two isomers) (1985, 177), 463-4
- Synthesis and properties of some cyclohexadienylrhenium polyhydride complexes, 525-30
- Synthesis of some (η-arene)dihydridorhenium cations and their reactions with LiAlH₄ and LiAlD₄, 531-6

HYDRIDE (contd)

- The synthesis, structural and spectroscopic studies of $[\text{Ru}_2\text{Rh}_2\text{H}_2(\text{CO})_{12}]$, 681-6
- He I and He II Photoelectron spectra of some trifluorophosphine, carbonyl, and hydrido transition metal complexes, 765-70
- Halogeno, hydrido, and hydrocarbonyl derivatives of $(\eta$ -cyclo-octatetraene)(η -pentamethylcyclopentadienyl)zirconium(IV): X-ray crystal structure of $[\text{Zr}(\eta\text{-C}_8\text{H}_8)(\eta\text{-C}_5\text{H}_5\text{Me})\text{H}]$, 821-8
- The molecular structure of $[\text{Mo}(\text{CO})_3\text{H}(\eta\text{-C}_5\text{Me}_5)]$ and its conversion to $[\text{Mo}(\text{CO})_3\text{Cl}(\eta\text{-C}_5\text{Me}_5)]$ and $[\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)_2][\text{Mo}(\text{CO})_3(\eta\text{-C}_5\text{Me}_5)]$, 1041-4
- Synthesis, characterisation, electrochemical properties, photochemical properties, and reactivity of bis(2,2'-bipyridyl)hydridoruthenium complexes, 1045-8
- Synthesis and X-ray crystal structure of the novel hydridocarbonyl cluster $[\text{NEt}_4][\text{Re}_4(\mu\text{-H})_3(\text{CO})_{14}]$, 1051-4
- The crystal structure and reactivity of $[(\eta\text{-C}_6\text{H}_5)\text{NiOs}_3(\mu\text{-H})_3(\text{CO})_2(\text{PPh}_3\text{H})]$; ^1H and ^{31}P nuclear magnetic resonance spectroscopic characterization of $[(\eta\text{-C}_6\text{H}_5)\text{NiOs}_3(\mu\text{-H})_2(\mu\text{-HgBr})(\text{CO})_2(\text{PPh}_3\text{H})]$ and related complexes, 1135-40
- Reactions of bis[1,2-bis(dimethylphosphino)ethane]-bis(dinitrogen)chromium(0) and -bis(carbonyl)chromium(0) with acids and oxidizing agents. X-Ray crystal structures of *trans*- $\text{Cr}^0(\text{O}_2\text{CCF}_3)_2(\text{dmpe})_2$, *trans*- $[\text{Cr}^0(\text{NCR})_2(\text{dmpe})_2][\text{CF}_3\text{SO}_3]_2$ ($\text{R} = \text{Me}$ or Et), *trans*- $[\text{Cr}^0\text{Cl}_2(\text{dmpe})_2]\text{BPh}_4$, CH_2Cl_2 , *trans*- $[\text{Cr}^0(\text{CO})_2(\text{dmpe})_2]\text{BPh}_4$, and $[\text{Cr}^0\text{H}(\text{CO})_2(\text{dmpe})_2]\text{BPh}_4$, 1141-54
- The reactions of the tri- μ -hydroxo-bis[η^6 -*p*-cymeneosmium(II)] cation with aldehydes and acids and the homogeneously catalysed oxidation of acetaldehyde and propionaldehyde with water. X-Ray structure of $[(\mu\text{-MeC}_6\text{H}_4\text{CHMe}_2)_2\text{Os}_2(\mu\text{-HCO}_2)(\mu\text{-OH})(\mu\text{-H})][\text{PF}_6]$, 1155-60
- The electrochemistry of $[\text{PtH}(\text{PEt}_3)_3]^+$; inverted and amplified cyclic voltammetric waves and catalytic hydrogen production at a mercury electrode, 1225-30
- Tertiary phosphine aluminohydride complexes of chromium-, molybdenum-, and tungsten(II), 1329-32
- Reactions of halogenohydrido-bis(triethylphosphine)platinum(II) with trihalogenophosphines: some unusual complexes of Pt^{II} containing five-co-ordinated phosphorus, 1333-8
- Ligand fluxionality in close-packed rhodium carbonyl clusters, 1375-82
- Carbon-sulphur and carbon-hydrogen bond cleavages in the reactions of phenyl vinyl sulphide with trisium clusters: crystal structure determination of $[\text{Os}_3(\mu\text{-SPh})(\mu\text{-CH=CH}_2)(\text{CO})_{10}]$, 1431-6
- Molecular structures and dynamic behaviour of two isomers of $[\text{Ru}_3(\mu\text{-H})(\mu\text{-Me}_2\text{NC}_4\text{H}_4\text{CO})_2]$ formed from 1-dimethylaminobut-2-yne and containing η^2 -alkene-1,3-diyl and η^2 -alkene-1,2-diyl ligands respectively, 1459-64
- X-Ray structure analysis of the salts $[\text{N}(\text{PPh}_3)_2][\text{M}_4\text{H}_3(\text{CO})_{12}]$ ($\text{M} = \text{Ru}$ or Os); confirmation of the existence of discrete structural isomers for a hydrido-carbonyl cluster in the solid state, 1557-64
- Bimetallic systems: Part 14. Mixed iridium(I)-platinum(II) acetylide complexes containing bridging $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ ligands, 1809-14
- Bimetallic systems: Part 15. Some reactions of platinum-manganese carbonyl complexes containing bridging $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ (dppm) ligands, 1815-20
- Synthesis and reactivity of neutral and cationic pentafluorophenyl platinum(I) derivatives, 1849-56
- Synthesis and characterisation of a phosphido-bridged ruthenium cluster: crystal and molecular structure of $[\text{Ru}_3\text{C}(\mu\text{-H})(\mu\text{-PPh}_2)(\text{CO})_{13}]$, 2149-54
- The chemistry of $[\text{W}(\text{PMe}_2)_4(\eta^2\text{-CH}_2\text{PMe}_2)\text{H}]$: synthesis of hydroxy-hydrido, fluoro-hydrido, and silyl-hydrido derivatives and the dimerisation of ethylene and propene giving η^4 -diene derivatives. Crystal structure of $[\text{W}(\text{PMe}_2)_4\text{H}_2(\text{OH})_2\text{F}]$, 2227-36
- Reversible carbon-nitrogen bond formation in the isomerisation of trisium compounds derived from *t*-butyldiazomethane (Bu^tCHN_2); the X-ray crystal structure of $[\text{Os}_3\text{H}_2(\text{Bu}^t\text{CH=NNCO})(\text{CO})_4(\text{PMe}_2\text{Ph})]$, 2259-64
- η -Arene-rhenium chemistry: activation of sp^3 carbon-hydrogen bonds of alkylbenzenes by rhenium; formation of binuclear μ -alkylidene derivatives, 2469-76
- Arene-osmium chemistry: synthesis *via* osmium atoms of $[\text{Os}(\eta^6\text{-C}_6\text{H}_5)(\eta^6\text{-C}_6\text{H}_5)]$, $[(\text{Os}(\eta^6\text{-C}_6\text{H}_5\text{Me}_3-1,3,5))_2(\mu\text{-H})_2(\mu\text{-CH}(\text{C}_6\text{H}_5\text{Me}_2-3,5))]$, $[(\text{Os}(\eta^6\text{-C}_6\text{H}_5\text{Me}_3-1,3,5))_2(\mu\text{-CH}(\text{C}_6\text{H}_5\text{Me}_2-3,5))]$, and $[(\text{Os}(\eta^6\text{-C}_6\text{H}_5))_3(\mu_3(\text{CH}_2)_2\text{CH})(\mu\text{-H})_3]$. X-Ray crystal structure of $[(\text{Os}(\eta^6\text{-C}_6\text{H}_5\text{Me}_3-1,3,5))_2(\mu\text{-CH}(\text{C}_6\text{H}_5\text{Me}_2-3,5))]$, 2477-84

A general route for the synthesis of tetranuclear clusters containing closed triruthenium and trisium triangles, 2515-8

Synthesis and characterization of a new family of unsaturated triangular rhenium cluster anions of formula $[\text{Re}_3(\mu\text{-H})_4(\text{CO})_9\text{L}]^-$ ($\text{L} =$ neutral two-electron donor ligand). X-Ray crystal and molecular structures of the tetraethylammonium salts of the anions with $\text{L} =$ triphenylphosphine and pyridine, 2691-8

HYDROGENATION

Homogeneous catalysis on metal clusters. The isomerization and selective hydrogenation of dienes, alkenes, and alkynes in the presence of $[(\eta\text{-C}_4\text{H}_7)\text{NiOs}_3(\mu\text{-H})_3(\text{CO})_3]$ and $[(\eta\text{-C}_5\text{H}_7)\text{NiOs}_3(\mu\text{-H})_3(\text{CO})_3\text{L}]$ ($\text{L} = \text{PPh}_3$ or $\text{P}(\text{C}_6\text{H}_5\text{Me-o})_3$). Spectroscopic identification of the reaction intermediates and X-ray structure of $[\text{Os}_3(\mu\text{-H})(\text{CO})_9(\text{MeCCHMe})_2]$, 23-30

The mechanism of hydrogenation by aqueous chromium(II) ion of the carbon-carbon double bond of olefinic compounds with polar substituents, 1491-8

HYDROGEN BONDING

Diaquadifluorobis(nicotinamide)copper(II) tetrahydrate: hydrogen bonding between ligand fluoride and lattice water, 313-6

Very short OHO hydrogen bonds in a binuclear transition-metal complex. Neutron-diffraction study at 120 K of $[\text{Co}_2(\text{H}_2\text{N}(\text{CH}_2)_2\text{OH})_3(\text{H}_2\text{N}(\text{CH}_2)_2\text{O})_3][\text{ClO}_4]_2 \cdot 0.5\text{H}_2\text{O}$, 651-6

Reactions of $[\text{Fe}(\text{cp})(\text{CO})_2\text{Cl}]$ ($\text{cp} = \eta$ -cyclopentadienyl) with 3-methylbut-2-enoic acid and its methyl ester. X-Ray crystal and molecular structure of bis[dicarbonyl(η -cyclopentadienyl)](3-methylbut-2-enoato)iron(II) hydrogen hexafluoroantimonate and μ -chloro-bis[dicarbonyl(η -cyclopentadienyl)]iron(II) hexafluoroantimonate, 1129-34

The crystal structures of $[\text{Hpy}]_2[\text{Sb}_2\text{OBr}_6\text{Cl}_6]_n$ where $n = 0, 2$, and 4 and Hpy = pyridinium; stabilisation by very strong N-H...O hydrogen bonds, 1735-40

Tetra-alkylammonium fluorides and chlorides in glacial acetic acid solution: nuclear magnetic resonance studies, deuterium fractionation factors (ϕ), and anion hydrogen bonding, 2641-4

HYDROGEN ISOCYANIDE

Chemistry of hydrogen isocyanide. Part I. Reactions of $[\text{M}(\text{CO})_5(\text{CNH})]$ ($\text{M} = \text{Cr}$ or W) with epoxides, 863-8

HYDROGEN PEROXIDE

Binding equilibria and catalase-like reactivity of deuterioferrihaem-poly-L-lysine complexes, 333-6

HYDROLYSIS

The uncatalysed and copper(II) promoted hydrolysis of 4-nitrophenyl glycinate, 39-42

Contrasts in the hydrolysis of VOCl_3 and $\text{VO}(\text{NO}_3)_3$: a multinuclear magnetic resonance study, 369-72

Proton exchange and base-catalysed hydrolysis of some *trans*- and *cis*-dichloro(1,4,8,11-tetra-azacyclotetradecane) complexes of chromium(III), ruthenium(III), and rhodium(III), 427-32

Hydrolysis of tris(1,10-phenanthroline)iron(II) complex in 1,4-dioxane-water mixtures, 465-8

The hydrolysis of metal ions. Part 9. Iron(III) in perchlorate, nitrate, and chloride media (1 mol dm^{-3}), 1901-6

Kinetic and equilibrium studies of the copper(II) promoted hydrolysis of salicyl phosphate. A rate acceleration of 10^8 for the hydrolysis of a phosphate monoester dianion, 2029-34

HYDROXIDE

Synthesis, vibrational spectra, and X-ray crystal structure of di- μ -hydroxo-bis[bromodichloro(tetrahydrofuran)tin(IV)]-tetrahydrofuran (1/2), 883-6

The reactions of the tri- μ -hydroxo-bis[η^6 -*p*-cymeneosmium(II)] cation with aldehydes and acids and the homogeneously catalysed oxidation of acetaldehyde and propionaldehyde with water. X-Ray structure of $[(\mu\text{-MeC}_6\text{H}_4\text{CHMe}_2)_2\text{Os}_2(\mu\text{-HCO}_2)(\mu\text{-OH})(\mu\text{-H})][\text{PF}_6]$, 1155-60

Mössbauer spectra at 77 K of products formed during transformation of $\text{Fe}(\text{OH})_2$ to Fe_3O_4 in aqueous suspension by air oxidation, 1243-6

HYDROXYAPATITE

Thermal stability of cadmium-calcium hydroxyapatite solid solutions, 241-4

HYDROXYQUINOLINATE

Some attempts to prepare five-co-ordinated gold(III) complexes. Crystal and molecular structures of $[\text{Au}(\text{C}_6\text{H}_4\text{CH}_2\text{NMe}_2-2)(\text{phen})]$

HYDROXYQUINOLINATE (contd)

(PPh₃)₂[BF₄·2CH₂Cl₂·{Au(C₆H₄CH₂NMe₂-2)(NC₆H₅O)}-BF₄·2} and {Au(C₆H₄CH₂NMe₂-2)(H₂NC₆H₄S)}ClO₄·2361-6

IMIDATE

Transition metal complexes with terminal or bridging imidato(1-)-ligands. X-Ray crystal structures of *trans*-

[Ir(CO)(NCOC₂F₄CO)(PPh₃)₂] and [(Pd(*o*-C₆H₄CH=NPh)(μ-NOCOC₂H₄CO))₂·CH₂Cl₂]. Spectroscopic studies of [Mn(CO)₂(NCOC₂H₄CO)], and the nature of the metal-nitrogen bond, 813-20

IMIDAZOLATE

Preparation and crystal structure of an imidazolate-bridged polynuclear complex [(Cu(im)(dien))₂][ClO₄]₂ (dien = diethylenetriamine), and its properties in dimethyl sulphoxide solution, 1949-54

IMIDAZOLE

Stability and structure of some binary and mixed-ligand complexes of zinc(II), 1-6

Synthesis, spectroscopic, and structural studies of dimethylthallium(III) complexes containing heterocyclic nitrogen-donor ligands, including TiC₂N₂O₂ and TiC₂O₆ geometries, 939-46

Spectroscopic and magnetic properties of [FeL₂(salacen)]PF₆ (L = imidazole or *N*-methylimidazole): new examples of intermediate electronic relaxation between *S* = 1/2 and *S* = 3/2 states. X-Ray crystal structure of [Fe(Him)₂(salacen)]PF₆, 1115-24

IMIDE

High-field lithium-7 nuclear magnetic resonance spectroscopic and cryoscopic relative molecular mass studies on solutions of amido- and imido-lithium compounds, 557-64

Studies on transition-metal oxo and nitrido complexes. Part 8. Reactions of osmium oxo-imido complexes with alkenes, 1035-40

Alkyl compounds of ruthenium(III) and -(V) and osmium(III). X-Ray crystal structures of hexakis(trimethylsilylmethyl)- and hexakis(neopentyl)-diruthenium(III), dioxohexakis(trimethylsilylmethyl)diruthenium(V), and bis(η³-allyl)tetrakis(neopentyl)diosmium(III), 2711-20

IMINOPROPENEDIYL

Cobalt metallacycles. Part 15. Regioselective formation and rearrangement of 4-iminocobaltacyclobutene complexes, 1201-6
Cobalt metallacycles. Part 16. X-Ray structures of 4-iminocobaltacyclobutene complexes, 1207-12

INDENYL

Reactions of co-ordinated ligands. Part 36. The synthesis, structure, and reactivity of the three-alkyne 'fly-over' complex [Mo₂(μ-(σ,η³-η³-σ-C₆Me₆))(η³-C₆H₇)₂]; formation and structure of [Mo₂(μ-(σ,η³-η³-σ-C₆Me₆))(CO)₂(η³-C₆H₇)₂], 657-68

INDICATOR

Anodically generated mercury(II) ion as indicator for metal-ligand formation equilibria, 2651-4

INSERTION

Kinetics and mechanism of halide promoted migratory CO insertion of *fac*-[FeMe(*o*-C₆H₄(AsMe₂)₂)(CO)₃]ClO₄, 2137-44

INTERCALATION

Uptake of amino-acids by zirconium phosphate. Part 3. Intercalation of L-histidine, L-lysine, and L-arginine by γ-zirconium phosphate, 61-6
Pillaring of layers in α-zirconium phosphate by 1,10-phenanthroline and bis(1,10-phenanthroline)copper(II): formation of complex pillars *in situ*, 265-72

INTERMEDIATE

Reaction intermediates of *cis*-diammineaqua(hydroxo)platinum(II) with guanosine 5'-monophosphate characterized by proton nuclear magnetic resonance spectroscopy, 135-40

INVERSION

Dynamics of the 9,10-dihydroanthracene type inversion of the six-membered palladacycle in chloro(ligand)(2-(2'-pyridylmethyl)phenyl)palladium(II) complexes, 589-94

IODIDE

Reactivity of trinuclear ruthenium complexes involving bis(diphenylphosphino)methane (dppm) as a bridging ligand: facile declusterification of [Ru₃(CO)₉(μ-dppm-PP)₂] in the presence of iodine and the crystal structure of [Ru₂(μ-I)₂(CO)₄(μ-dppm-PP)], 899-902

Fluorescent copper(I) complexes: correlation of structural and

emission characteristics of [CuI(quin)₂]₂ and [Cu₄I₄(quin)₄]₂ (quin = quinoline), 2303-10

Fluorescent copper(I) complexes: an X-ray diffraction study of complexes of copper(I) iodide and pyridine derivatives of rhombic, [Cu₂I₂(3Me-py)₄], and polymeric structure, [CuI(2Me-py)]_∞ and [CuI(2,4Me₂-py)]_∞, 2449-54
Di-iodine oxidation of molybdenum(0)-η⁶-arene complexes. New results on molybdenum(II) and tungsten(II) carbonyl derivatives; crystal structures of [Mo(CO)₃(η⁶-C₆H₃Me₃-1,3,5)][M₂I₂(CO)₆] (M = Mo or W) and [Mo(CO)₃(η⁶-C₆Me₆)] [MoI₂(CO)₄], 2569-80

Kinetics of the bromate-iodide-ascorbic acid clock reaction: different mechanism of the molybdenum and vanadium catalysis, 2675-80

IODINE

Preparation and properties of bis(acetonitrile)iodine(I) hexafluoromolybdate(V) and hexafluorotungstate(V), 337-42
Mechanism of the reaction of iron(III) dithiocarbamates with iodine, 365-8

Di-iodine oxidation of molybdenum(0)-η⁶-arene complexes. New results on molybdenum(II) and tungsten(II) carbonyl derivatives; crystal structures of [Mo(CO)₃(η⁶-C₆H₃Me₃-1,3,5)][M₂I₂(CO)₆] (M = Mo or W) and [Mo(CO)₃(η⁶-C₆Me₆)] [MoI₂(CO)₄], 2569-80

ION PAIRING

Laser flash photolysis study of the charge-transfer photochemistry of octacyanomolybdate(V) and octacyanotungstate(V) ions, 1217-24

Kinetics and mechanism of halide promoted migratory CO insertion of *fac*-[FeMe(*o*-C₆H₄(AsMe₂)₂)(CO)₃]ClO₄, 2137-44

I.R.

Spectroscopic studies on adsorbed metal carbonyls. Part 3. Interaction of [Os₃(CO)₁₂] with silica, alumina, and titania, 7-14
Very short OHO hydrogen bonds in a binuclear transition-metal complex. Neutron-diffraction study at 120 K of [Co₂(H₂N(CH₂)₂OH)₂][H₂N(CH₂)₂O]₃][ClO₄]₃·0.5H₂O, 651-6
Characterisation of CrO₂Br₂ and CrO₂BrCl by matrix-isolation infrared spectroscopy, 1587-90

Raman, resonance Raman, and infrared spectroscopic study of complexes containing copper(I)-tetrathio-molybdate(VI) and -tungstate(VI) anions, 1595-602

Lewis base adducts of Group 11 metal compounds. Part 24. Coordination of triphenylphosphine with silver nitrate. A solid-state cross-polarization magic angle spinning ³¹P nuclear magnetic resonance, crystal structure, and infrared spectroscopic study of Ag(PPh₃)₂NO₃ (n = 1-4), 1965-70

Matrix-isolation studies on the vaporisation of arsenic(V) oxide: the characterisation of molecular species As₂O_n (n = 7-10) by infrared spectroscopy, 2725-30

IRIDIUM

Di- and tetra-nuclear mixed-valence complexes of rhodium(III) and iridium(III)-iridium(I) with the 2,2'-bi-imidazolate(2-)-anion (bim) as bridging ligand. Crystal structure of [(η³-C₅Me₅)[P(OEt)₂Rh(bim)Rh(nbd)]₂][ClO₄]₂, 15-22

Cyclometallation reactions in neopentyl and trimethylsilylmethyl systems of rhodium(III) and iridium(III). Formation and X-ray crystal structures of the four-membered metallacycles

[Rh(CH₂CMe₂CH₂)(η³-C₃Me₃)(PPh₃)] and

[Ir(CH₂SiMe₂CH₂)(η³-C₃Me₃)(PPh₃)], 477-88

Chemistry of iridium carbonyl clusters. Synthesis and chemical characterization of the hexanuclear anions [Ir₆(CO)₁₅(CO₂R)]⁻ (R = Me or Et) and [Ir₆(CO)₁₄(CO₂Me)]²⁻. Crystal and molecular structure of [N(PPh₃)₂][Ir₆(μ-CO)₄(CO)₁₁(CO₂Me)], 777-82

Neopentyl and trimethylsilylmethyl compounds of rhodium(III) and iridium(III) with *ortho*-metallated triphenylphosphine. X-Ray crystal structure of [Ir(C₆H₄PPh₃)(CH₂SiMe₂)(η³-C₃Me₃)], 803-12

Transition metal complexes with terminal or bridging imidato(1-)-ligands. X-Ray crystal structures of *trans*-

[Ir(CO)(NCOC₂F₄CO)(PPh₃)₂] and [(Pd(*o*-C₆H₄CH=NPh)(μ-NOCOC₂H₄CO))₂·CH₂Cl₂]. Spectroscopic studies of [Mn(CO)₂(NCOC₂H₄CO)], and the nature of the metal-nitrogen bond, 813-20

Co-ordination chemistry of higher oxidation states. Part 18. Bidentate selenoether complexes of the tetravalent platinum metals. Crystal and molecular structure of [Pt(*o*-

IRIDIUM (cont'd)

- $C_6H_4(SeMe)_2Cl_4$, 1003-10
 1,2,4-Triazole (tz) complexes of rhodium(i), iridium(i), and palladium(ii). Crystal structure of $[Rh_3(\mu_3-tz)(\mu-Cl)Cl](\eta^6-tfbb)(CO)_4 \cdot 0.5CH_2Cl_2$ (tfbb = tetrafluorobenzobarrelene), a trinuclear complex with extended metal-metal interactions, 1087-94
 Catecholato complexes of ruthenium, iridium, rhenium, molybdenum, and tungsten, 1125-8
 Trimethylenemethane metal complexes. Part 1. Synthesis of ruthenium, osmium, rhodium, and iridium complexes, 1411-8
 Bimetallic systems. Part 14. Mixed iridium(i)-platinum(ii) acetylido complexes containing bridging $Ph_2PCH_2PPh_2$ ligands, 1809-14
 Chemistry of tetrairidium carbonyl clusters. Part 1. Synthesis, chemical characterization, and nuclear magnetic resonance study of mono- and di-substituted phosphine derivatives. X-Ray crystal structure determination of the diaxial isomer of $[Ir_4(CO)_2(\mu-CO)_3(Me_2PCH_2CH_2PMe_2)]$, 2411-22
 Synthesis and chemical characterization of the chalcogenide capped iridium carbonyl anions: $[Ir_3(\mu_3-X)_2(CO)_6]^-$ ($X = S$ or Se). Crystal and molecular structures of $[NMe_2(CH_2Ph)]_3[Ir_3(\mu_3-S)_2(CO)_6]$ and $[NMe_2][Ir_3(\mu_3-Se)_2(CO)_6]$, 2463-8
 Structure and fluxional behaviour of some aqua-complexes of rhodium(ii) and iridium(ii), 2545-50
 Iridium nitrosyl and carbonyl complexes with 2-pyridinecarbaldehyde, 2669-74

IRON

- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 41. Synthesis of alkylidynetungsten complexes with (pyrazol-1-yl)borato ligands; crystal structures of $[W(\mu-C_6H_4Me-4)(CO)_2][B(pz)_3]$, $[Rh_2W(\mu_3-CC_6H_4Me-4)(\mu-CO)(CO)_2(\eta-C_5H_5)_2][HB(pz)_3] \cdot CH_2Cl_2$ and $[FeRhW(\mu_3-CC_6H_4Me-4)(\mu-MeC_2Me)(CO)_4(\eta-C_5H_5)(HB(pz)_3)]$, 187-98
 Syntheses, structures, and bonding of heterometallic clusters $[MCo_3(CO)_{12}(\mu_3-M'(EPh_3))] (M = Fe$ or Ru; $M' = Cu$ or Au; $E = P$ or As); X-ray crystal structures of $[RuCo_3(CO)_{12}(\mu_3-M'(PPh_3))] (M' = Cu$ or Au), 225-34
 Monocarbonyl complexes of iron(ii): preparation and properties, 329-32
 Preparation, properties, and X-ray crystal structure of tris(*O,O'*-diisopropyl phosphorodithioato)iron(iii), $[Fe(S_2P(OPr)_2)_3]$. Comparison of structure and bonding in phosphorodithioato- and dithiocarbamate-complexes, 351-4
 Mechanism of the reaction of iron(iii) dithiocarbamates with iodine, 365-8
 Cationic alkylidynitrosyl complexes of iron, 459-62
 Hydrolysis of tris(1,10-phenanthroline)iron(ii) complex in 1,4-dioxane-water mixtures, 465-8
 Stereochemistry and stereodynamics of η^6 -hexaethylbenzene transition metal complexes. Crystal and molecular structure of dicarbonyl(η^6 -hexaethylbenzene)(η^2 -maleic anhydride)molybdenum(0), 577-88
 Redox reactions of some iron(ii), iron(iii), and cobalt(iii) picolinate complexes, 619-24
 A molecular-orbital study of tricarbonyl(1-5- η -cycloheptadienylium)iron and tricarbonyl(1-5- η -cyclooctadienylium)iron, 701-8
 Preferred sites for electron exchange between cytochrome c and $[Fe(edta)]^{2-}$ and $[Co(sep)]^{2+}$ complexes, 755-8
 Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 42. Synthesis of the compounds $[N(PPPh_3)_2][Fe_2W(\mu-CO)(\mu-NO)(\mu_3-CR)(CO)_6(\eta-C_5H_5)]$ ($R = Me$ or C_6H_4Me-4) and the X-ray crystal structure of the tolylmethylidene complex, 869-74
 Quadridentate versus quinquedentate co-ordination of some N_2 and N_2O_2 macrocyclic ligands and an unusual thermally controlled quintet \rightleftharpoons singlet spin transition in an iron(ii) complex, 991-6
 Synthesis of heterometallic complexes containing M-Hg-Pt ($M = Pt, Fe, Mn$, or Co) arrays, 1011-4
 Spectroscopic and magnetic properties of $[FeL_2(salacen)]PF_6$ ($L =$ imidazole or *N*-methylimidazole): new examples of intermediate electronic relaxation between $S = \frac{1}{2}$ and $S = \frac{3}{2}$ states. X-Ray crystal structure of $[Fe(Him)_2(salacen)]PF_6$, 1115-24
 Reactions of $[Fe(cp)(CO)_2Cl]$ ($cp = \eta$ -cyclopentadienyl) with 3-methylbut-2-enoic acid and its methyl ester. X-Ray crystal and molecular structure of bis(dicarbonyl(η -cyclopentadienyl))(3-methylbut-2-enoato)iron(ii)hydrogen hexafluoroantimonate and μ -chloro-bis(dicarbonyl(η -cyclopentadienyl)iron(ii)) hexafluoroantimonate, 1129-34
 The anion of pyrimidine-2-thiol as a ligand to molybdenum, tungsten, and iron. Preparation of complexes, their structures and reactivity, 1181-8
 Mössbauer spectra at 77 K of products formed during transformation of $Fe(OH)_2$ to Fe_3O_4 in aqueous suspension by air oxidation, 1243-6
 Salt and cosolvent effects on the sulphite-hexacyanoferrate(iii) reaction, 1265-8
 Magnetic exchange interactions in perovskite solid solutions. Part 6. Iron-57 and tin-119 Mössbauer spectra of $SrFe_{1-x}Sn_xO_{3-x}$ ($0 \leq x \leq 0.7$), 1447-52
 Electrocatalytic reduction of carbon dioxide to methanol. Part 2. Effects of metal complex and primary alcohol, 1519-24
 Reactions of electrophilic alkynes with some iron and tungsten sulphur, selenium, and arsenic complexes, 1577-86
 Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 43. Carbon-tungsten triple bonds as formal four-electron donors; synthesis and reactions of the compounds $[FeW(\mu-CC_6H_4Me-4)(CO)_2L]$ [$L = HB(pz)_3$, [tris(pyrazol-1-yl)borate] or $\eta-C_5H_5$] and X-ray crystal structures of $[FeW(\mu-CC_6H_4Me-4)(CO)_2][HB(pz)_3]$ and $[FeW(\mu-CC_6H_4Me-4)(\mu-CO)(\mu-Me_2PCH_2PMe_2)(CO)_2][HB(pz)_3]$, 1697-708
 Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 44. Formation of unsaturated dimetal compounds with elimination of alkylidyne groups; X-ray crystal structures of $[FeW(\mu-PPh_3)(CO)_5][HB(pz)_3]$ [$HB(pz)_3 =$ tris(pyrazol-1-yl)borate] and $[RhW(\mu-CO)_2(CO)(PPh_3)_2(\eta-C_5H_5)]$, 1709-16
 Reaction of $[(OC)_2(cp)FeC(S)Sf(e)(p)(CO)_2]$ ($cp = \eta^3-C_3H_5$) with dicobalt octacarbonyl; X-ray crystal structure of $[Co_2Fe(cp)(CO)_9(S)]$ containing a six-electron donor thiocarbonyl group, 1791-4
 Nuclear magnetic resonance of binuclear complexes containing a metallacyclopentadiene system, 1863-6
 The hydrolysis of metal ions. Part 9. Iron(iii) in perchlorate, nitrate, and chloride media (1 mol dm⁻³), 1901-6
 The crystal and molecular structure of ferrocenium μ -oxo-bis(trichloroferrate(iii)): a product of reaction of ferrocene with iron(iii) chloride, 1937-40
 Carbon-13 nuclear magnetic resonance studies of synthetic $[Fe_2S_4(SR)_4]^{2-}$ iron-sulphur clusters, 2013-6
 Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 12. Reactions of spinach plastocyanin with inorganic redox partners, 2069-74
 Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 45. Reactions of the cluster complex $[Fe_2W(\mu_3-CC_6H_4Me-4)(\mu-CO)(CO)_6(\eta-C_5H_5)]$ with $[W(\equiv CR)(CO)_2(\eta-C_5H_5)]$ ($R = Me$ or C_6H_4Me-4); crystal structures of $[FeW_2(\mu_3-\sigma:\sigma':\eta^2-C\equiv CH_2)(CO)_2(\eta-C_5H_5)_2]$ and $[FeW_2(\mu_3-MeC_2C_6H_4Me-4)(CO)_2(\eta-C_5H_5)_2]$, 2105-12
 Kinetics and mechanism of halide promoted migratory CO insertion of *fac*- $[FeMe(\eta-C_6H_4(AsMe_2)_2)(CO)_3]ClO_4$, 2137-44
 Iron complexes of *N*-substituted thiosalicylideneimines. Part 4. Preparation, structure, and reactivity of pentadentate $[N,N'$ -4-azaheptane-1,7-diylbis(thiosalicylideneimino)]iron(ii) derivatives, 2271-6
 Dioxygen activation in the photochemistry of some oxo-metalloporphyrin complexes, 2311-4
 The complex $[Fe(phen)_2(CN)_2]$ ($phen = 1,10$ -phenanthroline) and its solutions, 2349-50
 The reactions of acids and alkyl iodides with $[Fe_2(\eta-C_5H_5)_2(CNMe)_4]$ and related complexes, 2399-404
 Reaction of nitrobenzene with $[M_3(CO)_{12}]$ ($M = Fe$ or Ru) in the presence of $[Co_2(CO)_8]$: isolation and structure of $[Ru_3(CO)_9(NPh)(\eta^5-C_5H_5)]$, 2501-4
 The photoelectron spectrum of hexacarbonyl- μ -di-*i*-butylacetylenedi-iron: a joint experimental and theoretical study, 2581-6
 Mechanism of addition of 2-ethylpyridine to tricarbonyl(1-5- η -dienyl)iron(ii) cations (dienyl = C_6H_5 , 2-MeOC₆H₄, or C_7H_9), 2707-10

ISOCYANATE

- Electron diffraction investigation of the molecular structures of dimethylsilyl isocyanate and dimethylsilyl isothiocyanate, 859-62

ISOCYANIDE

- Reactions of the multiply bonded dirhenium complexes $[Re_2X_n(L-L)_2]^{n+}$ ($X = Cl$ or Br, $L-L = Ph_2PCH_2CH_2PPh_2$ or $Ph_2PCH_2CH_2AsPh_2$; $n = 0$ or 1) with isocyanides and nitriles. Reaction without metal-metal bond disruption, 55-60

ISOCYANIDE (contd)

- Isocyanide complexes with Pt₂S and Pt₂CS cores. Crystal structure of μ -sulphido-bis[bis(2,4,6-tri-*t*-butylphenyl isocyanide)platinum], 677-80
- Synthesis and structural characterisation of [Pt₂Au₂(PPh₃)₄(CNC₆H₅Me₂-2,6)₄][PF₆]₂; a platinum-gold cluster with a distorted butterfly geometry, 835-42
- Cobalt metallacycles. Part 14. Facile transformation of η^4 -diene complexes to metallacyclopentenes. Preparation and molecular structures of [Co(η^2 -C₃H₃)(η^4 -PhNC-C(Ph)C(Ph)-CNPPh)] and [Co{C(=NR)C(Ph)C(Ph)C(=NR)}](η^2 -C₃H₃(CNC₆H₅Me₂-2,6)) (R = C₆H₅Me₂-2,6), 1193-200
- Cobalt metallacycles. Part 15. Regioselective formation and rearrangement of 4-iminocobaltacyclobutene complexes, 1201-6
- Cobalt metallacycles. Part 16. X-Ray structures of 4-iminocobaltacyclobutene complexes, 1207-12
- Synthesis and reactivity of neutral and cationic pentafluorophenyl platinum(II) derivatives, 1849-56
- Syntheses and reactions of acyclic and cyclic carbene complexes *cis*-[M(CMeNHMe)(CO)₂(η -C₃H₃)] (M = Mo or W) and *cis*-[M(C(CH₃)₂NMe)(CO)₂(η -C₃H₃)] (M = Mo, n = 3 or 4; M = W, n = 3) obtained through alkyl migration to methyl isocyanide co-ordinated to molybdenum or tungsten. X-Ray structure of *cis*-[Mo{C(CH₃)₂NMe}(CO)₂(η -C₃H₃)]₂, 2127-36
- The reactions of acids and alkyl iodides with [Fe₂(η -C₃H₃)(CNMe)₄] and related complexes, 2399-404
- Reactions of the dirhenium(II) complexes [Re₂X₄(dppm)₂] (X = Cl or Br, dppm = Ph₃PCH₂PPh₃) with isocyanides. Part 2. The A-frame-like mono-isocyanide species [Re₂(μ -X)(μ -dppm)₂X₃(CNR)]⁺ (R = Me, Bu^t, or C₆H₅Me₂-2,6; n = 0 or 1), 2607-12
- ISOMERISATION**
- Sterically hindered metal alkenyls. Part 2. Synthesis and properties of tin(IV) alkenyls: stereochemical features and energetics of isomerisation of SnMe₂[C(C₁₀H₇)=CMe₂]₂, 2321-4
- The preparation of *cis*-folded macrocyclic nickel(II) complexes and the kinetics of their base-catalysed conversion to planar species, 1485-90
- Formation and isomerisation of *cis*-bis(phenylethynyl)bis(tertiary phosphine)platinum complexes, 1987-92
- Kinetics and mechanism of the reaction between dimethyl sulphoxide and dichloro(pyridine-2-carboxylato)platinate(II) anion and the *cis-trans* isomerization of the products. X-Ray crystal structure of *trans*-(O,S)-chloro(dimethyl sulphoxide)(pyridine-2-carboxylato)platinum(II), 1101-6
- ISOMERISM**
- Synthesis of the tridentate pyridine donor 2,6-bis[1-phenyl-1-(pyridin-2-yl)ethyl]pyridine (L), including separation of *meso* and *rac* diastereoisomers via methylmercury(II) derivatives, and an X-ray structural study of [HgMe(*meso*-L)]NO₃·2H₂O, 2201-4
- ISOPROPYLAMINE**
- Kinetics of the displacement of chloroacetate ion from *cis*-bis(chloroacetato)bis(isopropylamine)platinum(II) and the (chloroacetato)(1,5-diamino-3-azapentane)platinum(II) cation, 1107-14
- ISOTHIOCYANATE**
- Electron diffraction investigation of the molecular structures of dimethylsilyl isocyanate and dimethylsilyl isothiocyanate, 859-62
- Tin-119 and nitrogen-14 nuclear magnetic resonance and tin-119 variable-temperature Mössbauer spectroscopic study of tricyclohexyltin isothiocyanate including the first observation of resolved ¹¹⁷,¹¹⁹Sn-¹⁴N coupling in an organotin compound, 875-8
- ISOTOPIC LABELLING**
- A structural and isotopic NO₂⁻ exchange rate comparison of *trans*-[Co(ao-H-aO)(NO₂)₂] and *cis*-[Co(Hao)₂(NO₂)₂], 1759-66
- KINETICS**
- The uncatalysed and copper(II) promoted hydrolysis of 4-nitrophenyl glycinate, 39-42
- A kinetic study of the gas-phase thermolysis of tetraborane(10), 81-90
- Kinetic and mechanistic studies on the reaction of dioxygen with hexa-aquamolybdenum(III), 157-64
- Solution dynamics of the reversible carbonyl-phosphorus ligand exchange in [(OC)₄Mo(μ -PEt₂)₂Mo(CO)₄]: kinetic parameters as

- a measure of the relative steric hindrance of phosphines and phosphites, 217-24
- Proton exchange and base-catalysed hydrolysis of some *trans*- and *cis*-dichloro(1,4,8,11-tetra-azacyclotetradecane) complexes of chromium(III), ruthenium(III), and rhodium(III), 427-32
- Solution chemistry of silver porphyrins. Oxidation of 5,10,15,20-tetra(3'-*N*-methylpyridinio)porphyrinatodisilver(I), 449-52
- Mechanisms and kinetics of the thermal decomposition of sodium sulphide pentahydrate under controlled water vapour pressure, 469-76
- Dynamics of the 9,10-dihydroanthracene type inversion of the six-membered palladacycle in chloro(ligand)(2-(2-pyridylmethyl)phenyl)palladium(II) complexes, 589-94
- Redox reactions of some iron(II), iron(III), and cobalt(III) picolinate complexes, 619-24
- Kinetics of hydration of calcium sulphate hemihydrate, 729-32
- A structural study of the complexation of the sodium ion by the cryptands 4,7,13,18-tetraoxa-1,10-diazabicyclo[8.5.5]icosane and 4,7,13-trioxa-1,10-diazabicyclo[8.5.5]icosane, 1075-80
- Kinetics and mechanism of the reaction between dimethyl sulphoxide and dichloro(pyridine-2-carboxylato)platinate(II) anion and the *cis-trans* isomerization of the products. X-Ray crystal structure of *trans*-(O,S)-chloro(dimethyl sulphoxide)(pyridine-2-carboxylato)platinum(II), 1101-6
- Kinetics of the displacement of chloroacetate ion from *cis*-bis(chloroacetato)bis(isopropylamine)platinum(II) and the (chloroacetato)(1,5-diamino-3-azapentane)platinum(II) cation, 1107-14
- Kinetics and mechanism of oxidation of hydrazine by tri-iodide ion in aqueous acidic media, 1189-92
- Laser flash photolysis study of the charge-transfer photochemistry of octacyanomolybdate(V) and octacyanotungstate(V) ions, 1217-24
- Salt and cosolvent effects on the sulphite-hexacyanoferrate(III) reaction, 1265-8
- Exchange kinetics of gold(II) phosphine complexes by nuclear magnetic resonance line shape analysis, 1297-300
- Kinetics and mechanism of the reduction of dodecatungstocobaltate(III) by oxalate. The catalytic role of alkali metal ions through outer-sphere bridging, 1301-4
- The preparation of *cis*-folded macrocyclic nickel(II) complexes and the kinetics of their base-catalysed conversion to planar species, 1485-90
- The mechanism of hydrogenation by aqueous chromium(II) ion of the carbon-carbon double bond of olefinic compounds with polar substituents, 1491-8
- Kinetics and equilibria of 1:1 complex formation of hexa-aquatitanium(III) with malonic and methylmalonic acid, 1693-6
- The oxovanadyl(IV) catalysed oxidation of adrenaline by molecular oxygen, 1833-8
- Synthesis, characterization, and kinetics of formation of [Cr(H₂PO₄)(H₂O)₃]²⁺, 1839-42
- Kinetics of the reduction of a tetra- μ -acetato-dirhodium cation by substituted 1,2- and 1,4-dihydroxybenzene compounds in aqueous perchlorate media, 1931-6
- A kinetic investigation of the base-catalysed deuterium-exchange reaction of tris(2,2'-bipyridine)osmium(II) ion in dimethyl sulphoxide solution, 1993-4
- Evidence for reaction at two binding sites in the oxidation of parsley plastocyanin by tris(1,10-phenanthroline)cobalt(III), 2007-10
- Effect of oxidation state of plastocyanin on the remote binding site pK_a, 2011-2
- Kinetic and equilibrium studies of the copper(II) promoted hydrolysis of salicyl phosphate. A rate acceleration of 10⁸ for the hydrolysis of a phosphate monoester dianion, 2029-34
- Specific effects of nucleophiles on the mercury(II)-assisted chloride aquation of the penta-amminechlorocobalt(III) cation and of the chloro(ethylenediamine)tetra-acetato(3-)-cobaltate(III) anion, 2049-54
- Kinetic, spectroscopic, and structural (extended X-ray absorption fine structure) studies on the type 1 blue copper protein umecyanin, 2063-8
- Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 12. Reactions of spinach plastocyanin with inorganic redox partners, 2069-74
- The relative nucleophilic efficiency of water and the thio-cyanate ion in the acid-catalysed substitution of azidopentacyanocobaltate(III), 2083-90

KINETICS (contd)

- Kinetics and mechanism of halide promoted migratory CO insertion of $\text{fac}[\text{FeMe}(\text{o-C}_6\text{H}_4(\text{AsMe}_2)_2)(\text{CO})_3]\text{ClO}_4$, 2137-44
- Substitution kinetics of $[\text{Os}_2(\text{CO})_{11}(\text{NCMe})]$ and $[\text{Os}_2(\text{CO})_{10}(\text{NCMe})_2]$, 2145-8
- Mechanisms of reactions of bases with $\text{trans}[\text{Mo}(\text{NNH}_2)\text{X}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]^+$ (X = F, Br, or $p\text{-MeC}_6\text{H}_4\text{SO}_3$), 2155-64
- Reactions of metal ions with triketones. Part 3. Kinetics and mechanisms of the reactions of nickel(II) and cobalt(II) with 1-phenylhexane-1,3,5-trione in methanol-water (70:30 v/v) solution, 2243-6
- Ring size effects on the chemical properties of tervalent nickel complexes with tetra-aza macrocyclic ligands in aqueous solutions. An electrochemical and pulse radiolysis study, 2509-14
- Mechanism of reactions of cobalt(II) protoporphyrin IX dimethyl ester in protic and aprotic, co-ordinating solvents, 2535-8
- Kinetics of the oxidation of water by silver(II) ions complexed with 2,2'-bipyridine in aqueous nitrate media, 2593-6
- Kinetics of the bromate-iodide-ascorbic acid clock reaction: different mechanism of the molybdenum and vanadium catalysis, 2675-80
- Mechanism of addition of 2-ethylpyridine to tricarbonyl(1-5- η -dienyl)iron(II) cations (dienyl = C_6H_5 , 2-MeOC₆H₄, or C_7H_9), 2707-10
- Ligand substitution kinetics in complexes of pyridine and pyrazine derivatives with pentacyanoruthenate(II), 2731-6

LABELLING

- Decomposition reactions of dimethyl-di- μ -methylene-bis(η -pentamethylcyclopentadienyl)dirhodium and their relation to the mechanism of the Fischer-Tropsch reactions; the formation of propylene from three C_1 ligands, 1565-76

LANTHANIDE

- Hydrazinium as a ligand: structural, thermal, spectroscopic, and magnetic studies of hydrazinium lanthanide di-sulphate monohydrates; crystal structure of the neodymium compound, 119-24
- Solution conformation of aqueous lanthanide(III)-antipyrine complexes, 1425-30
- Lanthanide complexes of 1,4,7,10-tetra-azacyclotridecane-1,4,7,10-tetra-acetic acid: proton nuclear magnetic resonance studies, 2395-8
- Complexation of lanthanides by linear polyethers in propylene carbonate: a 'crown-like' behaviour, 2497-500
- Thermodynamic parameters of the complexation of trivalent lanthanides by monocyclic and bicyclic cryptands and the tripodal ligand tris(3,6-dioxahexyl)amine in propylene carbonate, 2629-32

LEAD

- Preparation and X-ray diffraction data for the new pyrochlores $\text{Pb}_2[\text{M}_{0.33}\text{Sb}_{1.67}]\text{O}_{8.5}$ (M = Mg, Ni, Cu, or Zn), 1247-50

LIGAND CONSTANT

- Chatt's ligand constants: applicability and correspondence with Bursten's ligand additivity, 1907-12

LIGAND FIELD

- A cellular ligand-field study of the CuCl_4^{2-} ion in $\text{Cs}_2[\text{CuCl}_4]$, 1531-4

LITHIUM

- Bulky metal aryloxides, arylamides, and sulphur and phosphorus analogues. Part 1. Synthetic and chemical studies of titanium and zirconium aryloxides, 489-98
- High-field lithium-7 nuclear magnetic resonance spectroscopic and cryoscopic relative molecular mass studies on solutions of amido- and imido-lithium compounds, 557-64
- Reactivity of hexachlorocyclotriphosphazene towards alkyl-lithium reagents, 1269-76
- Bulky metal aryloxides, arylamides, and sulphur and phosphorus analogues. Part 1. Synthetic and chemical studies of titanium and zirconium aryloxides (1986, 489), 1311-2
- Reactivity of cyclothiaphosphazenes towards alkyl-lithium reagents, 1389-94
- Alkali-metal complexes with tris(2-diphenylphosphoryl)ethyl)amine. Crystal structures of $[\text{Li}_2\{\text{N}(\text{CH}_2\text{CH}_2\text{P}(\text{Ph})_2)_3\}_2]$, $[\text{Li}\{\text{N}(\text{CH}_2\text{CH}_2\text{P}(\text{Ph})_2)_3\}_2]\text{BPh}_4$ and $[\text{Na}\{\text{N}(\text{CH}_2\text{CH}_2\text{P}(\text{Ph})_2)_3\}(\text{H}_2\text{O})(\text{BuOH})]\text{BPh}_4$, 2075-82

LITHIUM-7

- High-field lithium-7 nuclear magnetic resonance spectroscopic and cryoscopic relative molecular mass studies on solutions of amido- and imido-lithium compounds, 557-64

LUMINESCENCE

- Luminescence spectra of the mixed complexes $[\text{TeCl}_2\text{Br}_{6-x}]^{2-}$, 921-4

LYSINE

- Binding equilibria and catalase-like reactivity of deuterioferrihaem-poly-L-lysine complexes, 333-6

MACROCYCLE

- Preparation and complexation of polydentate and macrocyclic ligands incorporating benzimidazole. X-Ray crystal structure of 6,7,9,10,12,13,15,16-octahydro-23H,25H-bis(benzimidazo[1,2- j :2,1'- o])[1,4,7,13,10,16]tetraoxadiazacyclo-octadecane, 47-54
- Solvated electrons and electron-cation aggregates in solutions of the alkali metals in 12-crown-4, 323-8
- Synthesis of the cage penta-azamacrocyclicalkane 12,17-dimethyl-1,5,9,12,17-penta-azabicyclo[7.5.5]nonadecane, its basicity, and metal complex formation. Crystal structure of the copper(II) perchlorate complex, 505-10
- The crystal structure of R,S,R,S -(1,4,8,11-tetramethyl-1,4,8,11-tetra-azacyclotetradecane)nickel(II) bis(trifluoromethanesulphonate)-acetone hydrate, $[\text{Ni}(\text{tmtactd})][\text{CF}_3\text{SO}_3]_2 \cdot \text{Me}_2\text{CO} \cdot \text{H}_2\text{O}$, and a strain-energy minimization analysis of four-, five-, and six-coordinate nickel(II)-tmtactd solvent complexes, 565-70
- Copper(II) complexes of pyrrole-containing Schiff-base macrocycles: crystal and molecular structures of a mononuclear macrocyclic complex, and of pyrrole-2,5-dicarbaldehyde, 693-700
- Synthesis and X-ray structural characterization of novel binuclear complexes of copper(II), nickel(II), and cobalt(II) with an octadentate ligand, N,N',N'',N''' -tetrakis(2-aminoethyl)-1,4,8,11-tetra-azacyclotetradecane, 953-60
- Synthesis of a pyridine-containing tetra-aza macrocycle, 7-methyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1), and characterisation of its nickel(II), copper(II), and zinc(II) complexes. Reduction of the pyridine ring of $[\text{Ni}(\text{L}^1)]^{2+}$ to give $[\text{Ni}(\text{L}^2)]^{2+}$ (L^2 = 7-methyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadecane), and characterisation of $[\text{Ni}(\text{L}^2)]^{2+}$ by X-ray crystallography, 985-90
- Quadridentate *versus* quinquedentate co-ordination of some N_3 and N_3O_2 macrocyclic ligands and an unusual thermally controlled quintet \rightleftharpoons singlet spin transition in an iron(II) complex, 991-6
- Molecular mechanics studies of the conformation of the macrocycle β -2,12-dimethyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1) in the free state and in a series of nickel complexes. Crystal and molecular structure of L^1 , 1081-6
- Dinuclear metal complexes. Part 4. Electrochemical studies of macrocyclic dicopper(II) complexes. Investigation of the effect of solvents, donor groups, and steric constraints on the stability of mixed-valence copper(II)-copper(I) complexes, 1175-80
- The preparation of *cis*-folded macrocyclic nickel(II) complexes and the kinetics of their base-catalysed conversion to planar species, 1485-90
- Stereochemical activity of lone pairs. The crystal and molecular structures of the salts of chloro(1,4,7,10,13,16-hexaoxacyclo-octadecane)tin(II). Calculation of macrocyclic cavity size by force field methods, 1543-50
- Second-sphere co-ordination of cationic rhodium complexes $[\text{Rh}(\text{L})(\text{NH}_3)_2]^+$ by dibenzo-3n-crown- n ethers [n = 6-12; L = cyclo-octa-1,5-diene (cod) or norbornadiene (nbd)]. Solution ^1H nuclear magnetic resonance spectroscopic studies and X-ray crystal structures of $[\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-21-c-7}][\text{PF}_6]$, $[\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-24-c-8}][\text{PF}_6]$, $[\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-30-c-10}][\text{PF}_6]$, $[\text{Rh}(\text{nbd})(\text{NH}_3)_2\text{-db-24-c-8}][\text{PF}_6]$, and $[\{\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-36-c-12}\}][\text{PF}_6]_2$, 1639-52
- Preparation of 1,4,8,11-tetrakis(2-pyridylmethyl)-1,4,8,11-tetra-azacyclotetradecane (L^1) and a binuclear complex with copper(II). X-Ray structure of $[\text{Cu}_2\text{L}^1\text{Br}_2][\text{ClO}_4]_2$, 1743-6
- Template preparation of a nickel(II) pyridinophane complex; crystal and molecular structure of *cis*-dichloro[2,11-dithia[3,3](2,6)pyridinophane]nickel(II), 1747-50
- Preparation and crystal structure of quasi-cylindrical crown ether complexes with dimethyl- and diethyl-thallium(III) perchlorates, 1767-70
- Synthesis and characterisation of azido- and thiocyanato-gallium(III) porphyrins. Crystal structure of azido-(2,3,7,8,12,13,17,18-octaethylporphyrinato)gallium(III), 1779-84
- Effects of macrocyclic ligand structure and axial ligand on the ligand-field spectra of tetra-azamacrocyclic copper(II) complexes in co-ordinating solvents, 1995-8
- X-Ray crystal structure of $[(1SR,4RS,7RS,8SR,11RS,14RS)-5,5,7,12,12,14\text{-hexamethyl-1,4,8,11-tetra-}$

MACROCYCLE (contd)

- azacyclotetradecane]thiocyanatocopper(II) perchlorate dihydrate, 1999-2002
- Electrochemistry of the manganese(III)-manganese(IV) 5,10,15,20-tetrakis(*p*-trimethylammoniophenyl)porphyrinate couple, 2297-302
- X-Ray crystal structure of the complex of 15-crown-5 (1,4,7,10,13-pentaoxacyclopentadecane) with diaquatetrachlorotin(IV) at 120 K, 2335-8
- Preparation, stereochemistry, and crystal structures of some complexes of the macrocycle 3,3,7,7,11,11,15,15-octamethyl-1,9-dithia-5,13-diazacyclohexadecane with Co^{II} , Ni^{II} , Cu^{I} , Cu^{II} , Zn^{II} , Rh^{III} , Ag^{I} , Cd^{II} , Pt^{II} , and Hg^{II} salts, 2351-60
- Lanthanide complexes of 1,4,7,10-tetra-azacyclotridecane-1,4,7,10-tetra-acetic acid: proton nuclear magnetic resonance studies, 2395-8
- The close equivalence to earlier reported methods of a recently reported method of calculating hole sizes in macrocyclic ligands: a comment, 2505-4
- The close equivalence to earlier reported methods of a recently reported method of calculating hole sizes in macrocyclic ligands: a reply, 2505-8
- Ring size effects on the chemical properties of trivalent nickel complexes with tetra-aza macrocyclic ligands in aqueous solutions. An electrochemical and pulse radiolytic study, 2509-14
- Tris(3,6-dioxahexyl)amine alkali-metal cation complexes. A fast atom bombardment mass spectrometry, infrared, and nuclear magnetic resonance study, 2525-8
- Mechanism of reactions of cobalt(II) protoporphyrin IX dimethyl ester in protic and aprotic, co-ordinating solvents, 2535-8
- Dimethylthallium(III) complex of a cylindrical crown ether: molecular structure of $[\text{Ti}(\text{CH}_3)_2(\text{L})]\text{ClO}_4$, 2613-6
- Thermodynamic parameters of the complexation of trivalent lanthanides by monocyclic and bicyclic cryptands and the tripodal ligand tris(3,6-dioxahexyl)amine in propylene carbonate, 2629-32
- MAGNESIUM**
- Axially asymmetric metal alkyls. Part 4. Synthesis and X-ray crystal structure of the tungsten(V) metallabicyclic complex $[\{\text{W}[(2-\text{CH}_2\text{C}_6\text{H}_4)_2\text{O}_2]_2\text{Mg}(\text{C}_4\text{H}_8\text{O})_4\}]\cdot\text{CH}_2\text{Cl}_2$, 789-94
- MAGNETISM**
- Crystal and molecular structure and magnetic properties of tris(di- μ -methoxy-bis[4,4,4-trifluoro-1-(2-thienyl)butane-1,3-dionato]dicopper(II)), 97-102
- The charge density in dichlorotetrakis(thiourea)nickel(II), $[\text{Ni}(\text{SC}(\text{NH}_2)_2)_4\text{Cl}_2]$: a contrast between spectroscopy and diffraction, 125-34
- Structural, spectroscopic, and magnetic properties of mono- and binuclear copper(II) complexes of *N*-(2-pyridinyl)ketoacetamides, 437-44
- Binuclear nickel(II) and cobalt(II) complexes of the novel binucleating ligand 3,6-bis(1'-pyrazolyl)pyridazine. Crystal and molecular structure and magnetism of bis[μ -3,6-bis(1'-pyrazolyl)pyridazine-*N*'(Ni^{I})(Ni^{II})(Ni^{I})(Ni^{II})]-bis[diaquanickel(II)] tetrachloride dihydrate, 625-32
- An antimony-121 Mössbauer and electron spin resonance study of some antimony-molybdenum-oxygen and antimony-tungsten-oxygen compounds, 853-8
- Synthesis and properties of tris(dithioacetate)vanadium(III), 887-90
- Quadridentate versus quinquedentate co-ordination of some N_2 and N_2O_2 macrocyclic ligands and an unusual thermally controlled quintet \rightleftharpoons singlet spin transition in an iron(II) complex, 991-6
- Spectroscopic and magnetic properties of $\text{Cu}_2(\text{terpy})\text{Cl}_4$ (terpy = 2,2':6,2'-terpyridine). A magnetic system constructed of two exchange-coupled dimers, 1061-4
- Spectroscopic and magnetic properties of $[\text{FeL}_2(\text{salacen})]\text{PF}_6$ (L = imidazole or *N*-methylimidazole): new examples of intermediate electronic relaxation between $S = \frac{1}{2}$ and $S = \frac{3}{2}$ states. X-Ray crystal structure of $[\text{Fe}(\text{Him})_2(\text{salacen})]\text{PF}_6$, 1115-24
- Synthesis, X-ray structure, and magnetic properties of di- μ -chloro-bis[*N*-(2-hydroxy-2-phenylethyl)salicylideneiminato-copper(II)], 1213-6
- Magnetic exchange interactions in perovskite solid solutions. Part 6. Iron-57 and tin-119 Mössbauer spectra of $\text{SrFe}_{1-x}\text{Sn}_x\text{O}_3$ ($0 \leq x \leq 0.7$), 1447-52
- Structure-magnetism correlation in dimeric copper(II) carboxylates: crystal and molecular structure of tetra- μ -(propanoate-*O,O'*)-

- bis[aquacopper(II)], 1653-8
- Crystal structure and magnetic properties of the alternating chain $[\text{Cu}_2(\text{cdta})]\cdot 4\text{H}_2\text{O}$, 1795-800
- The crystal and molecular structure of ferrocenium μ -oxo-bis[trichloroferrate(III)]: a product of reaction of ferrocene with iron(III) chloride, 1937-40
- Crystal structure and magnetic properties of dimeric [2-hydroxypropane-1,3-diylbis(3'-*t*-butyl-5'-methylsalicylideneiminato)]copper(II), 2169-72
- Magnetic and spectroscopic study of some binuclear and trinuclear cobalt(II) carboxylate complexes, 2211-4
- Iron complexes of *N*-substituted thiosalicylideneimines. Part 4. Preparation, structure, and reactivity of pentadentate [*N,N'*-4-azaheptane-1,7-diylbis(thiosalicylideneiminato)]iron(II) derivatives, 2271-6
- Synthesis, spectroscopic characterization, and magnetic properties of a mixed-valence copper(I,II) acetato complex with triphenylphosphine. Crystal structure of hexa- μ -acetato-tetrakis(triphenylphosphine)tetracopper(II), 2339-44
- Crystal structures and magnetism of binuclear copper(II) complexes with alkoxide bridges. Importance of orbital complementarity in spin coupling through two different bridging groups, 2633-40
- Magnetic and electrochemical studies on binuclear copper(II) complexes derived from 2,6-diacetyl-4-methylphenol: the X-ray and molecular structure of an acyclic, binuclear Schiff-base complex, 2681-90

MALEIC ACID

- The mechanism of hydrogenation by aqueous chromium(II) ion of the carbon-carbon double bond of olefinic compounds with polar substituents, 1491-8

MALONATE

- Thermal, spectroscopic, and structural properties of aqua(malonato-*O,O'*)(1,10-phenanthroline)copper(II) hydrate (1/1.5), 2519-24

MALONIC ACID

- Kinetics and equilibria of 1:1 complex formation of hexa-aquatitanium(III) with malonic and methylmalonic acid, 1693-6

MANGANESE

- Transition metal complexes with terminal or bridging imidato(1-) π ligands: X-Ray crystal structures of *trans*- $[\text{Ir}(\text{CO})(\text{NCOC}_2\text{F}_5\text{CO})(\text{PPh}_3)_2]$ and $[\{\text{Pd}(\text{o}-\text{C}_6\text{H}_4\text{CH}=\text{NPh})(\mu\text{-NCOC}_2\text{H}_4\text{CO})_2\}]\cdot\text{CH}_2\text{Cl}_2$. Spectroscopic studies of $[\text{Mn}(\text{CO})_5(\text{NCOC}_2\text{H}_4\text{CO})]$, and the nature of the metal-nitrogen bond, 813-20
- Synthesis of heterotrimetallic complexes containing M-Hg-Pt (M = Pt, Fe, Mn, or Co) arrays, 1011-4
- Synthesis and characterization of mono- and di-cyclometallated compounds of symmetric and asymmetric azines with palladium(II) and manganese(II). X-Ray crystal structure of $[\text{Mn}(\text{C}_6\text{H}_4\text{CH}=\text{N}-\text{N}-\text{CHPh})(\text{CO})_4]$, 1351-8
- Bimetallic systems. Part 15. Some reactions of platinum-manganese carbonyl complexes containing bridging $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ (dppm) ligands, 1815-20
- Electrochemistry of the manganese(III)-manganese(IV) 5,10,15,20-tetrakis(*p*-trimethylammoniophenyl)porphyrinate couple, 2297-302
- Tetraethyl diphosphite-bridged binuclear carbonyl derivatives of decacarbonyldimanganese and pentacarbonylmanganese halides, 2617-22

MASS SPECTROMETRY

- A kinetic study of the gas-phase thermolysis of tetraborane(10), 81-90
- Mass spectrometric studies on cyclo- and poly-phosphazenes. Part 5. Oligomerization of octachlorocyclotetraphosphazetetrane $\text{N}_4\text{P}_4\text{Cl}_8$, 905-10
- A reproducible synthesis of aquatris(triethylphosphine)platinum(II) hexafluorophosphate, 1055-6
- Tris(3,6-dioxahexyl)amine alkali-metal cation complexes. A fast atom bombardment mass spectrometry, infrared, and nuclear magnetic resonance study, 2525-8

MATRIX

- Some reactions of uranium chloride pentafluoride, 1289-96

MATRIX ISOLATION

- Characterisation of CrO_2Br_2 and CrO_3BrCl by matrix-isolation infrared spectroscopy, 1587-90
- Matrix-isolation studies on the vapourisation of arsenic(V) oxide: the characterisation of molecular species As_nO_x ($n = 7-10$) by infrared spectroscopy, 2725-30

MECHANISM

- Kinetic and mechanistic studies on the reaction of dioxygen with hexa-aquamolybdenum(III), 157-64
- Mechanism of the reaction of iron(III) dithiocarbamates with iodine, 365-8
- The electron-transfer properties of alkyne-bridged dipalladium complexes: synthesis and reactions of $[\text{Pd}_2(\mu\text{-PhC}_2\text{Ph})(\eta\text{-C}_5\text{Ph}_5)_2][\text{PF}_6]$, and comments on the mechanism of the oxidative cleavage of binuclear organotransition-metal complexes, 373-6
- Structure of a *cis*-dimetalla-alkene complex formed by the reaction of a ruthenium(II) complex with bis(phenylethynyl)mercury(II), 433-6
- Mechanisms and kinetics of the thermal decomposition of sodium sulphide pentahydrate under controlled water vapour pressure, 469-76
- Formation and decomposition of an α -alkoxyalkyl complex of palladium(II), 641-4
- Kinetics and mechanism of the reaction between dimethyl sulphoxide and dichloro(pyridine-2-carboxylato)platinate(II) anion and the *cis-trans* isomerization of the products. X-Ray crystal structure of *trans*-(O,S)-chloro(dimethyl sulphoxide)(pyridine-2-carboxylato)platinum(II), 1101-6
- Synthesis and interconversion of, and restricted rotation in, phenyl complexes of ruthenium(II), 1167-74
- Kinetics and mechanism of oxidation of hydrazine by tri-iodide ion in aqueous acidic media, 1189-92
- Kinetics and mechanism of the reduction of dodecatungstocobaltate(III) by oxalate. The catalytic role of alkali metal ions through outer-sphere bridging, 1301-4
- Mechanism of alkylation of alkylidiazido-complexes of molybdenum(II) and tungsten(II): influence of metal and co-ligands on the nucleophilicity of a diazenido-group, 1473-8
- The mechanism of hydrogenation by aqueous chromium(II) ion of the carbon-carbon double bond of olefinic compounds with polar substituents, 1491-8
- Synthesis, characterization, and kinetics of formation of $[\text{Cr}(\text{H}_2\text{PO}_4)(\text{H}_2\text{O})_5]^{2+}$, 1839-42
- Mechanisms of reactions of bases with *trans*- $[\text{Mo}(\text{NNH}_2)_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]^+$ ($X = \text{F}, \text{Br}, \text{or } p\text{-MeC}_6\text{H}_4\text{SO}_3$), 2155-64
- Reactions of metal ions with triketones. Part 3. Kinetics and mechanisms of the reactions of nickel(II) and cobalt(II) with 1-phenylhexane-1,3,5-trione in methanol-water (70:30 v/v) solution, 2243-6
- Mechanism of reactions of cobalt(II) protoporphyrin IX dimethyl ester in protic and aprotic, co-ordinating solvents, 2535-8
- Structure and fluxional behaviour of some aqua-complexes of rhodium(III) and iridium(III), 2545-50
- Mechanism of addition of 2-ethylpyridine to tricarbonyl(1-5- η -dienyl)iron(II) cations (dienyl = C_6H_7 , 2-MeOC₆H₆, or C_7H_9), 2707-10
- Ligand substitution kinetics in complexes of pyridine and pyrazine derivatives with pentacyanoruthenate(II), 2731-6

MELT

- Cobalt(II) halide complexes in aqueous ammonium nitrate-calcium nitrate melts: electronic spectra and solvent extraction, 1663-8

MERCAPTOMETHYLPIPERIDINE

- Metal complexes of sulphur-nitrogen ligands. Synthesis and characterization of palladium(II) complexes of 3-(mercaptomethyl)piperidine, 2021-4

MERCURY

- Structure of a *cis*-dimetalla-alkene complex formed by the reaction of a ruthenium(II) complex with bis(phenylethynyl)mercury(II), 433-6
- Synthesis of heterotrimetallic complexes containing M-Hg-Pt ($M = \text{Pt}, \text{Fe}, \text{Mn}, \text{or Co}$) arrays, 1011-4
- Synthetic, structural, and spectroscopic studies of the ligating properties of organic disulphides: X-ray structures of mercury(II) chloride-dimethyl disulphide (1/1) and triethylammonium trichloromercurate, 1251-6
- Heterocyclic nitrogen-containing electron-pair donor ligands: a thermochemical study of adducts with zinc, cadmium, and mercury chlorides, 1913-6
- Methyl- and phenyl-mercury(II) derivatives of 2-mercaptopyridine. Crystal and molecular structure of methyl(pyridine-2-thiolato)mercury(II), 1945-8
- Specific effects of nucleophiles on the mercury(II)-assisted chloride aequation of the penta-amminechlorocobalt(III) cation and of the

chloro[ethylenediaminetetra-acetato(3-)]cobaltate(III) anion, 2049-54

- Synthesis of the tridentate pyridine donor 2,6-bis[1-phenyl-1-(pyridin-2-yl)ethyl]pyridine (L), including separation of *meso* and *rac* diastereoisomers via methylmercury(II) derivatives, and an X-ray structural study of $[\text{HgMe}(\text{meso-L})]\text{NO}_3 \cdot 2\text{H}_2\text{O}$, 2201-4

Crystal and molecular structure of $[\text{H}_3\text{N}(\text{CH}_2)_2\text{NH}_2(\text{CH}_2)_2\text{NH}_2]_2\text{HgCl}_6$: a compound containing a discrete axially-compressed trigonal-bipyramidal pentachloromercurate anion, 2529-34

Anodically generated mercury(II) ion as indicator for metal-ligand formation equilibria, 2651-4

METALLADECABORANE

Comparative ten-vertex metallaborane chemistry: some *nido*-6-metalladecaboranes of tungsten, rhenium, ruthenium, osmium, and iridium; including the crystal and molecular structures of $[\text{6,6,6,6,6-(PMe}_2\text{Ph)}_5\text{H}_2\text{-nido-6-WB}_9\text{H}_{13}]$ and $[\text{6,6,6,6,6-(PMe}_2\text{Ph)}_5\text{-nido-6-OsB}_9\text{H}_{13}]$, 795-802

METHANOL

Electrocatalytic reduction of carbon dioxide to methanol. Part 2. Effects of metal complex and primary alcohol, 1519-24

METHOXIDE

Crystal and molecular structure and magnetic properties of tris[di- μ -methoxy-bis[4,4,4-trifluoro-1-(2-thienyl)butane-1,3-dionato]dicopper(II)], 97-102

Isolation and crystal structure of $[\text{NHMe}_3]_2[\text{ZrCl}_4(\text{OMe})(\text{MeOH})]\text{Cl}$. The first example of a linear zirconium-methoxide bond: structural and bonding implications, 2493-6

Crystal structures and magnetism of binuclear copper(II) complexes with alkoxide bridges. Importance of orbital complementarity in spin coupling through two different bridging groups, 2633-40

METHOXYCARBONYL

Tributyltin(IV) penta(methoxycarbonyl)cyclopentadienides $[\text{SnBu}_3\text{L}_2]^+[\text{C}_5(\text{CO}_2\text{Me})_5]^-$. X-Ray crystal structure of the diaquatributyltin(IV) salt, $[\text{SnBu}_3(\text{OH})_2][\text{C}_5(\text{CO}_2\text{Me})_5]$, and electron spin resonance spectrum of the radical $\text{C}_5(\text{CO}_2\text{Me})_5^\cdot$, 1873-8

METHYL

- N,N*-Dimethyl(trimethylsilyl)amine: crystal and molecular structure at 116 K and gas phase structure by electron diffraction, 91-6
- Binuclear methylplatinum(II) complexes. The molecular structure and fluxional behaviour of the face-to-face dimer $[\text{Pt}_2\text{I}_2\text{Me}_2(\mu\text{-Me}_2\text{PCH}_2\text{PMe}_2)_2]$, 151-6
- Synthesis, spectroscopic, and structural studies of dimethylthallium(III) complexes containing heterocyclic nitrogen-donor ligands, including $^{\text{TIC}}\text{N}_2\text{O}_2$ and $^{\text{TIC}}\text{C}_2\text{O}_6$ geometries, 939-46
- Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(IV) complexes. Part 6. Synchronous pyramidal inversion of chalcogen atoms in $[(\text{PtXMe}_3)_2(\text{ECH}_2\text{CMe}_2\text{CH}_2\text{E})]$ complexes ($\text{E} = \text{S or Se}$; $\text{X} = \text{Cl, Br, or I}$), 961-6
- The reactions of some methylphosphorus(V) compounds with 25 oleum and 100% H_2SO_4 , 1443-6
- Decomposition reactions of dimethyl-di- μ -methylene-bis(η -pentamethylcyclopentadienyl)dirhodium and their relation to the mechanism of the Fischer-Tropsch reactions; the formation of propylene from three C₁ ligands, 1565-76
- Synthesis, spectroscopic, and structural studies of the methylpalladium(II) complexes $[(\text{PdMe}(\text{SMe}_2)\text{X})_2]$ ($\text{X} = \text{Cl, Br, or I}$); crystal structure of *trans*- $[(\text{PdMe}(\text{SMe}_2)(\mu\text{-Cl}))_2]$, 1731-4
- Methyl- and phenyl-mercury(II) derivatives of 2-mercaptopyridine. Crystal and molecular structure of methyl(pyridine-2-thiolato)mercury(II), 1945-8
- Synthesis of the tridentate pyridine donor 2,6-bis[1-phenyl-1-(pyridin-2-yl)ethyl]pyridine (L), including separation of *meso* and *rac* diastereoisomers via methylmercury(II) derivatives, and an X-ray structural study of $[\text{HgMe}(\text{meso-L})]\text{NO}_3 \cdot 2\text{H}_2\text{O}$, 2201-4
- Sterically hindered metal alkenyls. Part 2. Synthesis and properties of tin(IV) alkenyls: stereochemical features and energetics of isomerisation of $\text{SnMe}_2[\text{C}(\text{C}_6\text{H}_7)=\text{CMe}_2]_2$, 2321-4
- Dimethylthallium(III) complex of a cylindrical crown ether: molecular structure of $[\text{Ti}(\text{CH}_3)_2(\text{L})]\text{ClO}_4$, 2613-6

METHYLAMINE

The methylamine analogues of Wolfram's red and Reihlen's green: syntheses, infrared, electronic, Raman, and resonance-Raman spectroscopy, and X-ray crystal structures of chain chlorine- and

Trisubstituted Group 6 metal carbonyl complexes with di-2-pyridylamine ligands. Crystal structures of (2,2'-bipyridyl-*N,N'*)tricarbonyl(di-2-pyridylamine-*N'*)-molybdenum(0) and -tungsten(0). 759-64

MOLYBDENUM (contd)

- Condensation of *o*-phenylenediamine and phthalaldehyde using molybdenum(0) as template. Isolation and crystal and molecular structure of an intermediate molybdenum complex with an η^2 -bonded aldehydic group, 879-82
- Five-co-ordinate nitrosyl thiolato-complexes of molybdenum and tungsten. The preparation and X-ray crystal structures of $[\text{NHEt}_2][\text{Mo}(\text{SPh})_4(\text{NO})]$, $[\text{PPh}_4][\text{WCl}(\text{SPh})_3(\text{NO})]$, and $[\text{Mo}(\text{SC}_2\text{H}_5\text{Pr}^1, 2, 4, 6)_2(\text{NH}_3)(\text{NO})]$, 967-74
- Reactions of co-ordinated ligands. Part 37. Synthesis and structure of the dimolybdenum μ -allylidene complex $[\text{Mo}_2(\mu\text{-}\sigma\text{-}\eta^3\text{-CHCHCMe}_2)(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$; formation and crystal structure of the oxo- μ -allylidene complex $[\text{Mo}_2\text{O}(\mu\text{-}\sigma\text{-}\eta^3\text{-CHCHCMe}_2)(\mu\text{-CO})(\text{CO})(\eta\text{-C}_5\text{H}_5)_2]$. Thermal rearrangement to alkynyl and 1,3-diene dimolybdenum species and structure of $[\text{Mo}_2(\mu\text{-}\eta^3\text{-CCHCMeCH}(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2)]$, 1021-30
- The molecular structure of $[\text{Mo}(\text{CO})_2\text{H}(\eta\text{-C}_5\text{Me}_5)]$ and its conversion to $[\text{Mo}(\text{CO})_2\text{Cl}(\eta\text{-C}_5\text{Me}_5)]$ and $[\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)]_2[\text{Mo}(\text{CO})_2(\eta\text{-C}_5\text{Me}_5)]$, 1041-4
- Electron spin resonance studies of one-electron reduction products of nickel(II) and palladium(II) complexes containing tetrathiomolybdate, tetrathiotungstate, and dialkylthiocarbamate ligands, $[\text{M}(\text{M}'\text{S}_4)(\text{R}_2\text{NCS}_2)]_2^{2-}$ ($\pi = 0-2$, $\text{M} = \text{Ni}$ or Pd , $\text{M}' = \text{Mo}$ or W), 1065-74
- Catecholato complexes of ruthenium, iridium, rhenium, molybdenum, and tungsten, 1125-8
- The anion of pyrimidine-2-thiol as a ligand to molybdenum, tungsten, and iron. Preparation of complexes, their structures and reactivity, 1181-8
- Laser flash photolysis study of the charge-transfer photochemistry of octacyanomolybdate(V) and octacyanotungstate(V) ions, 1217-24
- Synthesis, crystal structure, and spectroscopic properties of $[\text{Mo}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_4][\text{BF}_4]_2$, $[\text{Rh}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_4][\text{BF}_4]_2$, and $[\text{Rh}_2(\text{O}_2\text{CMe})_2(\text{MeCN})(\text{py})_2][\text{BF}_4]_2$, 1257-64
- Molybdenum-95 and carbon-13 nuclear magnetic shielding and bonding relationships in sandwich complexes, 1313-6
- Tertiary phosphine aluminohydride complexes of chromium-, molybdenum-, and tungsten(II), 1329-32
- Mechanism of alkylation of alkylidene-complexes of molybdenum(II) and tungsten(II): influence of metal and co-ligands on the nucleophilicity of a diazenido-group, 1473-8
- Bis-organoamide complexes of nitrosyltris(3,5-dimethylpyrazolyl)borato-molybdenum and -tungsten. The crystal and molecular structure of $[\text{Mo}(\text{NO})(\text{HB}(\text{Me}_2\text{pz})_3)(\text{NHBU}^t)]$, 1525-30
- Preparation of *mer*- $[\text{Mo}(\text{N}_2)_3(\text{PPr}^t_2\text{Ph})_3]$ from *trans*- $[\text{Mo}(\text{N}_2)_2(\text{PPr}^t_2\text{Ph})_4]$; its X-ray crystal structure, spectroscopic properties, and protonation to give ammonia, 1591-4
- Raman, resonance Raman, and infrared spectroscopic study of complexes containing copper(I)-tetrathio-molybdate(VI) and -tungstate(VI) anions, 1595-602
- Preparation and studies of paramagnetic diene complexes of molybdenum(III); molecular and electronic structures of $[\text{MoCl}_2(\eta\text{-C}_4\text{H}_8)(\eta\text{-C}_3\text{H}_5)]$ and $[\text{Mo}_2(\mu\text{-Cl})(\mu_3\text{-O})(\mu_3\text{-}\sigma\text{-}\eta^2\text{-}\eta^2\text{-C}_6(\text{CF}_3)_4)(\eta\text{-C}_5\text{H}_5)_2]$, 1677-88
- Instant ligands. Part 1. Preparation of some bidentate fluorophosphine ligands derived from straight chain organic substrates, and their reactions to form molybdenum complexes, 1689-92
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 46. Synthesis of heteronuclear trimetal compounds from the dimetallic compounds $[\text{ReM}(\equiv\text{CC}_6\text{H}_4\text{Me}_4)(\text{CO})_5]$ ($\text{M} = \text{Cr}$, Mo , or W) and $[\text{CoW}(\equiv\text{CC}_6\text{H}_4\text{Me}_4)(\text{CO})_5]$; X-ray structure of $[\text{CrReFe}(\mu_3\text{-CC}_6\text{H}_4\text{Me}_4)(\mu\text{-CO})(\text{CO})_4]$, 1723-30
- On the identification of molybdophosphate complexes in aqueous solution, 1825-32
- A potentiometric, spectrophotometric, and calorimetric investigation of molybdenum(VI)-oxalate complex formation, 1857-62
- Electrochemistry of dinuclear, thiolato-bridged transition-metal compounds. Part 1. Electrochemical behaviour of $[(\eta^3\text{-C}_5\text{H}_5)(\text{CO})_2\text{M}(\mu\text{-SR})\text{W}(\text{CO})_2]$ ($\text{R} = \text{Me}$, $\text{M} = \text{Mo}$ or W ; $\text{R} = \text{Ph}$, $\text{M} = \text{W}$) complexes in non-aqueous media, 1917-22
- Electrochemistry of dinuclear, thiolato-bridged transition-metal compounds. Part 2. Reductive electrochemistry of metal-metal bonded complexes $[(\eta^3\text{-C}_5\text{H}_5)(\text{CO})_2\text{M}(\mu\text{-SMe})\text{W}(\text{CO})_2\text{L}]$ [$\text{L} = \text{CO}$ or $\text{P}(\text{OMe})_3$], 1923-30
- Reactions of co-ordinated ligands. Part 38. The reactions of 1,2-dienes, 1,3-dienes, and alkynes with the μ -allylidene complex $[\text{Mo}_2(\mu\text{-}\sigma\text{-}\eta^3\text{-CHCHCMe}_2)(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$; molecular structures of $[\text{Mo}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)(\mu\text{-}\eta^3\text{-CH}_2\text{C}(\text{CH}_3)\text{CHCHCMe}_2)\text{Mo}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$, $[\text{Mo}_2(\mu\text{-}\eta^3\text{-CMe}_2\text{CHCHCHC}(\text{Bu}^t)\text{CO})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)_2]$ and $[\text{Mo}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)(\mu\text{-}\eta^3\text{-C}(\text{Me})\text{C}(\text{Me})\text{C}(\text{O})\text{CHCHCMe}_2)\text{Mo}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$, 1971-82
- (η^2 -Acetonitrile)bis(η^3 -cyclopentadienyl)molybdenum(II): the first structurally characterized complex containing an η^2 -nitrile ligand, 2017-20
- Reactions of the metallabromoalkane $[\text{Mo}\{(\text{CH}_2)_3\text{Br}\}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$ and the carbene complexes *trans*- $[\text{Mo}\{=\text{C}(\text{CH}_2)_3\text{O}\}(\text{CO})_2(\eta\text{-C}_5\text{H}_5\text{R})]$ ($\text{R} = \text{H}$ or Me) with $\text{Li}(\text{BEt}_3\text{H})$. The synthesis ($\text{R} = \text{H}$ or Me) and X-ray structure ($\text{R} = \text{Me}$) of $[\text{Mo}\{\text{CH}(\text{CH}_2)_3\text{O}\}(\text{CO})_2(\eta\text{-C}_5\text{H}_5\text{R})]$ containing an unusual oxygen-molybdenum donor interaction, 2119-26
- Syntheses and reactions of acyclic and cyclic carbene complexes *cis*- $[\text{Ml}(\text{CMeNHMe})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$ ($\text{M} = \text{Mo}$ or W) and *cis*- $[\text{Ml}\{\text{C}(\text{CH}_2)_3\text{NMe}\}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$ ($\text{M} = \text{Mo}$, $n = 3$ or 4 ; $\text{M} = \text{W}$, $n = 3$) obtained through alkyl migration to methyl isocyanide co-ordinated to molybdenum or tungsten. X-Ray structure of *cis*- $[\text{Mo}\{\text{C}(\text{CH}_2)_3\text{NMe}\}(\text{CO})_2(\eta\text{-C}_5\text{H}_5)]$, 2127-36
- Mechanisms of reactions of bases with *trans*- $[\text{Mo}(\text{NNH}_3\text{X})(\text{Ph}_3\text{PC}_6\text{H}_5)_2\text{PPh}_2]_2^+$ ($\text{X} = \text{F}$, Br , or $p\text{-MeC}_6\text{H}_4\text{SO}_3$), 2155-64
- Dioxygen activation in the photochemistry of some oxo-metalloporphyrin complexes, 2311-4
- Molybdenum-mediated methoxycarbonylation of propargyl halides: molecular and crystal structure of the vinylmolybdenum(II) complex $[\text{Mo}(\text{bipy})(\text{CO})_2(\text{C}_6\text{H}_5\text{O}_2)(\text{py})]\text{BF}_4$, 2405-10
- Co-ordinatively unsaturated alkynyl complexes of molybdenum and tungsten: reactions and dynamic nuclear magnetic resonance studies of $[\text{M}(\text{SC}_6\text{F}_5)(\text{CO})(\text{CF}_3\text{C}\equiv\text{CCF}_3)(\eta^2\text{-C}_5\text{H}_5)]$ ($\text{M} = \text{Mo}$ or W) complexes, 2423-32
- Di-iodine oxidation of molybdenum(0)- η^4 -arene complexes. New results on molybdenum(II) and tungsten(II) carbonyl derivatives; crystal structures of $[\text{Ml}(\text{CO})_2(\eta^6\text{-C}_6\text{H}_5\text{Me}_3\text{-1,3,5})][\text{M}_2\text{I}_2(\text{CO})_6]$ ($\text{M} = \text{Mo}$ or W) and $[\text{Ml}(\text{CO})_2(\eta^6\text{-C}_6\text{Me}_6)][\text{M}_2\text{I}_2(\text{CO})_6]$, 2569-80
- Kinetics of the bromate-iodide-ascorbic acid clock reaction: different mechanism of the molybdenum and vanadium catalysis, 2675-80

MOLYBDENUM-95

Molybdenum-95 and carbon-13 nuclear magnetic shielding and bonding relationships in sandwich complexes, 1313-6

MÖSSBAUER

Organyltellurium(IV) and -(II) dithiocarbamates: crystal and molecular structure of dimethylthiocarbamate(2-phenylazophenyl-*C,N'*)tellurium(II), 771-6

Tin-119 and nitrogen-14 nuclear magnetic resonance and tin-119 variable-temperature Mössbauer spectroscopic study of tricyclohexyltin isothiocyanate including the first observation of resolved ^{119}Sn - ^{14}N coupling in an organotin compound, 875-8

Quadridentate versus quinque-dentate co-ordination of some N_3 and N_3O_2 macrocyclic ligands and an unusual thermally controlled quintet \rightleftharpoons singlet spin transition in an iron(II) complex, 991-6

Spectroscopic and magnetic properties of $[\text{FeL}_2(\text{salacen})]\text{PF}_6$ ($\text{L} = \text{imidazole}$ or *N*-methylimidazole): new examples of intermediate electronic relaxation between $S = \frac{1}{2}$ and $S = \frac{3}{2}$ states. X-Ray crystal structure of $[\text{Fe}(\text{Him})_2(\text{salacen})]\text{PF}_6$, 1115-24

Mössbauer spectra at 77 K of products formed during transformation of $\text{Fe}(\text{OH})_2$ to Fe_3O_4 in aqueous suspension by air oxidation, 1243-6

Magnetic exchange interactions in perovskite solid solutions. Part 6. Iron-57 and tin-119 Mössbauer spectra of $\text{SrFe}_{1-x}\text{Sn}_x\text{O}_{3-y}$ ($0 \leq x \leq 0.7$), 1447-52

The crystal and molecular structure of ferrocenium μ -oxo-bis(trichloroferrate(III)): a product of reaction of ferrocene with iron(III) chloride, 1937-40

MYOCRISIN

Complexation of gold(I) thiomalate ('Myocrisin') with 1,3-

MYOCRISIN (contd)

diazinane-2-thione in aqueous solution followed by ^{13}C nuclear magnetic resonance spectroscopy, 1049–50

NEODYMIUM

Hydrazinium as a ligand: structural, thermal, spectroscopic, and magnetic studies of hydrazinium lanthanide di-sulphate monohydrates; crystal structure of the neodymium compound, 119–24

NEOPENTYL

Neopentyl and trimethylsilylmethyl compounds of rhodium(III) and iridium(III) with *ortho*-metallated triphenylphosphine. X-Ray crystal structure of $[\text{Ir}(\text{C}_6\text{H}_4\text{PPh}_2)(\text{CH}_2\text{SiMe}_3)(\eta^3\text{-C}_3\text{Me}_5)]$, 803–12

NEPTUNIUM

Actinide structural studies. Part 8. Some new oxygen-donor complexes of trichloro(cyclopentadienyl)neptunium(IV); the crystal structure of trichloro(η^5 -cyclopentadienyl)bis(methyldiphenylphosphine oxide)neptunium(IV), 783–8

Actinide structural studies. Part 10. A mixed oxidation state neptunyl chloride: crystal structure of $\text{Cs}_2[\text{Np}^{\text{IV}}\text{O}_2][\text{Np}^{\text{V}}\text{O}_2]\text{Cl}_{12}$, 1403–4

NEUTRON DIFFRACTION

Very short OHO hydrogen bonds in a binuclear transition-metal complex. Neutron-diffraction study at 120 K of $[\text{Co}_2(\text{H}_2\text{N}(\text{CH}_2)_2\text{OH})_2(\text{H}_2\text{N}(\text{CH}_2)_2\text{O})_2][\text{ClO}_4]_2 \cdot 0.5\text{H}_2\text{O}$, 651–6
Evidence for carbon-hydrogen-titanium interactions: synthesis and crystal structures of the agostic alkyls $[\text{TiCl}_3(\text{Me}_2\text{PCH}_2\text{CH}_2\text{PMe}_2)_2\text{R}]$ (R = Et or Me), 1629–38
A neutron diffraction study $[\text{N}(\text{PPh}_3)_2]^+[\text{B}_2\text{H}_7]^- \cdot \text{CH}_2\text{Cl}_2$ at 80 K, 1753–8

NICKEL

Homogeneous catalysis on metal clusters. The isomerization and selective hydrogenation of dienes, alkenes, and alkynes in the presence of $[(\eta\text{-C}_5\text{H}_5)_2\text{NiOs}(\mu\text{-H})_2(\text{CO})_2]$ and $[(\eta\text{-C}_5\text{H}_5)_2\text{NiOs}(\mu\text{-H})_2(\text{CO})_2\text{L}]$ [L = PPh₃ or $\text{P}(\text{C}_6\text{H}_4\text{Me-}o)_2$]. Spectroscopic identification of the reaction intermediates and X-ray structure of $[\text{Os}_2(\mu\text{-H})(\text{CO})_6(\text{MeCCHCMe})]$, 23–30
The charge density in dichlorotetrakis(thiourea)nickel(II), $[\text{Ni}(\text{SC}(\text{NH}_2)_2)_4\text{Cl}_2]$: a contrast between spectroscopy and diffraction, 125–34
Co-ordination chemistry of higher oxidation states. Part 17. Synthesis and properties of nickel(IV) complexes with neutral ligands, and structures of $[\text{Ni}(\text{O-C}_6\text{H}_4(\text{EMe}_2)_2)_2\text{Cl}_2][\text{ClO}_4]_2$ (E = P or As; $n = 1$ or 2) by nickel K-edge extended X-ray absorption fine structure, 317–22

The crystal structure of *R,S,R,S*-(1,4,8,11-tetramethyl-1,4,8,11-tetraazacyclotetradecane)nickel(II) bis(trifluoro-methanesulphonate)-acetone hydrate, $[\text{Ni}(\text{tmtactd})][\text{CF}_3\text{SO}_3]_2 \cdot \text{Me}_2\text{CO} \cdot \text{H}_2\text{O}$, and a strain-energy minimization analysis of four-, five-, and six-coordinate nickel(II)-tmtactd solvent complexes, 565–70
Binuclear nickel(II) and cobalt(II) complexes of the novel binucleating ligand 3,6-bis(1'-pyrazolyl)pyridazine. Crystal and molecular structure and magnetism of $[\text{Ni}(\mu\text{-3,6-bis}(1'\text{-pyrazolyl})\text{pyridazine-}N^1(\text{Ni}^1)N^2(\text{Ni}^1)N^2(\text{Ni}^2)N^2(\text{Ni}^2)] \cdot 2\text{H}_2\text{O}$, 625–32
Synthesis and X-ray structural characterization of novel binuclear complexes of copper(II), nickel(II), and cobalt(II) with an octadentate ligand, *N,N',N'',N'''*-tetrakis(2-aminoethyl)-1,4,8,11-tetra-azacyclotetradecane, 953–60

Synthesis of a pyridine-containing tetra-aza macrocycle, 7-methyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1), and characterisation of its nickel(II), copper(II), and zinc(II) complexes. Reduction of the pyridine ring of $[\text{Ni}(\text{L}^1)]^{2+}$ to give $[\text{Ni}(\text{L}^2)]^{2+}$ ($\text{L}^2 = 7\text{-methyl-3,7,11,17-tetra-azabicyclo}[11.3.1]\text{heptadecane}$), and characterisation of $[\text{Ni}(\text{L}^1)]^{2+}$ by X-ray crystallography, 985–90
Electron spin resonance studies of one-electron reduction products of nickel(II) and palladium(II) complexes containing tetrathiomolybdate, tetrathiotungstate, and dialkylthiocarbamate ligands, $[\text{M}(\text{M}'\text{S}_4\text{O}_6)(\text{R}_2\text{NCS})_2]^{2-}$ ($n = 0-2$, M = Ni or Pd, M' = Mo or W), 1065–74

Molecular mechanics studies of the conformation of the macrocycle β -2,12-dimethyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1) in the free state and in a series of nickel complexes. Crystal and molecular structure of L^1 , 1081–6
The crystal structure and reactivity of $[(\eta\text{-C}_6\text{H}_5)_2\text{NiOs}(\mu\text{-H})_2(\text{CO})_4(\text{PPh}_3\text{H})]$. ^1H and ^{31}P nuclear magnetic resonance spectroscopic characterization of $[(\eta\text{-C}_5\text{H}_5)_2\text{NiOs}(\mu\text{-H})_2(\mu\text{-H})_2(\text{CO})_4(\text{PPh}_3\text{H})]$ and related complexes, 1135–40

The preparation of *cis*-folded macrocyclic nickel(II) complexes and the kinetics of their base-catalysed conversion to planar species, 1485–90

A cellular ligand-field study of the CuCl_4^{2-} ion in $\text{Cs}_2[\text{CuCl}_4]$, 1531–4

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 45. Synthesis of the pentanuclear metal complexes $[\text{M}'\text{M}_2\text{Re}_2(\mu\text{-CC}_6\text{H}_4\text{Me-4})_2(\text{CO})_{18}]$ (M' = Ni or Pt, M = Cr or W) and related compounds; X-ray crystal structure of $[\text{ReWPt}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_9(\text{PMe}_3)_2]$, 1717–22

Template preparation of a nickel(II) pyridinophane complex; crystal and molecular structure of *cis*-dichloro[2,11-dithia[3,3](2,6)pyridinophane]nickel(II), 1747–50

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 47. Synthesis of tri-, tetra-, and penta-heteronuclear metal cluster compounds involving tungsten with platinum or nickel: crystal structures of the compounds $[\text{Pt}_2\text{W}_2(\mu\text{-CR})_2(\text{CO})_4(\text{cod})_2(\eta\text{-C}_5\text{H}_5)_2]$ and $[\text{Pt}_2\text{W}_2(\mu\text{-CR})_2(\mu\text{-CR})(\text{CO})_4(\eta\text{-C}_5\text{H}_5)_2]$ (R = $\text{C}_6\text{H}_4\text{Me-4}$, cod = cyclo-octa-1,5-diene), 2091–104

A potentiometric and spectroscopic study of the interaction of the N terminal tetrapeptide fragment of fibrinopeptide A with Cu^{II} and Ni^{II} , 2221–6

Reactions of metal ions with triketones. Part 3. Kinetics and mechanisms of the reactions of nickel(II) and cobalt(II) with 1-phenylhexane-1,3,5-trione in methanol-water (70:30 v/v) solution, 2243–6

Thiosemicarbazones as co-ordinating agents. Solution chemistry and X-ray structure of pyridoxal thiosemicarbazone trihydrate and spectroscopic properties of its metal complexes, 2455–62

Ring size effects on the chemical properties of trivalent nickel complexes with tetra-aza macrocyclic ligands in aqueous solutions. An electrochemical and pulse radiolysis study, 2509–14

Complex formation equilibria between 2-amino-*N*-hydroxyacetamide and 2-amino-*N*-hydroxypentamide and cobalt(II), nickel(II), copper(II), and hydrogen ions in aqueous solutions, 2587–92

Crystal structure of $[\text{Ni}_2\text{Ru}_3(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_9(\mu\text{-PPh})]$, an open square-pyramidal cluster obtained via condensation of co-ordinatively unsaturated $[\text{Ru}_3(\mu\text{-H})(\text{CO})_9(\mu\text{-PPh}_2)]$ with $[\text{Ni}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_2]$, 2737–40

NICOTINAMIDE

Di- and tri-azabicyclo[3.3.1]non-2-ene-2-carboxamide: hydrogen bonding between ligand fluoride and lattice water, 313–6

NITRATE

Some substituted urea complexes of thorium tetranitrate; crystal structure of tetra(nitrate-*O,O'*)bis(tetramethylurea-*O*)-thorium(IV), $[\text{Th}(\text{NO}_3)_4(\text{OC}(\text{NMe}_2)_2)_2]$, 615–8

Cobalt(II) halide complexes in aqueous ammonium nitrate-calcium nitrate melts: electronic spectra and solvent extraction, 1663–8

Lewis base adducts of Group II metal compounds. Part 24. Coordination of triphenylphosphine with silver nitrate. A solid-state cross-polarization magic angle spinning ^{31}P nuclear magnetic resonance, crystal structure, and infrared spectroscopic study of $\text{Ag}(\text{PPh}_3)_2\text{NO}_3$ ($n = 1-4$), 1965–70

Reaction of NO_2 with palladium(II) and platinum(II) aryl complexes; the crystal structure of *trans*- $[\text{Pd}(\text{ONO}_2)_2(\text{OPPh}_3)(\text{PPh}_3)]$, 2055–62

NITRITE

A structural and isotopic NO_2^- exchange rate comparison of *trans*- $[\text{Co}(\text{ao-H-ao})(\text{NO}_2)_2]$ and *cis*- $[\text{Co}(\text{Hao})_2(\text{NO}_2)_2]\text{NO}_3$, 1759–66

NITROGEN

Mass spectrometric studies on cyclo- and poly-phosphazenes. Part 5. Oligomerization of octachlorocyclophosphazetetrane $\text{N}_4\text{P}_4\text{Cl}_8$, 905–10

Reactivity of hexachlorocyclophosphazene towards alkyl-lithium reagents, 1269–76

Azidolysis patterns of $(\text{NPCl}_2)_3$ and $(\text{NPCl}_2)_4$; crystal structures of *trans*- $\text{N}_3\text{P}_3(\text{NC}_2\text{H}_4)_2\text{Cl}_4$ and 2, *trans*-4- $\text{N}_4\text{P}_4(\text{NC}_2\text{H}_4)_2\text{Cl}_6$, 1317–28

Reactivity of cyclothiophosphazenes towards alkyl-lithium reagents, 1389–94

Electron spin resonance study of $\text{CH}_3\text{CNSSN}^{\cdot-}$, $\text{C}_6\text{H}_5\text{CNSSN}^{\cdot-}$, and $\text{SNSSN}^{\cdot-}$ free radicals, 1465–72

Determination of the bonding preference of borane (BH_3) toward aminoarsines by multinuclear nuclear magnetic resonance spectroscopy, 2345–8

NITROGEN (contd)

Poly(sulphur nitride): an assessment of the synthesis from trichlorocyclotri(azathiene) and trimethylsilyl azide, 2371-80

NITROGEN-14

Tin-119 and nitrogen-14 nuclear magnetic resonance and tin-119 variable-temperature Mössbauer spectroscopic study of tricyclohexyltin isothiocyanate including the first observation of resolved $^{117,119}\text{Sn}$ - ^{14}N coupling in an organotin compound, 875-8

NITROGEN DIOXIDE

Reaction of NO_2 with palladium(II) and platinum(II) aryl complexes; the crystal structure of *trans*- $[\text{Pd}(\text{ONO})_2(\text{OPPh}_3)(\text{PPh}_3)]$, 2055-62

NITROGEN OXIDE

Insertion of nitrogen oxide into a zirconium-carbon bond: reaction of dialkylbis(cyclopentadienyl)zirconium(IV) complexes with nitrogen oxide, 445-8

NITROPHENYL

Synthesis and reactivity of bis(*o*-nitrophenyl)platinum. X-Ray crystal and molecular structure of $[\text{Pt}(\text{O}-\text{C}_6\text{H}_4\text{N}(\text{O})\text{O})(\text{O}-\text{C}_6\text{H}_4\text{NO}_2)(\text{PPh}_3)]$, 2215-20

NITROPHENYL GLYCINATE

The uncatalysed and copper(II) promoted hydrolysis of 4-nitrophenyl glycinate, 39-42

NITROSYL

Cationic allyldinitrosyl complexes of iron, 459-62

Molybdenum and tungsten nitrosyl complexes containing bulky alkoxy, aryloxy, and arylamido ligands: their electrochemical behaviour and the structure of

$[\text{Mo}(\text{HB}(\text{Me}_2\text{pz})_2)(\text{NO})(\text{OCH}_2\text{CH}_2\text{CH}_2\text{Br})]$, 733-42

Formation of N-C bonds via alkylation of transition metal nitrosyls. Reaction of ruthenium and other transition metal nitrosyls with benzyl bromide, 743-50

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 42. Synthesis of the compounds $[\text{N}(\text{PPh}_3)_2][\text{Fe}_2\text{W}(\mu-\text{CO})(\mu-\text{NO})(\mu-\text{CR})(\text{CO})_6(\eta-\text{C}_5\text{H}_5)]$ ($\text{R} = \text{Me}$ or $\text{C}_6\text{H}_4\text{Me}$) and the X-ray crystal structure of the tolylmethylidene complex, 869-74

Ruthenium nitrosyl complexes with simple and with sterically demanding aromatic thiolate ligands: X-ray crystal structures of $[\text{PPh}_3][\text{Re}_2(\text{SC}_6\text{H}_4\text{Me}_4)(\text{NO})_2]\cdot\text{CH}_2\text{Cl}_2$ and $[\text{Re}(\text{SC}_6\text{H}_3\text{Pr}^2_2)_2(\text{NO})]$ (1985, 1533), 903-4

Five-co-ordinate nitrosyl thiolato-complexes of molybdenum and tungsten. The preparation and X-ray crystal structures of

$[\text{NH}_4][\text{Mo}(\text{SPh})_4(\text{NO})]$, $[\text{PPh}_4][\text{WCl}(\text{SPh})_3(\text{NO})]$ and $[\text{Mo}(\text{SC}_6\text{H}_3\text{Pr}^2_2)_2(\text{NO})]$, 967-74

Bis-organoborane complexes of nitrosyl[tris(3,5-dimethylpyrazolyl)borato]-molybdenum and -tungsten. The crystal and molecular structure of

$[\text{Mo}(\text{NO})(\text{HB}(\text{Me}_2\text{pz})_2)(\text{NHBu}^t)_2]$, 1525-30

Iridium nitrosyl and carbonyl complexes with 2-pyridinecarbaldehyde, 2669-74

NITROSYLHYDROXYLAMIDE

Insertion of nitrogen oxide into a zirconium-carbon bond: reaction of dialkylbis(cyclopentadienyl)zirconium(IV) complexes with nitrogen oxide, 445-8

N.M.R.

Reaction intermediates of *cis*-diammineaqua(hydroxo)platinum(II) with guanosine 5'-monophosphate characterized by proton nuclear magnetic resonance spectroscopy, 135-40

Fluxional characteristics of palladium(II) halide complexes of cyclic selenoethers. A dynamic nuclear magnetic resonance study, 205-12

Synthesis and characterisation of tungsten and rhenium aluminopolyhydrides: X-ray crystal structures of $(\text{Me}_3\text{P})_3\text{H}_3\text{W}(\mu-\text{H})_2\text{Al}(\text{H})(\mu-\text{OBu})_2\text{Al}(\text{H})(\mu-\text{H})_2\text{WH}_3(\text{PMe}_2)_3$ and $(\text{Me}_3\text{P})_3\text{H}_3\text{W}(\mu-\text{H})_2\text{Al}(\text{H})(\mu-\text{H})_2\text{WH}_3(\text{PMe}_2)_3$, 279-86

Solvated electrons and electron-cation aggregates in solutions of the alkali metals in 12-crown-4, 323-8

Synthesis of $[\text{Re}(\eta-\text{C}_5\text{H}_5)(\eta^5-\text{C}_5\text{H}_5)]$, $[\text{Re}(\eta-\text{C}_5\text{H}_5)(\eta^5-\text{C}_5\text{H}_5)(\text{H})\text{BF}_4]$ and $[\text{Re}(\eta-\text{C}_5\text{H}_5)(\eta^5-\text{C}_5\text{H}_5)(\text{Ph})]$ using rhenium atoms: characterization by application of a modified heteronuclear ^{13}C - ^1H J-resolved two-dimensional nuclear magnetic resonance experiment, 343-6

Contrasts in the hydrolysis of VOCl_3 and $\text{VO}(\text{NO}_3)_3$: a multinuclear magnetic resonance study, 369-72

Cationic allyldinitrosyl complexes of iron, 459-62

Eleven-vertex *isocloso* type rhodaundecaboranes: crystal structures and nuclear magnetic resonance properties of

$[(\text{PMe}_2\text{Ph})_2\text{RhHB}_{10}\text{H}_9(\text{OMe})_2]$ and $[(\text{PMe}_2\text{Ph})_2\text{RhHB}_{10}\text{H}_9\text{Cl}(\text{OMe})]$, 517-24

Pentamethylcyclopentadienylrhodaborane chemistry. Part 1. High-yield planned synthesis, molecular structure, and nuclear magnetic resonance properties of the ten-vertex *nido*-6-rhodaundecaborane $[(\eta^5-\text{C}_5\text{Me}_5)\text{RhB}_{10}\text{H}_{13}]$, 547-52

High-field lithium-7 nuclear magnetic resonance spectroscopic and cryoscopic relative molecular mass studies on solutions of amido- and imido-lithium compounds, 557-64

Stereochemistry and stereodynamics of η^6 -hexaethylbenzene transition metal complexes. Crystal and molecular structure of dicarbonyl(η^6 -hexaethylbenzene)(η^2 -maleic anhydride)molybdenum(0), 577-88

Dynamics of the 9,10-dihydroanthracene type inversion of the six-membered palladacycle in chloro(ligand)[2-(2'-pyridylmethyl)phenyl]palladium(II) complexes, 589-94

The reaction of $[\text{Os}_3(\text{CO})_{10}(\text{MeCN})_2]$ with heterocyclic thioamides. The crystal and molecular structure of $[\text{Os}_3(\mu-\text{H})(\text{CO})_{10}(\mu-\text{SC}_6\text{H}_4\text{NCH}_2\text{CH}_2\text{S})]$, 633-40

The synthesis, structural and spectroscopic studies of $[\text{Ru}_2\text{Rh}_2\text{H}_2(\text{CO})_{12}]$, 681-6

Fluxionality and bonding in formamidine and formamidinate complexes of Pt^{II} and Pd^{II} containing the 2,6-bis[(dimethylamino)methyl]phenyl ligand: a proton nuclear magnetic resonance study with X-ray crystal structures of $[\text{Pt}(\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_2)_2]\cdot 2.6$ [$\text{p}-\text{MeC}_6\text{H}_4\text{N}=\text{CHN}(\text{H})\text{C}_6\text{H}_4\text{Me}$] $[\text{CF}_3\text{SO}_3]$ and $[\text{Pt}(\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_2)_2]\cdot 2.6$ [$\text{p}-\text{MeC}_6\text{H}_4\text{N}=\text{CHNC}_6\text{H}_4\text{Me}$] $[\text{p}^-]$, 717-24

Vanadium(V) fluoride complexes in organic solvents. A vanadium-51 and fluorine-19 nuclear magnetic resonance study, 751-4

Comparative ten-vertex metallaborane chemistry: some *nido*-6-metalladecaboranes of tungsten, rhenium, ruthenium, osmium, and iridium; including the crystal and molecular structures of $[\text{6,6,6,6-(PMe}_2\text{Ph)}_2\text{H}_2\text{-nido-6-WB}_{10}\text{H}_{13}]$ and $[\text{6,6,6-(PMe}_2\text{Ph)}_2\text{-nido-6-OsB}_{10}\text{H}_{13}]$, 795-802

Tin-119 and nitrogen-14 nuclear magnetic resonance and tin-119 variable-temperature Mössbauer spectroscopic study of tricyclohexyltin isothiocyanate including the first observation of resolved $^{117,119}\text{Sn}$ - ^{14}N coupling in an organotin compound, 875-8

Relative stabilities of *trans*-dichloro(olefin)(pyridine)platinum(II) complexes. Re-examination of Hammett equation for *para*-substituted styrene complexes, 891-4

Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(IV) complexes. Part 6. Synchronous pyramidal inversion of chalcogen atoms in

$[(\text{PtXMe}_2)_2(\text{ECH}_2\text{CMe}_2\text{CH}_2\text{E})]$ complexes ($\text{E} = \text{S}$ or Se ; $\text{X} = \text{Cl}$, Br , or I), 961-6

Co-ordination chemistry of higher oxidation states. Part 18. Bidentate selenoether complexes of the tetravalent platinum metals. Crystal and molecular structure of $[\text{Pt}(\text{O}-\text{C}_6\text{H}_4(\text{SeMe})_2)_2\text{Cl}_2]$, 1003-10

High-resolution solid-state platinum-195 nuclear magnetic resonance, 1015-20

Complexation of gold(I) thiomate ('Myocrisin') with 1,3-diazinane-2-thione in aqueous solution followed by ^{13}C nuclear magnetic resonance spectroscopy, 1049-50

A structural study of the complexation of the sodium ion by the cryptands 4,7,13,18-tetraoxa-1,10-diazabicyclo[8.5.5]icosane and 4,7,13-trioxa-1,10-diazabicyclo[8.5.5]icosane, 1075-80

The crystal structure and reactivity of $[(\eta-\text{C}_5\text{H}_5)\text{NiOs}_2(\mu-\text{H})_2(\text{CO})_2(\text{PPh}_2\text{H})]$: ^1H and ^{31}P nuclear magnetic resonance spectroscopic characterization of $[(\eta-\text{C}_5\text{H}_5)\text{NiOs}_2(\mu-\text{H})_2(\mu-\text{HgBr})(\text{CO})_2(\text{PPh}_2\text{H})]$ and related complexes, 1135-40

Synthesis and interconversion of, and restricted rotation in, phenyl complexes of ruthenium(II), 1167-74

Solid-state aluminium-27 nuclear magnetic resonance chemical shift and quadrupole coupling data for condensed AlO_4 tetrahedra, 1277-82

Exchange kinetics of gold(I) phosphine complexes by nuclear magnetic resonance line shape analysis, 1297-300

Molybdenum-95 and carbon-13 nuclear magnetic shielding and bonding relationships in sandwich complexes, 1313-6

Tertiary phosphine aluminohydride complexes of chromium-, molybdenum-, and tungsten(II), 1329-32

Reactions of halogenohydridobis(triethylphosphine)platinum(II) with trihalogenophosphines: some unusual complexes of Pt^{II} containing five-co-ordinated phosphorus, 1333-8

Interactions between phenothiazine drugs and metal ions. Part 2.

N.M.R. (contd)

- Crystal and molecular structure of protonated trichloro[2-chloro-10-(3'-dimethylaminopropyl)phenothiazine-5]palladium(II), [Pd(cpzH)Cl₃]; hydrogen-1 and carbon-13 nuclear magnetic resonance data for the chlorpromazine complexes [M(cpzH)Cl₃] (M = Pd or Pt), 1347-50
- Ligand fluxionality in close-packed rhodium carbonyl clusters, 1375-82
- Vanadium-51 nuclear magnetic resonance study of sulphido- and oxosulphido-vanadate(V) species, 1405-10
- Solution conformation of aqueous lanthanide(III)-antipyrine complexes, 1425-30
- The reactions of some methylphosphorus(V) compounds with 25 oleum and 100% H₂SO₄, 1443-6
- Carbon-13 nuclear magnetic resonance study of ternary complexes involving zinc(II) and triethylenetetramine, 1499-504
- Carbon-13 nuclear magnetic resonance study of complexes involving zinc(II) and 2,2',2''-triiminotriethylamine, 1505-12
- Preparation of *mer*-[Mo(N₂)₃(PPR⁺₂Ph)₃] from *trans*-[Mo(N₂)₃(PPR⁺₂Ph)₃]; its X-ray crystal structure, spectroscopic properties, and protonation to give ammonia, 1591-4
- Second-sphere co-ordination of cationic rhodium complexes [Rh(L)(NH₃)₂]⁺ by dibenzo-3*n*-crown-*n* ethers [*n* = 6-12; L = cyclo-octa-1,5-diene (cod) or norbornadiene (nbd)]. Solution ¹H nuclear magnetic resonance spectroscopic studies and X-ray crystal structures of [Rh(cod)(NH₃)₂-db-21-c-7][PF₆], [Rh(cod)(NH₃)₂-db-24-c-8][PF₆], [Rh(cod)(NH₃)₂-db-30-c-10][PF₆], [Rh(nbd)(NH₃)₂-db-24-c-8][PF₆], and [(Rh(cod)(NH₃)₂)₂-db-36-c-12][PF₆]₂, 1639-52
- Preparation and crystal structure of quasi-cylindrical crown ether complexes with dimethyl- and diethyl-thallium(III) perchlorates, 1767-70
- On the identification of molybdophosphate complexes in aqueous solution, 1825-32
- Cyano derivatives of some organochlorophosphate(V) ions, 1843-8
- Nuclear magnetic resonance of binuclear complexes containing a metallocyclopentadiene system, 1863-6
- Synthesis, molecular structures, and nuclear magnetic resonance properties of the macropolyhedral metallaboranes [(PMe₂Ph)₄Pt₃B₄H₁₆] and [(PMe₂Ph)PtB₄H₁₀(PMe₂Ph)], and a discussion of the bonding at platinum in these and some related platinaborane clusters, 1879-94
- The synthesis, X-ray crystal structure, and solution characterization of a bis(diphosphine)-bridged dirhodium(I) complex containing a Rh₂P₄ six-membered ring, 1895-900
- Tris-μ-bis(diphenylphosphino)methane]-diplatinum(0), 1955-64
- Lewis base adducts of Group 11 metal compounds. Part 24. Co-ordination of triphenylphosphine with silver nitrate. A solid-state cross-polarization magic angle spinning ³¹P nuclear magnetic resonance, crystal structure, and infrared spectroscopic study of Ag(PPh₃)NO₃ (*n* = 1-4), 1965-70
- Synthesis of the new bidentate tellurium ligands, (p-EtOC₆H₄)Te(CH₂)₂Te(C₆H₄OEt-*p*) (*n* = 1, 5, 6, 7, 9, or 10), 2003-6
- Carbon-13 nuclear magnetic resonance studies of synthetic [Fe₂S₄(SR)₄]²⁻ iron-sulphur clusters, 2013-6
- Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(IV) complexes. Part 7. Intramolecular rearrangements in complexes of tris(methylthio)methane, 2173-80
- Triquaheicosatungstodiphosphate(6-) heteropolyanion, [P₂W₂₁O₇₁(OH)₂]₆²⁻; X-ray crystallographic and ¹⁸³W nuclear magnetic resonance structural studies, 2237-42
- Magic-angle spinning phosphorus-31 nuclear magnetic resonance of polycrystalline sodium phosphates, 2247-52
- The temperature dependence of ²⁹Si nuclear magnetic resonance linewidths in aqueous silicate solutions and their effect on exchange rate determinations, 2265-70
- Preparation and nuclear magnetic resonance properties of eleven-vertex *closa*-type osmaundecaboranes and the X-ray crystal structure of the *ortho*-cycloboronated compound [2,5-(OEt)₂-1-(PPh₃)-1-(*o*-Ph₂PC₂H₄)*closa*-1-OsB₁₀H₇-3], 2277-82
- Determination of the bonding preference of borane (BH₃) toward aminoarines by multinuclear nuclear magnetic resonance spectroscopy, 2345-8
- Lanthanide complexes of 1,4,7,10-tetra-azacyclotridecane-1,4,7,10-tetra-acetic acid: proton nuclear magnetic resonance studies, 2395-8
- Chemistry of tetrairidium carbonyl clusters. Part 1. Synthesis, chemical characterization, and nuclear magnetic resonance study of mono- and di-substituted phosphine derivatives. X-Ray crystal structure determination of the diaxial isomer of [Ir₄(CO)₇(μ-CO)₂(Me₂PCH₂CH₂PMe₂)], 2411-22
- Co-ordinatively unsaturated alkyl complexes of molybdenum and tungsten: reactions and dynamic nuclear magnetic resonance studies of [M(SC₆F₅)(CO)(CF₃C≡CCF₃)(η⁵-C₅H₅)] (M = Mo or W) complexes, 2423-32
- Synthesis, reactions, and nuclear magnetic resonance studies of some substituted *arachno*-decaborane and *arachno*-nonaborane derivatives, and the isolation of novel polyhedral diplatinaboranes. Crystal and molecular structure of [Pt₂(PMe₂Ph)₂(η²-B₂H₂)(η³-B₃H₃)], 2433-42
- η-Arene-rhenium chemistry: activation of *sp*³ carbon-hydrogen bonds of alkylbenzenes by rhenium; formation of binuclear μ-alkylidene derivatives, 2469-76
- Arene-osmium chemistry: synthesis *via* osmium atoms of [Os(η⁶-C₆H₆)(η⁴-C₆H₆)], [Os(η⁶-C₆H₆Me₂-1,3,5)]₂(μ-H)₂(μ-CH(C₆H₄Me₂-3,5))], [Os(η⁶-C₆H₆Me₂-1,3,5)]₂(μ-CHC₆H₄Me₂-3,5)], and [Os(η⁶-C₆H₆)₂](μ₂-(CH₂)₂CH(μ-H))], X-Ray crystal structure of [(Os(η⁶-C₆H₆Me₂-1,3,5)]₂(μ-CHC₆H₄Me₂-3,5)], 2477-84
- Tetra-alkylammonium fluorides and chlorides in glacial acetic acid solution: nuclear magnetic resonance studies, deuterium fractionation factors (φ), and anion hydrogen bonding, 2641-4
- X-Ray crystallographic and tungsten-183 nuclear magnetic resonance structural studies of the [M₄(H₂O)₂(XW₉O₃₄)₂]¹⁰⁻ heteropolyanions (M = Co^{II} or Zn, X = P or As), 2699-706
- NORBORNADIENE**
- Second-sphere co-ordination of cationic rhodium complexes [Rh(L)(NH₃)₂]⁺ by dibenzo-3*n*-crown-*n* ethers [*n* = 6-12; L = cyclo-octa-1,5-diene (cod) or norbornadiene (nbd)]. Solution ¹H nuclear magnetic resonance spectroscopic studies and X-ray crystal structures of [Rh(cod)(NH₃)₂-db-21-c-7][PF₆], [Rh(cod)(NH₃)₂-db-24-c-8][PF₆], [Rh(cod)(NH₃)₂-db-30-c-10][PF₆], [Rh(nbd)(NH₃)₂-db-24-c-8][PF₆], and [(Rh(cod)(NH₃)₂)₂-db-36-c-12][PF₆]₂, 1639-52
- NUCLEATION**
- Kinetics of hydration of calcium sulphate hemihydrate, 729-32
- NUCLEOSIDE**
- Metal complexes of uridine in solution, 2331-4
- NUCLEOTIDE**
- Interaction of metal ions with 2'-deoxyribonucleotides. Crystal and molecular structure of a cobalt(II) complex with 2'-deoxyinosine 5'-monophosphate, 309-12
- OCTADIENEDIYLIDENE**
- Reactions of co-ordinated ligands. Part 36. The synthesis, structure, and reactivity of the three-alkyne 'fly-over' complex [Mo₂(μ-σ,η²:η²:σ-C₆Me₆)(η³-C₉H₇)₂]; formation and structure of [Mo₂(μ-σ,η²:η²:σ-C₆Me₆)(CO)₂(η³-C₉H₇)₂], 657-68
- OLEFIN**
- Relative stabilities of *trans*-dichloro(olefin)(pyridine)platinum(II) complexes. Re-examination of Hammett equation for *para*-substituted styrene complexes, 891-4
- OLEUM**
- The reactions of some methylphosphorus(V) compounds with 25 oleum and 100% H₂SO₄, 1443-6
- OLIGOMERIZATION**
- Mass spectrometric studies on cyclo- and poly-phosphazenes. Part 5. Oligomerization of octachlorocyclotetraphosphazetetraene N₄P₄Cl₈, 905-10
- OSMIUM**
- Spectroscopic studies on adsorbed metal carbonyls. Part 3. Interaction of [Os₂(CO)₁₂] with silica, alumina, and titania, 7-14
- Homogeneous catalysis on metal clusters. The isomerization and selective hydrogenation of dienes, alkenes, and alkynes in the presence of [(η-C₅H₅)NiOs₂(μ-H)₂(CO)₂] and [(η-C₅H₅)NiOs₂(μ-H)₂(CO)₂][L] [L = PPh₃H or P(C₆H₄Me-*o*)₃]. Spectroscopic identification of the reaction intermediates and X-ray structure of [Os₂(μ-H)(CO)₉(MeCCHCMe)], 23-30
- Tertiary phosphine aluminohydride complexes of ruthenium(II) and osmium(II), 287-90
- Reactions of [Os₂(CO)₁₂] with diphosphines; synthesis, reactivity, and the X-ray crystal structure of [Os₂(CO)₁₂](Ph₂P(CH₂)₂PPh₂)], 453-6
- Chemistry of the unsaturated cluster compound [Os₂Pt(μ-H)₂(CO)₁₀][P(cyclo-C₆H₁₁)₃]; X-ray crystal structures of [Os₂Pt(μ-H)₂(CO)₁₁][P(cyclo-C₆H₁₁)₃], [Os₂Pt(μ-

OSMIUM (contd)

- $\text{H}_4(\text{CO})_{10}[\text{P}(\text{cyclo-C}_6\text{H}_{11})_3]$, and $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\mu\text{-CH}_2)(\text{CO})_{10}[\text{P}(\text{cyclo-C}_6\text{H}_{11})_3]]$ (two isomers) (1985, 177), 463-4
- Doubly and triply bridged dihapto phenylethynyl triosmium clusters by oxidative addition of phenylethynyl gold compounds. X-Ray crystal structure of $[\text{Os}_3(\text{C}\equiv\text{CPh})\{\text{Au}(\text{PMe}_2\text{Ph})\}(\text{CO})_{10}]$, 543-6
- The reaction of $[\text{Os}_3(\text{CO})_{10}(\text{MeCN})_2]$ with heterocyclic thioamides. The crystal and molecular structure of $[\text{Os}_3(\mu\text{-H})(\text{CO})_{10}(\mu\text{-SC=NCH}_2\text{CH}_2\text{S})]$, 633-40
- The syntheses and X-ray structure analyses of the heteronuclear monoanions $[\text{Os}_{10}\text{Cl}(\text{CO})_{24}\text{Cu}(\text{NCMe})]^-$ and $[\text{Os}_{10}\text{Cl}(\text{CO})_{24}\text{Au}(\text{PPh}_3)]^-$ as their $[\text{PPh}_3\text{Me}]^+$ salts, 975-80
- Co-ordination chemistry of higher oxidation states. Part 18. Bidentate selenoether complexes of the tetravalent platinum metals. Crystal and molecular structure of $[\text{Pt}(\text{o-C}_6\text{H}_4(\text{SeMe})_2)\text{Cl}_2]$, 1003-10
- Studies on transition-metal oxo and nitrido complexes. Part 8. Reactions of osmium oxo-imido complexes with alkenes, 1035-40
- The crystal structure and reactivity of $[(\eta\text{-C}_6\text{H}_5)\text{NiOs}_3(\mu\text{-H})_3(\text{CO})_9(\text{PPh}_2\text{H})]$; ^1H and ^{31}P nuclear magnetic resonance spectroscopic characterization of $[(\eta\text{-C}_6\text{H}_5)\text{NiOs}_3(\mu\text{-H})_2(\mu\text{-HgBr})(\text{CO})_9(\text{PPh}_2\text{H})]$ and related complexes, 1135-40
- The reactions of the tri- μ -hydroxo-bis $[\eta^6\text{-p-cymeneosmium(II)}]$ cation with aldehydes and acids and the homogeneously catalysed oxidation of acetaldehyde and propionaldehyde with water. X-Ray structure of $[(\mu\text{-MeC}_6\text{H}_4\text{CHMe}_2)_2\text{Os}_2(\mu\text{-HCO}_2)(\mu\text{-OH})(\mu\text{-H})][\text{PF}_6]$, 1155-60
- Synthesis and characterization of high-nuclearity osmium-platinum cluster compounds. The molecular structures of $[\text{Os}_6\text{Pt}_2(\text{CO})_{18}(\text{C}_6\text{H}_{12})_2]$ and $[\text{Os}_6\text{Pt}_2(\text{CO})_{18}(\text{C}_6\text{H}_{12})\{\text{P}(\text{OMe})_3\}_2]$ (C_6H_{12} = cyclo-octa-1,5-diene), 1395-402
- Trimethylenemethane metal complexes. Part 1. Synthesis of ruthenium, osmium, rhodium, and iridium complexes, 1411-8
- Carbon-sulphur and carbon-hydrogen bond cleavages in the reactions of phenyl vinyl sulphide with triosmium clusters: crystal structure determination of $[\text{Os}_3(\mu\text{-SPh})(\mu\text{-CH-CH}_2)(\text{CO})_{10}]$, 1431-6
- Chelation of vinyl acetate and related unsaturated ketones: molecular structure of $[\text{Os}_3(\text{CO})_{10}(\text{CH}_2=\text{CHOCOMe})]$, 1437-42
- X-Ray structure analysis of the salts $[\text{N}(\text{PPh}_3)_2][\text{M}_2\text{H}_3(\text{CO})_{12}]$ ($\text{M} = \text{Ru}$ or Os); confirmation of the existence of discrete structural isomers for a hydrido-carbonyl cluster in the solid state, 1557-64
- Nuclear magnetic resonance of binuclear complexes containing a metallacyclopentadiene system, 1863-6
- A kinetic investigation of the base-catalysed deuterium-exchange reaction of tris(2,2'-bipyridine)osmium(II) ion in dimethyl sulphoxide solution, 1993-4
- Substitution kinetics of $[\text{Os}_3(\text{CO})_{11}(\text{NCMe})]$ and $[\text{Os}_3(\text{CO})_{10}(\text{NCMe})_2]$, 2145-8
- Reversible carbon-nitrogen bond formation in the isomerisation of triosmium compounds derived from *t*-butyldiazomethane (Bu^tCHN_2); the X-ray crystal structure of $[\text{Os}_3\text{H}_2(\text{Bu}^t\text{CH=NNCO})(\text{CO})_9(\text{PMe}_2\text{Ph})]$, 2259-64
- Preparation and nuclear magnetic resonance properties of eleven-vertex *closa*-type osmaundecaboranes and the X-ray crystal structure of the *ortho*-cycloborated compound $[2,5\text{-(OEt)}_2\text{-1-(PPh}_3\text{)-1-(o-Ph}_2\text{PC}_6\text{H}_4\text{)-closa-1-OsB}_{10}\text{H}_7\text{-3}]$, 2277-82
- Arene-osmium chemistry: synthesis via osmium atoms of $[\text{Os}(\eta^6\text{-C}_6\text{H}_4(\eta^6\text{-C}_6\text{H}_4))]$, $[\text{Os}(\eta^6\text{-C}_6\text{H}_4\text{Me}_3\text{-1,3,5})_2(\mu\text{-CH}(\text{C}_6\text{H}_4\text{Me}_3\text{-3,5}))]$, $[\text{Os}(\eta^6\text{-C}_6\text{H}_4\text{Me}_3\text{-1,3,5})_2(\mu\text{-CHC}_6\text{H}_3\text{Me}_2\text{-3,5})]$, and $[\text{Os}(\eta^6\text{-C}_6\text{H}_4)_2(\mu_3\text{-(CH}_2)_3\text{CH})(\mu\text{-H})]$. X-Ray crystal structure of $[\text{Os}(\eta^6\text{-C}_6\text{H}_4\text{Me}_3\text{-1,3,5})_2(\mu\text{-CHC}_6\text{H}_3\text{Me}_2\text{-3,5})]$, 2777-84
- A general route for the synthesis of tetranuclear clusters containing closed triruthenium and triosmium triangles, 2515-8
- Alkyl compounds of ruthenium(III) and (IV) and osmium(III). X-Ray crystal structures of hexakis(trimethylsilylmethyl)- and hexakis(neopentyl)-diruthenium(III), dioxohexakis(trimethylsilylmethyl)diruthenium(V), and bis(η^3 -allyl)tetrakis(neopentyl)diosmium(III), 2711-20
- OXALATE**
Kinetics and mechanism of the reduction of dodecatungstocobaltate(III) by oxalate. The catalytic role of alkali metal ions through outer-sphere bridging, 1301-4
- A potentiometric, spectrophotometric, and calorimetric investigation of molybdenum(VI)-oxalate complex formation, 1857-62
- OXAPENTENONE**
Chelation of vinyl acetate and related unsaturated ketones: molecular structure of $[\text{Os}_3(\text{CO})_{10}(\text{CH}_2=\text{CHOCOMe})]$, 1437-42
- OXIDATION**
Solution chemistry of silver porphyrins. Oxidation of 5,10,15,20-tetra(3'-*N*-methylpyridinio)porphyrinatodisilver(I), 449-52
- The reactions of the tri- μ -hydroxo-bis $[\eta^6\text{-p-cymeneosmium(II)}]$ cation with aldehydes and acids and the homogeneously catalysed oxidation of acetaldehyde and propionaldehyde with water. X-Ray structure of $[(\mu\text{-MeC}_6\text{H}_4\text{CHMe}_2)_2\text{Os}_2(\mu\text{-HCO}_2)(\mu\text{-OH})(\mu\text{-H})][\text{PF}_6]$, 1155-60
- Kinetics and mechanism of oxidation of hydrazine by tri-iodide ion in aqueous acidic media, 1189-92
- Mössbauer spectra at 77 K of products formed during transformation of $\text{Fe}(\text{OH})_2$ to Fe_3O_4 in aqueous suspension by air oxidation, 1243-6
- The oxovanadyl(IV) catalysed oxidation of adrenaline by molecular oxygen, 1833-8
- OXIDATION POTENTIAL**
Electrochemical oxidation of monosubstituted chromium carbonyl complexes. Ligand and solvent effects, 1867-72
- Chatt's ligand constants: applicability and correspondence with Bursten's ligand additivity, 1907-12
- OXIDE**
Spectroscopic studies on adsorbed metal carbonyls. Part 3. Interaction of $[\text{Os}_3(\text{CO})_{12}]$ with silica, alumina, and titania, 7-14
- First synthesis and structural assessment of alkali-metal carbonatodioxoperoxovanadate(VI) monohydrates, $\text{A}_2[\text{UO}_2(\text{O}_2)(\text{CO}_3)]\cdot\text{H}_2\text{O}$, and carbonato-oxodiperoxovanadate(V) trihydrates, $\text{A}_3[\text{VO}(\text{O}_2)_2(\text{CO}_3)]\cdot 3\text{H}_2\text{O}$, 709-12
- Studies on transition-metal oxo and nitrido complexes. Part 8. Reactions of osmium oxo-imido complexes with alkenes, 1035-40
- Halogeno-oxodiantimon(III)ates, 1239-42
- Mössbauer spectra at 77 K of products formed during transformation of $\text{Fe}(\text{OH})_2$ to Fe_3O_4 in aqueous suspension by air oxidation, 1243-6
- Preparation and X-ray diffraction data for the new pyrochlores $\text{Pb}_2[\text{M}_{0.33}\text{Sb}_{1.67}\text{O}_{6.33}]$ ($\text{M} = \text{Mg}, \text{Ni}, \text{Cu}, \text{or Zn}$), 1247-50
- Solid-state aluminium-27 nuclear magnetic resonance chemical shift and quadrupole coupling data for condensed AlO_4 tetrahedra, 1277-82
- Rhenium complexes with di- and tri-thiolate ligands. The synthesis and X-ray crystal structures of square pyramidal $[\text{PPh}_4][\text{ReO}(\text{SCH}_2\text{CH}_2\text{S})_2]$ and $[\text{NMe}_4][\text{ReS}(\text{SCH}_2\text{CH}_2\text{S})_2]$ and trigonal prismatic $[\text{PPh}_4][\text{Re}(\text{SCH}_2\text{CH}_2\text{S})_3]$, 1339-46
- Vanadium-51 nuclear magnetic resonance study of sulphido- and oxosulphido-vanadate(V) species, 1405-10
- Magnetic exchange interactions in perovskite solid solutions. Part 6. Iron-57 and tin-119 Mössbauer spectra of $\text{SrFe}_{1-x}\text{Sn}_x\text{O}_{3-x}$ ($0 \leq x \leq 0.7$), 1447-52
- Characterisation of CrO_2Br_2 and CrO_2BrCl by matrix-isolation infrared spectroscopy, 1587-90
- Mixed tri- and bi-dentate Schiff-base complexes of technetium(V) and rhenium(V). The crystal structure of *N*-(2-oxido-phenyl)salicylideneiminato-*NOO'*oxo(8-quinolinolato-*NO*)technetium(V), 1623-8
- The crystal structures of $[\text{Hpy}]_2[\text{Sb}_2\text{OBrCl}_6]$ where $n = 0, 2$, and 4 and Hpy = pyridinium; stabilisation by very strong $\text{N-H} \cdots \text{O}$ hydrogen bonds, 1735-40
- The crystal and molecular structure of ferrocenium μ -oxo-bis(trichloroferrate(III)); a product of reaction of ferrocene with iron(III) chloride, 1937-40
- Dioxygen activation in the photochemistry of some oxo-metalloporphyrin complexes, 2311-4
- Alkyl compounds of ruthenium(III) and (IV) and osmium(III). X-Ray crystal structures of hexakis(trimethylsilylmethyl)- and hexakis(neopentyl)-diruthenium(III), dioxohexakis(trimethylsilylmethyl)diruthenium(V), and bis(η^3 -allyl)tetrakis(neopentyl)diosmium(III), 2711-20
- Matrix-isolation studies on the vapourisation of arsenic(V) oxide: the

OXIDE (contd)

characterisation of molecular species As_4O_n ($n = 7-10$) by infrared spectroscopy, 2725-30

OXIME

Formaldehyde oxime as a precursor to cyanide in mixed-valence copper(II,III) complexes. Hydration of nitrile solvents, 2741-2

OXOBUTENYL

Molybdenum-mediated methoxycarbonylation of propargyl halides: molecular and crystal structure of the vinylmolybdenum(II) complex $[Mo(bipy)(CO)_2(C_3H_5O_2)(py)]BF_4$, 2405-10

OXOLANYL

Reactions of the metallabromoalkane $[Mo\{(CH_2)_3Br\}(CO)_3(\eta-C_5H_5)]$ and the carbene complexes *trans*-

$[Mo\{(CH_2)_3O\}(CO)_2(\eta-C_5H_4R)]$ ($R = H$ or Me) with $Li(BEt_3)H$. The synthesis ($R = H$ or Me) and X-ray structure ($R = Me$) of $[Mo\{CH(CH_2)_3O\}(CO)_2(\eta-C_5H_4R)]$

containing an unusual oxygen-molybdenum donor interaction, 2119-26

OXYGENATION

Oxygenation studies. Part 8. Catalytic oxygenations of arylphosphines at platinum(0), 1383-8

PALLADIUM

He I and He II photoelectron spectra of *trans*- $[MCl_2L_2]$ ($M = Pd, L = PEt_3$ or $AsEt_3$; $M = Pt, L = NMe_3, PMe_3, PEt_3$, or $AsEt_3$) and *trans*- $[PtHCl(PEt_3)_2]$, and Hartree-Fock-Slater calculations on model compounds, 141-50

Fluxional characteristics of palladium(II) halide complexes of cyclic selenoethers. A dynamic nuclear magnetic resonance study, 205-12

Crown-shaped tetrametallic imidoyl complexes of palladium. X-Ray crystal structure of $[Pd_2(\mu-C(C_6F_5)_3NMe_2)(\mu-Cl)(\mu-MeCO_2))_2]$, 259-64

Reactivity of cyclopalladated compounds. Part 11. Reactions of five- versus seven-membered cyclopalladated rings with phosphine ligands. Crystal structures of $[NMe_2CH_2C_6H_4-Pd\{C(CF_3)_3\}(CF_3)_2C(CF_3)_2C_6H_4CH_2NMe_2\}(PMe_2Ph)]$ and

$[NMe_2CH_2C_6H_4-Pd\{C(CF_3)_3\}(CF_3)_2C(CF_3)_2C_6H_4CH_2NMe_2\}(PMe_2Ph)]$, 359-64

The electron-transfer properties of alkyne-bridged dipalladium complexes: synthesis and reactions of $[Pd_2(\mu-PhC_2Ph)(\eta-C_5Ph_3)_2][PF_6]$, and comments on the mechanism of the oxidative cleavage of binuclear organotransition-metal complexes, 373-6

Dynamics of the 9,10-dihydroanthracene type inversion of the six-membered palladacycle in chloro(ligand) $_2[2-(2-pyridylmethyl)phenyl]palladium(II)$ complexes, 589-94

Formation and decomposition of an α -alkoxyalkyl complex of palladium(II), 641-4

Interaction of palladium(II) with polydentate ligands, including the synthesis and structure of bis[tris(pyrazol-1-yl)borato- N,N']palladium(II) and the cations $[Pd(L)]^+$ [$L = \text{tris(pyrazol-1-yl)methane-}N,N'$ or $\text{tris(pyridin-2-yl)methane-}N,N'$], 645-50

Fluxionality and bonding in formamidine and formamidate complexes of Pt^{II} and Pd^{II} containing the 2,6-bis[(dimethylamino)methyl]phenyl ligand: a proton nuclear magnetic resonance study with X-ray crystal structures of $[Pt\{C_6H_3(CH_2NMe_2)_2\}_2\{p-MeC_6H_4N=CHN(H)C_6H_4Me-p\}][CF_3SO_3]$ and $[Pt\{C_6H_3(CH_2NMe_2)_2\}_2\{p-MeC_6H_4N=CHNC_6H_4Me-p\}][CF_3SO_3]$, 717-24

Transition metal complexes with terminal or bridging imidato(1-) π ligands. X-Ray crystal structures of *trans*-

$[Ir(CO)(NCOC_2F_5CO)(PPh_3)_2]$ and $[Pd(o-C_6H_4CH=NPh)(\mu-NCOCC_2H_4CO)]_2 \cdot CH_2Cl_2$. Spectroscopic studies of $[Mn(CO)_5(NCOC_2H_4CO)]$, and the nature of the metal-nitrogen bond, 813-20

Bis(perhalogenophenyl) derivatives of palladium(II) and platinum(II) containing $S_2CP(C_6H_{11})_3$ as a mono- or bi-dentate ligand. Crystal structures of *cis*- $[Pd(C_6F_5)_2\{S_2CP(C_6H_{11})_3\}]$ and *cis*- $[Pt(C_6F_5)_2\{SC(S)P(C_6H_{11})_3\}(CO)]$, 947-52

Electron spin resonance studies of one-electron reduction products of nickel(II) and palladium(II) complexes containing tetrathiomolybdate, tetrathiotungstate, and dialkylthiocarbamate ligands, $[M(S_4O_6)(R_2NCS_2)_2]^{2-}$ ($n = 0-2$, $M = Ni$ or Pd , $M' = Mo$ or W), 1065-74

1,2,4-Triazole (tz) complexes of rhodium(II), iridium(II), and palladium(II). Crystal structure of $[Rh_3(\mu_3-tz)(\mu-Cl)Cl(\eta^4-$

$tbb)(CO)_4] \cdot 0.5CH_2Cl_2$ ($tbb = \text{tetrafluorobenzobarrelene}$), a trinuclear complex with extended metal-metal interactions, 1087-94

Interactions between phenothiazine drugs and metal ions. Part 2. Crystal and molecular structure of protonated trichloro[2-chloro-10-(3'-dimethylaminopropyl)phenothiazine-5']palladium(II), $[Pd(cpzH)Cl_3]$; hydrogen-1 and carbon-13 nuclear magnetic resonance data for the chlorpromazine complexes $[M(cpzH)Cl_3]$ ($M = Pd$ or Pt), 1347-50

Synthesis and characterization of mono- and di-cyclometallated compounds of symmetric and asymmetric azines with palladium(II) and manganese(II). X-Ray crystal structure of $[Mn(C_6H_4CH=N-N=CHPh)(CO)_4]$, 1351-8

The synthesis, properties, and structure of bis(amidino)-complexes of palladium. The crystal structure of bis(N,N' -di-*p*-tolylacetamidino)palladium(II), 1359-66

Synthesis, spectroscopic, and structural studies of the methylpalladium(II) complexes $[PdMe(SMe_2X)_2]$ ($X = Cl, Br$, or I); crystal structure of *trans*- $[PdMe(SMe_2(\mu-Cl))_2]$, 1731-4

Bis(perhalogenophenyl) derivatives of palladium(II) and platinum(II) containing $S_2CP(C_6H_{11})_3$ as a mono- or bi-dentate ligand. Crystal structures of *cis*- $[Pd(C_6F_5)_2\{S_2CP(C_6H_{11})_3\}]$ and *cis*- $[Pt(C_6F_5)_2\{SC(S)P(C_6H_{11})_3\}(CO)]$ (1986, 947), 1751-2

Ligand exchange reactions in cyclopalladated complexes of benzyldieneanilines. Crystal structure of $[Pd(C_6H_4CH=NC_6H_4)Br(PPh_3)_2]$, 1785-90

Tris- μ -[bis(diphenylphosphino)methane]-diplatinum(0), 1955-64

Metal complexes of sulphur-nitrogen ligands. Synthesis and characterization of palladium(II) complexes of 3-(mercaptomethyl)piperidine, 2021-4

Reaction of NO_2 with palladium(II) and platinum(II) aryl complexes; the crystal structure of *trans*- $[Pd(ONO_2)_2(OPPh_3)(PPh_3)]$, 2055-62

Interaction of palladium(II) acetate with substituted pyridines, including a cyclometallation reaction and the structure of $[Pd(meso-(py)PhMeC_2C_3H_3N)(O_2CMe)] [O_2CMe] \cdot 3H_2O$, 2205-10

cis and *trans* Palladium(II) and platinum(II) complexes with 1,8-bis(diphenylphosphino)-3,6-dioxaoctane and their structure characterization. The first example of an eleven-membered diphosphine chelate involving *cis* geometry, 2289-96

Sterically hindered metal alkenyls. Part 1. Synthesis, reactions, and crystal and molecular structures of some palladium and platinum α -alkenyls, 2315-20

Proton ENDOR spectroscopy of bis(2,2,6,6-tetramethylheptane-3,5-dionato)-copper(II) and crystal structure of bis(2,2,6,6-tetramethylheptane-3,5-dionato)palladium(II), 2655-62

ENDOR Spectroscopy of bis(pentane-2,4-dionato)copper(II) and bis(hexafluoropentane-2,4-dionato)copper(II), 2663-8

PENTA-AZABICYCLONONADECANE

Synthesis of the cage penta-azamacrocyclic alkane 12,17-dimethyl-1,5,9,12,17-penta-azabicyclo[7.5.5]nonadecane, its basicity, and metal complex formation. Crystal structure of the copper(II) perchlorate complex, 505-10

PENTAFLUOROPHENYL

Bis(perhalogenophenyl) derivatives of palladium(II) and platinum(II) containing $S_2CP(C_6H_{11})_3$ as a mono- or bi-dentate ligand. Crystal structures of *cis*- $[Pd(C_6F_5)_2\{S_2CP(C_6H_{11})_3\}]$ and *cis*- $[Pt(C_6F_5)_2\{SC(S)P(C_6H_{11})_3\}(CO)]$, 947-52

Bis(perhalogenophenyl) derivatives of palladium(II) and platinum(II) containing $S_2CP(C_6H_{11})_3$ as a mono- or bi-dentate ligand. Crystal structures of *cis*- $[Pd(C_6F_5)_2\{S_2CP(C_6H_{11})_3\}]$ and *cis*- $[Pt(C_6F_5)_2\{SC(S)P(C_6H_{11})_3\}(CO)]$ (1986, 947), 1751-2

Synthesis and reactivity of neutral and cationic pentafluorophenyl platinum(II) derivatives, 1849-56

PENTAMETHYLCYCLOPENTADIENYL

The molecular structure of $[Mo(CO)_5H(\eta^5-C_5Me_5)]$ and its conversion to $[Mo(CO)_5Cl(\eta^5-C_5Me_5)]$ and $[Li(Me_2NCH_2CH_2NMe_2)_2][Mo(CO)_5(\eta^5-C_5Me_5)]$, 1041-4

The reactions of di- μ -methylene-bis(pentamethylcyclopentadienyl)dirhodium(IV) complexes with benzylmagnesium chloride and with alkynylmagnesium chloride; X-ray structure of $[(\eta^5-C_5Me_5)_2Rh(CH_2Ph)(\mu-CH_2)_2Rh(\eta^4-C_5Me_5CH_2Ph)]$, 1419-24

Pentamethylcyclopentadienylrhodium complexes with the pyridazine ligand. Molecular structure of $[(Rh(C_5Me_5)_2)(\mu-Cl)_2(\mu-pydz)][ClO_4]_2 \cdot H_2O$ ($pydz = \text{pyridazine}$), 2113-8

PENTANEDIONATE

ENDOR Spectroscopy of bis(pentane-2,4-dionato)copper(II) and

PENTANEDIONATE (contd)

bis(hexafluoropentane-2,4-dionato)copper(II), 2663-8

PENTAOXAPENTADECANE

Complexation of lanthanides by linear polyethers in propylene carbonate: a 'crown-like' behaviour, 2497-500

PENTAPHENYLCYCLOPENTADIENYL

Reduction-oxidation properties of organotransition-metal complexes. Part 23. Pentaphenylcyclopentadienyl carbonyl complexes of cobalt and rhodium, 1613-8

PEPTIDE

Effects of mixed-ligand complex formation on deprotonation of amide groups in acid amides and peptides, 235-40

Thermodynamics of formation of binuclear complexes of some sulphur-containing dipeptides with silver(I) and copper(II), 499-504

Crystal structure of a methionyl-S-methylcysteine complex of copper(II), 499-504

A potentiometric and spectroscopic study of the interaction of the N terminal tetrapeptide fragment of fibrinopeptide A with Cu^{II} and Ni^{II}, 2221-6

Studies on transition metal-peptide complexes. Part 12. Copper(II) complexes of dipeptides containing phenylalanine and tyrosine, 2443-8

PERHALOGENOARYLMono- and bi-nuclear gold(I), gold(II), and gold(III) perhalogenoaryl complexes with the ligand bis(diphenylphosphino)amine. Crystal and molecular structure of μ -bis(diphenylphosphino)amine]-dichlorobis(pentafluorophenyl)digold(II), 291-6**PEROVSKITE**Magnetic exchange interactions in perovskite solid solutions. Part 6. Iron-57 and tin-119 Mössbauer spectra of SrFe_{1-x}Sn_xO_{3-y} (0 ≤ x ≤ 0.7), 1447-52**PEROXIDE**First synthesis and structural assessment of alkali-metal carbonatodioxoperoxovanadate(vi) monohydrates, A₂[UO₂(O₂)(CO₃)]·H₂O, and carbonato-oxodiperoxovanadate(v) trihydrates, A₃[VO(O₂)(CO₃)]·3H₂O, 709-12

Dioxygen activation in the photochemistry of some oxo-metalloporphyrin complexes, 2311-4

PEROXODISULPHATE

Solution chemistry of silver porphyrins. Oxidation of 5,10,15,20-tetra(3-N-methylpyridinio)porphyrinatodisilver(I), 449-52

PHASE

Reactions in mixed non-aqueous solutions containing sulphur dioxide. Part 8. Phase studies of sulphur dioxide-dimethyl sulphoxide and sulphur dioxide-dimethylformamide mixtures, 2603-6

PHENANTHROLINEPillaring of layers in α -zirconium phosphate by 1,10-phenanthroline and bis(1,10-phenanthroline)copper(II): formation of complex pillars *in situ*, 265-72

Hydrolysis of tris(1,10-phenanthroline)iron(II) complex in 1,4-dioxane-water mixtures, 465-8

Studies on five-co-ordinate d⁸ metal ions. Part 3. Stability constants for the reversible formation of five-co-ordinate complexes from the bis(2,2'-bipyridine)- and bis(1,10-phenanthroline)-platinum(II) cations, 725-8

Heterocyclic nitrogen-containing electron-pair donor ligands: a thermochemical study of adducts with zinc, cadmium, and mercury chlorides, 1913-6

Five-co-ordinated gold(III) complexes. Part 1. Synthesis, structure, and properties of bromodicyano(1,10-phenanthroline)gold(III)-dimethylformamide (1/1), 1941-4

Evidence for reaction at two binding sites in the oxidation of parsley plastocyanin by tris(1,10-phenanthroline)cobalt(III), 2007-10

The complex [Fe(phen)₂(CN)₂] (phen = 1,10-phenanthroline) and its solutions, 2349-50

Some attempts to prepare five-co-ordinated gold(III) complexes.

Crystal and molecular structures of [Au(C₆H₄CH₂NMe₂-2)(phen)-(PPh₃)] [BF₄], [Au(C₆H₄CH₂NMe₂-2)(NC₅H₅O)] [BF₄], and [Au(C₆H₄CH₂NMe₂-2)(H₂NC₆H₄S)] [ClO₄], 2361-6

Thermal, spectroscopic, and structural properties of aqua(malonato-O,O')(1,10-phenanthroline)copper(II) hydrate (1/1.5), 2519-24

PHENOLATE

Magnetic and electrochemical studies on binuclear copper(II) complexes derived from 2,6-diacetyl-4-methylphenol: the X-ray

and molecular structure of an acyclic, binuclear Schiff-base complex, 2681-90

PHENOTHIAZINEInteractions between phenothiazine drugs and metal ions. Part 2. Crystal and molecular structure of protonated trichloro[2-chloro-10-(3'-dimethylaminopropyl)phenothiazine-S']palladium(II), [Pd(cpzH)Cl₃]; hydrogen-1 and carbon-13 nuclear magnetic resonance data for the chlorpromazine complexes [M(cpzH)Cl₃] (M = Pd or Pt), 1347-50**PHENYL**Reactivity of cyclopalladated compounds. Part 11. Reactions of five- versus seven-membered cyclopalladated rings with phosphine ligands. Crystal structures of [(NMe₂CH₂C₆H₄)-Pd{C(CF₃)=C(CF₃)C₆H₄CH₂NMe₂}(PMe₂Ph)] and [(NMe₂CH₂C₆H₄)-Pd{C(CF₃)=C(CF₃)C₆H₄CH₂NMe₂}(PMe₂Ph)], 359-64Fluxionality and bonding in formamidate and formamidate complexes of Pt^{II} and Pd^{II} containing the 2,6-bis[(dimethylamino)methyl]phenyl ligand: a proton nuclear magnetic resonance study with X-ray crystal structures of [Pt{C₆H₃(CH₂NMe₂)₂-2,6}{p-MeC₆H₄N=CHN(H)C₆H₄Me-p}][CF₃SO₃] and [Pt{C₆H₃(CH₂NMe₂)₂-2,6}{p-MeC₆H₄N=CHNC₆H₄Me-p}][CF₃SO₃], 717-24Synthesis of diphenylantimony(III) dialkylidithio- and diaryldithio-phosphinates and -arsinates; crystal structures of Ph₂SbS₂MPh₂ (M = P or As), 1031-4

Synthesis and interconversion of, and restricted rotation in, phenyl complexes of ruthenium(II), 1167-74

Methyl- and phenyl-mercury(II) derivatives of 2-mercaptopyridine. Crystal and molecular structure of methyl(pyridine-2-thiolato)mercury(II), 1945-8

PHENYLAZOPHENYL

Organyl-tellurium-(IV) and -(II) dithiocarbamates: crystal and molecular structure of dimethyldithiocarbamate(2-phenylazophenyl-C,N')tellurium(II), 771-6

Carbonylchloro[2-(phenylazo)phenyl-C,N']platinum and cyclopentadienyl[2-(phenylazo)phenyl-C,N']platinum, 1059-60

PHENYLENEDIAMINECondensation of o-phenylenediamine and phthalaldehyde using molybdenum(0) as template. Isolation and crystal and molecular structure of an intermediate molybdenum complex with an η²-bonded aldehyde group, 879-82**PHENYLETHYNYL**Doubly and triply bridged dihapto phenylethynyl triosmium clusters by oxidative addition of phenylethynyl gold compounds. X-Ray crystal structure of [Os₃(C≡CPh)₃][Au(PMe₂Ph)](CO)₁₀, 543-6**PHENYLIMIDE**Reaction of nitrobenzene with [M₃(CO)₁₂] (M = Fe or Ru) in the presence of [Co₂(CO)₈]: isolation and structure of [Ru₃(CO)₉(NPh)(η⁶-C₆H₅)], 2501-4**PHENYLIMINOMETHYLPHENYL**Ligand exchange reactions in cyclopalladated complexes of benzylideneanilines. Crystal structure of [Pd(C₆H₄CH=NC₆H₅)Br(PPh₃)₂], 1785-90**PHOSPHANETETRAYL**Crystal structure of [Ni₂Ru₃(η-C₃H₅)₂(CO)₉(μ₅-PPh)], an open square-pyramidal cluster obtained *via* condensation of coordinatively unsaturated [Ru₃(μ-H)(CO)₉(μ-PPh₂)] with [Ni₂(η-C₃H₅)₂(CO)₂], 2737-40**PHOSPHATE**

Uptake of amino-acids by zirconium phosphate. Part 3.

Intercalation of L-histidine, L-lysine, and L-arginine by γ-zirconium phosphate, 61-6

Thermal stability of cadmium-calcium hydroxyapatite solid solutions, 241-4

Pillaring of layers in α-zirconium phosphate by 1,10-phenanthroline and bis(1,10-phenanthroline)copper(II): formation of complex pillars *in situ*, 265-72

On the identification of molybdophosphate complexes in aqueous solution, 1825-32

Synthesis, characterization, and kinetics of formation of [Cr(H₂PO₄)(H₂O)₂]²⁺, 1839-42

Cyano derivatives of some organochlorophosphate(V) ions, 1843-8

Magic-angle spinning phosphorus-31 nuclear magnetic resonance of polycrystalline sodium phosphates, 2247-52

PHOSPHIDE

Solution dynamics of the reversible carbonyl-phosphorus ligand

PHOSPHIDE (contd)

exchange in $[(OC)_4Mo(\mu-PEt_2)_2Mo(CO)_4]$: kinetic parameters as a measure of the relative steric hindrance of phosphines and phosphites, 217-24

Polyhedral phosphorane chemistry: crystal and molecular structure of the diphenylphosphido-bridged *arachno*-decaboranyl cluster compound $[PMePh_2][6,9-\mu-(PPh_2)B_{10}H_{12}]$, 303-8

Crystal and molecular structure of 1,1,1,1-tetracarbonyl-2,2- η -cyclopentadienyl-bis(μ -diphenylphosphido)-molybdenumzirconium, $[(cp)_2Zr(\mu-PPh_2)_2Mo(CO)_4]$, 713-6

Reactions of halogenohydrido-bis(triethylphosphine)platinum(II) with trihalogenophosphines: some unusual complexes of Pt^{II} containing five-co-ordinated phosphorus, 1333-8

Synthesis and characterisation of a phosphido-bridged ruthenium cluster: crystal and molecular structure of $[Ru_3C(\mu-H)(\mu-PPh_2)(CO)_3]_2$, 2149-54

Cluster chemistry. Part 45. Synthesis and some reactions of $[Ru_3(\mu_3-PPhCH_2PPh_2)(CO)_9]$: X-ray crystal structures of $[MRu_3(\mu_3-PPhCH_2PPh_2)(CO)_9(PPh_3)]$ ($M = Cu, Ag, or Au$), 2557-68

PHOSPHINE

Protonation reactions of the mononuclear rhenium polyhydride complexes $[ReH_4(PPh_3)_2]$, $[ReH_4(PPh_3)_2L]$ ($L =$ unidentate ligand), and $[ReH_4L(PPh_3)_2]$, 67-72

Synthesis and structural characterisation of some tetrahedral platinum-gold cluster compounds containing the sulphur dioxide ligand, 73-80

Solution dynamics of the reversible carbonyl-phosphorus ligand exchange in $[(OC)_4Mo(\mu-PEt_2)_2Mo(CO)_4]$: kinetic parameters as a measure of the relative steric hindrance of phosphines and phosphites, 217-24

Dinitrogen complexes of tungsten with bulky phosphine co-ligands. Preparation and crystal structures of $[W(N_2)_2(PEt_2Ph)_2(\mu-N_2)]$, *trans*- $[W(N_2)_2(PEt_2Ph)_2C_6H_5O]$, and $[W(\eta^6-C_6H_5PPt^+)(N_2)(PPt^+Ph)_2]$ and their reactions to give hydrazine or ammonia, 245-52

Tertiary phosphine aluminohydride complexes of ruthenium(II) and osmium(II), 287-90

Preparation and ligand-exchange reactions of phosphinegold ethynyl complexes, 411-4

Substitution reactions of *cis*-bis(2,2'-bipyridine)dicarbonyl(solvent)molybdenum(II) and *cis*-bis(2,2'-bipyridine)dicarbonyltungsten(II) salts with un^- , bi^- , and ter -dentate tertiary phosphines, trimethyl phosphite, nitric oxide, and 2,2'-bipyridine, 511-6

Synthesis and structural characterisation of hexakis(triphenylphosphine)hexagold(2+) nitrate, $[Au_6(PPh_3)_6][NO_3]_2$, and related clusters with edge-sharing bitetrahedral geometries, 687-92

Synthesis and structural characterisation of $[Pt_2Au_2(PPh_3)_4(CNC_6H_5Me_2)_2][PF_6]_2$: a platinum-gold cluster with a distorted butterfly geometry, 835-42

A reproducible synthesis of aquatris(triethylphosphine)platinum(II) hexafluorophosphate, 1055-6

The electrochemistry of $[PtH(PEt_3)_3]^+$: inverted and amplified cyclic voltammetric waves and catalytic hydrogen production at a mercury electrode, 1225-30

Exchange kinetics of gold(I) phosphine complexes by nuclear magnetic resonance line shape analysis, 1297-300

Tertiary phosphine aluminohydride complexes of chromium-, molybdenum-, and tungsten(II), 1329-32

Reactions of halogenohydrido-bis(triethylphosphine)platinum(II) with trihalogenophosphines: some unusual complexes of Pt^{II} containing five-co-ordinated phosphorus, 1333-8

Oxygenation studies. Part 8. Catalytic oxygenations of arylphosphines at platinum(0), 1383-8

A general synthetic route for platinum sulphur dioxide cluster compounds and the X-ray structural characterisation of di- μ -carbonyl-carbonyl-tri(μ -sulphur dioxide)-tetraakis(triphenylphosphine)pentaplatinum-dichloromethane-propan-2-ol (1/2/1), $[Pt_5(CO)_4(\mu-CO)(\mu-SO_2)_3(PPh_3)_4] \cdot 2CH_2Cl_2 \cdot Me_2CH(OH)$, 1535-42

Preparation of *mer*- $[Mo(N_2)_2(PPt^+Ph)_2]$ from *trans*- $[Mo(N_2)_2(PPt^+Ph)_2]$: its X-ray crystal structure, spectroscopic properties, and protonation to give ammonia, 1591-4

Lewis base adducts of Group 11 metal compounds. Part 24. Co-ordination of triphenylphosphine with silver nitrate. A solid-state cross-polarization magic angle spinning ^{31}P nuclear magnetic resonance, crystal structure, and infrared spectroscopic study of

$Ag(PPh_3)_2NO_3$ ($n = 1-4$), 1965-70

Formation and isomerisation of *cis*-bis(phenylethynyl)bis(tertiary phosphine)platinum complexes, 1987-92

Reaction of NO_2 with palladium(II) and platinum(II) aryl complexes; the crystal structure of *trans*- $[Pd(ONO_2)_2(OPPh_3)(PPh_3)]$, 2055-62

The heteronuclear cluster chemistry of the group 1B metals. Part 1. Structural similarities and differences among mixed-metal clusters compounds containing copper, silver, or gold atoms ligated by phosphines. X-Ray crystal structures of $[CuRu_4(\mu_3-H)_3(CO)_{12}(PMePh_2)]$ and $[CuRu_4(CO)_6(C_2Bu^t)(PPh_3)]$, 2181-92

The chemistry of $[W(PMe_3)_4(\eta^2-CH_2PMe_3)H]$: synthesis of hydroxy-hydrido, fluoro-hydrido, and silyl-hydrido derivatives and the dimerisation of ethylene and propene giving η^4 -diene derivatives. Crystal structure of $[W(PMe_3)_4H_2(OH_2)F]F$, 2227-36

The preparation and crystal and molecular structures of trichlorobis(methyldiphenylphosphine)vanadium(III) and its acetonitrile adduct, 2253-8

Synthesis, spectroscopic characterization, and magnetic properties of a mixed-valence copper(II) acetate complex with triphenylphosphine. Crystal structure of hexa- μ -acetato-tetrakis(triphenylphosphine)tetracopper(II), 2339-44

The preparation and characterisation of (disulphur dinitrido)bis(phosphine) complexes, $[M(S_2N_2)(PR_3)_2]$ ($M = Pt, PR_3 = PMe_3, PMe_2Ph, PMePh_2, PPh_3, PEt_3, PPr^+_3, PBu^+_3$, or $\frac{1}{2}Ph_3PCH_2CH_2PPh_2$; $M = Pd, PR_3 = \frac{1}{2}Ph_3PCH_2CH_2PPh_2$). X-Ray crystal structure of $[Pt(S_2N_2)(PMe_3)_2]$, 2367-70

Chemistry of tetrairidium carbonyl clusters. Part 1. Synthesis, chemical characterization, and nuclear magnetic resonance study of mono- and di-substituted phosphine derivatives. X-Ray crystal structure determination of the diaxial isomer of $[Ir_4(CO)_4(\mu-CO)_3(Me_2PCH_2CH_2PMe_2)]$, 2411-22

Structure and fluxional behaviour of some aqua-complexes of rhodium(III) and iridium(III), 2545-50

Synthesis and characterization of a new family of unsaturated triangular rhodium cluster anions of formula $[Re_3(\mu-H)_4(CO)_6L]^-$ ($L =$ neutral two-electron donor ligand). X-Ray crystal and molecular structures of the tetraethylammonium salts of the anions with $L =$ triphenylphosphine and pyridine, 2691-8

PHOSPHINEIMINATE

Triphenylphosphineiminato-substituted tungsten(VI) fluorides. Crystal structure of tetrafluorobis(triphenylphosphineiminato)tungsten(VI), 1309-10

Triphenylphosphineiminato-substituted tungsten(VI) fluorides. Crystal structure of tetrafluorobis(triphenylphosphineiminato)tungsten(VI), 2287-8

PHOSPHINE OXIDE

Actinide structural studies. Part 8. Some new oxygen-donor complexes of trichloro(cyclopentadienyl)neptunium(IV); the crystal structure of trichloro(η^5 -cyclopentadienyl)bis(methyldiphenylphosphine oxide)neptunium(IV), 783-8

The reactivity of diphosphenes towards electrophilic and nucleophilic reagents, 1801-8

Structure and bonding in octahedral uranium(IV) complexes of the type $UX_4 \cdot 2L$ ($X =$ halogen, $L =$ unidentate, neutral oxygen donor). Part 2. The crystal structures of tetrachlorobis[tris(pyrridinyl)phosphine oxide]-, tetrachlorobis(di-isobutyl sulphoxide)-, and tetrabromobis(triphenylarsine oxide)-uranium(IV), 2043-8

PHOSPHINOACETATE

Complexes with functional phosphines. Part 8. Interconversion study of $[RuCl_2(Ph_2PCH_2C(O)OEt)L_2]$, $[RuCl_2(CO)(Ph_2PCH_2C(O)OEt)L]$, and $[RuCl_2(CO)_2L_2]$ [$L = Ph_2PCH_2C(O)OEt$] under CO . Synthesis and X-ray structure of *mer*- $[RuCl_2(Ph_2PCH_2C(O)OEt)L]$, 415-20

Complexes with functional phosphines. Part 8. Interconversion study of $[RuCl_2(Ph_2PCH_2C(O)OEt)L_2]$, $[RuCl_2(CO)(Ph_2PCH_2C(O)OEt)L]$, and $[RuCl_2(CO)_2L_2]$ [$L = Ph_2PCH_2C(O)OEt$] under CO . Synthesis and X-ray structure of *mer*- $[RuCl_2(Ph_2PCH_2C(O)OEt)L]$ (1986, 415), 1483-4

PHOSPHITE

Monocarbonyl complexes of iron(II): preparation and properties, 329-32

PHOSPHITE (cont'd)

Arenediazonium complexes of cobalt(II): synthesis and properties, 2551-6

PHOSPHONODITHIOFORMATE

Bis(perhalogenophenyl) derivatives of palladium(II) and platinum(II) containing $S_2CP(C_6H_{11})_3$ as a mono- or bi-dentate ligand. Crystal structures of *cis*-[Pd(C₆F₅)₂(S₂CP(C₆H₁₁)₃)] and *cis*-[Pt(C₆F₅)₂(SC(S)P(C₆H₁₁)₃)(CO)]₂, 947-52

Bis(perhalogenophenyl) derivatives of palladium(II) and platinum(II) containing $S_2CP(C_6H_{11})_3$ as a mono- or bi-dentate ligand. Crystal structures of *cis*-[Pd(C₆F₅)₂(S₂CP(C₆H₁₁)₃)] and *cis*-[Pt(C₆F₅)₂(SC(S)P(C₆H₁₁)₃)(CO)]₂ (1986, 947), 1751-2

PHOSPHONIOMETHANIDE

Synthesis of mono-, di-, and tri-nuclear gold complexes containing the (diphenylphosphino)methyl(diphenylphosphonio-methanide) ligand. Crystal structures of [Au(C₆F₅)(Ph₂PCHPh₂Me)] and [(C₆F₅)Au(Ph₂PCH(PPh₂Me))Au(C₆F₅)]₂, 669-76

PHOSPHONIUM

The reactivity of diphosphenes towards electrophilic and nucleophilic reagents, 1801-8

PHOSPHORANE

Structure of 2,4-dinitrobenzenesulphenylimino(triphenyl)phosphorane, Ph₃PNSC₆H₃(NO₂)₂, 2,4, 457-8

PHOSPHORANEDIAMIDE

The chemistry of dinitrogen residues. Part 1. Diazenido-complexes of titanium, and some substituted analogues. X-Ray crystal structures of [Ti(C₆H₅)₂Cl₂(NNPh)]₂, [Ti(C₆H₅)₂Cl₂(NCBu⁺Bu⁻)]₂, and [Ti(C₆H₅)₂Cl₂(NPPH₃)]₂, 377-84

PHOSPHORODITHIOATE

Preparation, properties, and X-ray crystal structure of tris(*O,O'*-diisopropyl phosphorodithioato)iron(III), [Fe(S₂P(OPr)₂)₃]. Comparison of structure and bonding in phosphorodithioato- and dithiocarbamate-complexes, 351-4

PHOSPHORUS

Mass spectrometric studies on cyclo- and poly-phosphazenes. Part 5. Oligomerization of octachlorocyclotetraphosphazetetrane N₄P₄Cl₈, 905-10

Reactivity of hexachlorocyclotriphosphazene towards alkyl-lithium reagents, 1269-76

Aziridinolysis patterns of (NPCl₂)₃ and (NPCl₂)₄: crystal structures of *trans*-N₃P₂(NC₂H₄)₂Cl₄ and 2, *trans*-4-N₄P₄(NC₂H₄)₂Cl₆, 1317-28

Reactivity of cyclotriaphosphazenes towards alkyl-lithium reagents, 1389-94

The reactions of some methylphosphorus(V) compounds with 25 oleum and 100% H₂SO₄, 1443-6

The electronic structure of substituted 1,2,4,5-tetraphosphaspiro[2.2]pentanes and 1,2,4,5-tetraphospha-3-silaspiro[2.2]pentanes, 1659-62

The reactivity of diphosphenes towards electrophilic and nucleophilic reagents, 1801-8

Cyano derivatives of some organochlorophosphate(V) ions, 1843-8

PHOSPHORUS-31

The reactions of some methylphosphorus(V) compounds with 25 oleum and 100% H₂SO₄, 1443-6

On the identification of molybdophosphate complexes in aqueous solution, 1825-32

Cyano derivatives of some organochlorophosphate(V) ions, 1843-8

The synthesis, X-ray crystal structure, and solution characterization of a bis(diphosphine)-bridged rhodium(I) complex containing a Rh₂P₄ six-membered ring, 1895-900

Lewis base adducts of Group 11 metal compounds. Part 24. Coordination of triphenylphosphine with silver nitrate. A solid-state cross-polarization magic angle spinning ³¹P nuclear magnetic resonance, crystal structure, and infrared spectroscopic study of Ag(PPh₃)₂NO₃ (*n* = 1-4), 1965-70

Magic-angle spinning phosphorus-31 nuclear magnetic resonance of polycrystalline sodium phosphates, 2247-52

PHOTOCHEMISTRY

Preparation, spectroscopic characterisation, electrochemical and photochemical properties of *cis*-bis(2,2'-bipyridyl)carbonylruthenium(II) complexes, 253-8

Synthesis, characterisation, electrochemical properties, photochemical properties, and reactivity of bis(2,2'-bipyridyl)hydridoruthenium complexes, 1045-8

Laser flash photolysis study of the charge-transfer photochemistry of octacyanomolybdate(V) and octacyanotungstate(V) ions, 1217-24

Some reactions of uranium chloride pentafluoride, 1289-96

Photoredox chemistry of Keggin dodecatungstoborate [BW₁₂O₄₀]³⁻ and role of heterogeneous catalysis in hydrogen formation, 1669-76

Dioxygen activation in the photochemistry of some oxo-metalloporphyrin complexes, 2311-4

Preparation and photochemical properties of water-soluble polymers with pendant tris(2,2'-bipyridyl)ruthenium(II) groups. N-Ethylated copolymers of vinylpyridine and *cis*-bis(2,2'-bipyridyl)(4-methyl-4'-vinyl-2,2'-bipyridyl)ruthenium(II), 2485-92

PHOTOELECTRON

He I and He II photoelectron spectra of *trans*-[MCl₂L₂] (M = Pd, L = PEt₃ or AsEt₃; M = Pt, L = NMe₃, PMe₃, PEt₃, or AsEt₃) and *trans*-[PtH(Cl)(PEt₃)₂], and Hartree-Fock-Slater calculations on model compounds, 141-50

He I and He II Photoelectron spectra of some trifluorophosphine, carbonyl, and hydrido transition metal complexes, 765-70

The electronic structure of substituted 1,2,4,5-tetraphosphaspiro[2.2]pentanes and 1,2,4,5-tetraphospha-3-silaspiro[2.2]pentanes, 1659-62

Synthesis, crystal structure, and gas-phase photoelectron spectroscopic study of *B,B'*-bis(1,3-dicyclohexyl-1,3,2-diazaborolidin-2-yl), 2283-6

The photoelectron spectrum of hexacarbonyl-μ-di-*t*-butylacetylene-di-iron: a joint experimental and theoretical study, 2581-6

PHTHALALDEHYDE

Condensation of *o*-phenylenediamine and phthalaldehyde using molybdenum(0) as template. Isolation and crystal and molecular structure of an intermediate molybdenum complex with an η²-bonded aldehydic group, 879-82

PHTHALAZINE

Binuclear nickel(II) and cobalt(II) complexes of the novel binucleating ligand 3,6-bis(1'-pyrazolyl)pyridazine. Crystal and molecular structure and magnetism of bis[μ-3,6-bis(1'-pyrazolyl)pyridazine-*N*¹(Ni¹)/*N*²(Ni²)/*N*²(Ni²)]-bis[diacuanickel(II)] tetrachloride dihydrate, 625-32

Copper co-ordination chemistry of some quadridentate pyridazine and phthalazine (N₄) thioether ligands. Binuclear copper(II) complexes exhibiting two-electron reduction at positive potentials, 2381-6

PIPERIDINE

Metal complexes of sulphur-nitrogen ligands. Synthesis and characterization of palladium(II) complexes of 3-(mercaptomethyl)pyridine, 2021-4

PLASTOCYANIN

Evidence for reaction at two binding sites in the oxidation of parsley plastocyanin by tris(1,10-phenanthroline)cobalt(III), 2007-10

Effect of oxidation state of plastocyanin on the remote binding site pK_a, 2011-2

Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 12. Reactions of spinach plastocyanin with inorganic redox partners, 2069-74

PLATINABORANE

Synthesis, molecular structures, and nuclear magnetic resonance properties of the macropolyhedral metallaboranes [(PMe₂Ph)₄Pt₃B₁₄H₁₆] and [(PMe₂Ph)₃PtB₁₄H₁₈(PMe₂Ph)], and a discussion of the bonding at platinum in these and some related platina-borane clusters, 1879-94

PLATINUM

Synthesis and structural characterisation of some tetrahedral platinum-gold cluster compounds containing the sulphur dioxide ligand, 73-80

Reaction intermediates of *cis*-diammineaqua(hydroxo)platinum(II) with guanosine 5'-monophosphate characterized by proton nuclear magnetic resonance spectroscopy, 135-40

He I and He II photoelectron spectra of *trans*-[MCl₂L₂] (M = Pd, L = PEt₃ or AsEt₃; M = Pt, L = NMe₃, PMe₃, PEt₃, or AsEt₃) and *trans*-[PtH(Cl)(PEt₃)₂], and Hartree-Fock-Slater calculations on model compounds, 141-50

Binuclear methylplatinum(II) complexes. The molecular structure and fluxional behaviour of the face-to-face dimer [Pt₂I₂Me₂(μ-Me₂PCH₂PMe₂)₂], 151-6

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 39. Interconversion of ethylidyne, ethylidene, vinyl, and ethylene groups at a platinum-tungsten centre; X-ray crystal structure of [PtW(μ-CO)₂(PEt₃)₂](η-C₂H₄)(η-C₃H₅)[BF₄], 165-72

The syntheses, structures, and electronic and resonance-Raman

PLATINUM (contd)

- spectroscopy of halogen-bridged platinum(II,IV) chain complexes involving equatorially co-ordinated terdentate amines: X-ray crystal structure of $[\text{Pt}^{\text{IV}}(\text{Me-dien})\text{I}][\text{Pt}^{\text{IV}}(\text{Me-dien})\text{I}_3]_2$, and spectroscopy of $[\text{Pt}^{\text{II}}(\text{dien})(\text{NO}_2)][\text{Pt}^{\text{IV}}(\text{dien})(\text{NO}_2)\text{Br}_2]_2$, 273-8
- The methylamine analogues of Wolfram's red and Reihlen's green: syntheses, infrared, electronic, Raman, and resonance-Raman spectroscopy, and X-ray crystal structures of chain chlorine- and bromine-bridged platinum(II,IV) complexes of methylamine, 403-10
- Chemistry of the unsaturated cluster compound $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}]\{\text{P}(\text{cyclo-C}_6\text{H}_{11})_3\}_2$; X-ray crystal structures of $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{11}]\{\text{P}(\text{cyclo-C}_6\text{H}_{11})_3\}_2$, $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CO})_{10}]\{\text{P}(\text{cyclo-C}_6\text{H}_{11})_3\}_2$, and $[\text{Os}_3\text{Pt}(\mu\text{-H})_2(\text{CH}_2)(\text{CO})_{10}]\{\text{P}(\text{cyclo-C}_6\text{H}_{11})_3\}_2$ (two isomers) (1985, 177), 463-4
- Oxidative dimerisation of arylamido complexes of platinum: X-ray structure of $[\text{Pt}_2(\text{PEt}_2)_2\text{Cl}_2(\text{N}_2\text{C}_4\text{H}_9)]\text{PF}_6$, 571-6
- Synthesis, X-ray crystal structures and spectroscopic properties of two binuclear platinum(III) dithiocarboxylate complexes, 595-602
- Isocyanide complexes with Pt_2S and Pt_2CS cores. Crystal structure of μ -sulphido-bis[bis(2,4,6-tri-*t*-butylphenyl isocyanide)platinum], 677-80
- Fluxionality and bonding in formamidine and formamidate complexes of Pt^{II} and Pd^{II} containing the 2,6-bis[(dimethylamino)methyl]phenyl ligand: a proton nuclear magnetic resonance study with X-ray crystal structures of $[\text{Pt}(\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_2)_2\text{Me}_2]\{\mu\text{-MeC}_6\text{H}_4\text{N=CHN}(\text{H})\text{C}_6\text{H}_4\text{Me-p}\}[\text{CF}_3\text{SO}_3]$ and $[\text{Pt}(\text{C}_6\text{H}_3(\text{CH}_2\text{NMe}_2)_2)_2\text{Me}_2]\{\mu\text{-MeC}_6\text{H}_4\text{N=CHNC}_6\text{H}_4\text{Me-p}\}$, 717-24
- Studies on five-co-ordinate d^8 metal ions. Part 3. Stability constants for the reversible formation of five-co-ordinate complexes from the bis(2,2'-bipyridine)- and bis(1,10-phenanthroline)-platinum(II) cations, 725-8
- Synthesis and structural characterisation of $[\text{Pt}_2\text{Au}_2(\text{PPh}_3)_4(\text{CNC}_6\text{H}_5\text{Me}_2)_2]\text{PF}_6$; a platinum-gold cluster with a distorted butterfly geometry, 835-42
- Relative stabilities of *trans*-dichloro(olefin)(pyridine)platinum(II) complexes. Re-examination of Hammett equation for *para*-substituted styrene complexes, 891-4
- Bis(perhalogenophenyl) derivatives of palladium(II) and platinum(II) containing $\text{S}_2\text{CP}(\text{C}_6\text{H}_{11})_2$ as a mono- or bi-dentate ligand. Crystal structures of *cis*- $[\text{Pd}(\text{C}_6\text{F}_5)_2]\{\text{S}_2\text{CP}(\text{C}_6\text{H}_{11})_2\}$ and *cis*- $[\text{Pt}(\text{C}_6\text{F}_5)_2]\{\text{SC}(\text{S})\text{P}(\text{C}_6\text{H}_{11})_2\}(\text{CO})$, 947-52
- Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(IV) complexes. Part 6. Synchronous pyramidal inversion of chalcogen atoms in $[(\text{PtXMe}_2)_2(\text{ECH}_2\text{CMe}_2\text{CH}_2\text{E})]$ complexes (E = S or Se; X = Cl, Br, or I), 961-6
- Co-ordination chemistry of higher oxidation states. Part 18. Bidentate selenoether complexes of the tetravalent platinum metals. Crystal and molecular structure of $[\text{Pt}(\text{o-C}_6\text{H}_4(\text{SeMe}_2)_2\text{Cl}_2)]$, 1003-10
- Synthesis of heterotrimetallic complexes containing M-Hg-Pt (M = Pt, Fe, Mn, or Co) arrays, 1011-4
- High-resolution solid-state platinum-195 nuclear magnetic resonance, 1015-20
- A reproducible synthesis of aquatris(triethylphosphine)platinum(II) hexafluorophosphate, 1055-6
- Carbonylchloro[2-(phenylazo)phenyl-C,N]platinum and cyclopentadienyl[2-(phenylazo)phenyl-C,N]platinum, 1059-60
- Kinetics and mechanism of the reaction between dimethyl sulphoxide and dichloro(pyridine-2-carboxylato)platinate(II) anion and the *cis-trans* isomerization of the products. X-Ray crystal structure of *trans*-(O,S)-chloro(dimethyl sulphoxide)(pyridine-2-carboxylato)platinum(II), 1101-6
- Kinetics of the displacement of chloroacetate ion from *cis*-bis(chloroacetato)bis(isopropylamine)platinum(II) and the (chloroacetato)(1,5-diamino-3-azapentane)platinum(II) cation, 1107-14
- The electrochemistry of $[\text{PtH}(\text{PEt}_3)_3]^+$; inverted and amplified cyclic voltammetric waves and catalytic hydrogen production at a mercury electrode, 1225-30
- Reactions of halogenohydrido-bis(triethylphosphine)platinum(II) with trihalogenophosphines: some unusual complexes of Pt^{II} containing five-co-ordinated phosphorus, 1333-8
- Oxygenation studies. Part 8. Catalytic oxygenations of arylphosphines at platinum(0), 1383-8
- Synthesis and characterization of high-nuclearity osmium-platinum cluster compounds. The molecular structures of $[\text{Os}_8\text{Pt}_2(\text{CO})_{16}(\text{C}_6\text{H}_{12})_2]$ and $[\text{Os}_8\text{Pt}_2(\text{CO})_{16}(\text{C}_6\text{H}_{12})_2]\{\text{P}(\text{OMe})_3\}_2$ (C_6H_{12} = cyclo-octa-1,5-diene), 1395-402
- A general synthetic route for platinum sulphur dioxide cluster compounds and the X-ray structural characterisation of di- μ -carbonyl-carbonyl-tri(μ -sulphur dioxide)-tetrakis(triphenylphosphine)pentaplatinum-dichloromethane-propan-2-ol (1/2/1), $[\text{Pt}_5(\text{CO})_5(\mu\text{-CO})_2(\mu\text{-SO}_2)_3(\text{PPh}_3)_4]\cdot 2\text{CH}_2\text{Cl}_2\cdot \text{Me}_2\text{CH}(\text{OH})$, 1535-42
- Carbon-chlorine bond activation in 2-chloromethylallyl complexes of platinum(II), 1603-8
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 45. Synthesis of the pentanuclear metal complexes $[\text{M}'\text{M}_2\text{Re}_2(\mu\text{-CC}_6\text{H}_4\text{Me}_4)_2(\text{CO})_{12}]$ (M' = Ni or Pt, M = Cr or W) and related compounds; X-ray crystal structure of $[\text{ReWPt}(\mu\text{-CC}_6\text{H}_4\text{Me}_4)(\text{CO})_9(\text{PMe}_2)_2]$, 1717-22
- Bis(perhalogenophenyl) derivatives of palladium(II) and platinum(II) containing $\text{S}_2\text{CP}(\text{C}_6\text{H}_{11})_2$ as a mono- or bi-dentate ligand. Crystal structures of *cis*- $[\text{Pd}(\text{C}_6\text{F}_5)_2]\{\text{S}_2\text{CP}(\text{C}_6\text{H}_{11})_2\}$ and *cis*- $[\text{Pt}(\text{C}_6\text{F}_5)_2]\{\text{SC}(\text{S})\text{P}(\text{C}_6\text{H}_{11})_2\}(\text{CO})$ (1986, 947), 1751-2
- Bimetallic systems. Part 14. Mixed iridium(II)-platinum(II) acetylidyne complexes containing bridging $\text{Ph}_3\text{PCH}_2\text{PPh}_2$ ligands, 1809-14
- Bimetallic systems. Part 15. Some reactions of platinum-manganese carbonyl complexes containing bridging $\text{Ph}_3\text{PCH}_2\text{PPh}_2$ (dppm) ligands, 1815-20
- Synthesis and reactivity of neutral and cationic pentafluorophenyl platinum(II) derivatives, 1849-56
- Synthesis, molecular structures, and nuclear magnetic resonance properties of the macropolyhedral metallaboranes $[(\text{PMe}_2\text{Ph})_4\text{Pt}_4\text{B}_4\text{H}_{16}]$ and $[(\text{PMe}_2\text{Ph})_4\text{Pt}_4\text{B}_4\text{H}_{16}(\text{PMe}_2\text{Ph})]$, and a discussion of the bonding at platinum in these and some related platinaborane clusters, 1879-94
- Tris- μ -[bis(diphenylphosphino)methane]-diplatinum(0), 1955-64
- Formation and isomerisation of *cis*-bis(phenylethynyl)bis(tertiary phosphine)platinum complexes, 1987-92
- Reaction of NO_2 with palladium(II) and platinum(II) aryl complexes; the crystal structure of *trans*- $[\text{Pd}(\text{ONO}_2)_2(\text{OPPh}_3)(\text{PPh}_3)]$, 2055-62
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 47. Synthesis of tri-, tetra-, and penta-heteronuclear metal cluster compounds involving tungsten with platinum or nickel: crystal structures of the compounds $[\text{Pt}_2\text{W}_2(\mu_3\text{-CR})_2(\text{CO})_4(\text{cod})_2(\eta\text{-C}_6\text{H}_5)_2]$ and $[\text{Pt}_2\text{W}_2(\mu_3\text{-CR})_2(\text{CO})_4(\eta\text{-C}_6\text{H}_5)_2]$ (R = $\text{C}_6\text{H}_4\text{Me-4}$, cod = cyclo-octa-1,5-diene), 2091-104
- Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(IV) complexes. Part 7. Intramolecular rearrangements in complexes of tris(methylthio)methane, 2173-80
- Synthesis and reactivity of bis(*o*-nitrophenyl)platinum. X-Ray crystal and molecular structure of $[\text{Pt}(\text{o-C}_6\text{H}_4\text{N}(\text{O})\text{O})(\text{o-C}_6\text{H}_4\text{NO}_2)(\text{PPh}_3)]$, 2215-20
- cis* and *trans* Palladium(II) and platinum(II) complexes with 1,8-bis(diphenylphosphino)-3,6-dioxaoctane and their structure characterization. The first example of an eleven-membered diphosphine chelate involving *cis* geometry, 2289-96
- Sterically hindered metal alkenyls. Part 1. Synthesis, reactions, and crystal and molecular structures of some palladium and platinum σ -alkenyls, 2315-20
- The preparation and characterisation of (disulphur dinitrido)bis(phosphine) complexes, $[\text{M}(\text{S}_2\text{N}_2)(\text{PR}_3)_2]$ (M = Pt, PR₃ = PMe_2 , PMe_2Ph , PMePh_2 , PPh_2 , PEt_2 , PPt^n , PBu^n , or $\text{iPh}_2\text{PCH}_2\text{CH}_2\text{PPh}_2$; M = Pd, PR₃ = $\text{iPh}_2\text{PCH}_2\text{CH}_2\text{PPh}_2$). X-Ray crystal structure of $[\text{Pt}(\text{S}_2\text{N}_2)(\text{PMe}_2)_2]$, 2367-70
- Synthesis, reactions, and nuclear magnetic resonance studies of some substituted *arachno*-decaborane and *arachno*-nonaborane derivatives, and the isolation of novel polyhedral diplatinaboranes. Crystal and molecular structure of $[\text{Pt}_2(\text{PMe}_2\text{Ph})_2(\eta^3\text{-B}_2\text{H}_5)(\eta^3\text{-B}_4\text{H}_9)]$, 2433-42
- PLATINUM-195**
High-resolution solid-state platinum-195 nuclear magnetic resonance, 1015-20
- Tris- μ -[bis(diphenylphosphino)methane]-diplatinum(0), 1955-64
- POLYETHER**
Complexation of lanthanides by linear polyethers in propylene carbonate: a 'crown-like' behaviour, 2497-500

POLYMER

Adsorption equilibrium of uranium from aqueous $[\text{UO}_2(\text{CO}_3)_3]^{4-}$ solutions on a polymer bearing amidoxime groups, 1983-6

Spectroscopic and calorimetric studies of the complexing ability of some polyamido polymers containing amino-acid residues, 2325-30

Preparation and photochemical properties of water-soluble polymers with pendant tris(2,2'-bipyridyl)ruthenium(II) groups. N-Ethylated copolymers of vinylpyridine and *cis*-bis(2,2'-bipyridyl)(4-methyl-4'-vinyl-2,2'-bipyridyl)ruthenium(II), 2485-92

POLY(SULPHUR NITRIDE)

Poly(sulphur nitride): an assessment of the synthesis from trichlorocyclotri(azathiene) and trimethylsilyl azide, 2371-80

PORPHYRIN

Binding equilibria and catalase-like reactivity of deuterioferrihaem-poly-L-lysine complexes, 333-6

Solution chemistry of silver porphyrins. Oxidation of 5,10,15,20-tetra(3'-N-methylpyridinio)porphyrinatodisilver(I), 449-52

Synthesis and characterisation of azido- and thiocyanato-gallium(III) porphyrins. Crystal structure of azido-(2,3,7,8,12,13,17,18-octaethylporphyrinato)gallium(III), 1779-84

Electrochemistry of the manganese(III)-manganese(IV) 5,10,15,20-tetrakis(*p*-trimethylammoniohenyl)porphyrinate couple, 2297-302

Dioxygen activation in the photochemistry of some oxo-metalloporphyrin complexes, 2311-4

Mechanism of reactions of cobalt(II) protoporphyrin IX dimethyl ester in protic and aprotic, co-ordinating solvents, 2535-8

PROPANE-1,2-DIOL

Cyclometallation reactions in neopentyl and trimethylsilylmethyl systems of rhodium(III) and iridium(III). Formation and X-ray crystal structures of the four-membered metallocycles

$[\text{Rh}(\text{CH}_2\text{CMe}_2\text{CH}_2)(\eta^5\text{-C}_5\text{Me}_5)(\text{PPh}_3)]$ and

$[\text{Ir}(\text{CH}_2\text{SiMe}_2\text{CH}_2)(\eta^5\text{-C}_5\text{Me}_5)(\text{PPh}_3)]$, 477-88

PROPANOATE

Structure-magnetism correlation in dimeric copper(II) carboxylates: crystal and molecular structure of tetra- μ -(propanoato-*O,O'*)-bis(aqua-copper(II)), 1653-8

PROPENYL

Sterically hindered metal alkenyls. Part 1. Synthesis, reactions, and crystal and molecular structures of some palladium and platinum σ -alkenyls, 2315-20

Sterically hindered metal alkenyls. Part 2. Synthesis and properties of tin(IV) alkenyls: stereochemical features and energetics of isomerisation of $\text{SnMe}_2[\text{C}(\text{C}_6\text{H}_5)_2\text{CMe}_2]_2$, 2321-4

PROPYLENE

Decomposition reactions of dimethyl-di- μ -methylene-bis(η -pentamethylcyclopentadienyl)dihydridorhodium and their relation to the mechanism of the Fischer-Tropsch reactions; the formation of propylene from three C_1 ligands, 1565-76

PROPYLENE CARBONATE

Thermodynamic parameters of the complexation of trivalent lanthanides by monocyclic and bicyclic cryptands and the tripodal ligand tris(3,6-dioxahexyl)amine in propylene carbonate, 2629-32

PROPYNYL

Molybdenum-mediated methoxycarbonylation of propargyl halides: molecular and crystal structure of the vinylmolybdenum(II) complex $[\text{Mo}(\text{bipy})(\text{CO})_2(\text{C}_3\text{H}_5\text{O}_2)(\text{py})]\text{BF}_4$, 2405-10

PROTEIN

Preferred sites for electron exchange between cytochrome *c* and $[\text{Fe}(\text{edta})]^{2-}$ and $[\text{Co}(\text{sep})]^{2+}$ complexes, 755-8

Evidence for reaction at two binding sites in the oxidation of parsley plastocyanin by tris(1,10-phenanthroline)cobalt(III), 2007-10

Effect of oxidation state of plastocyanin on the remote binding site pK_a , 2011-2

Kinetic, spectroscopic, and structural (extended X-ray absorption fine structure) studies on the type I blue copper protein umecyanin, 2063-8

Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 12. Reactions of spinach plastocyanin with inorganic redox partners, 2069-74

PROTONATION

Protonation reactions of the mononuclear rhenium polyhydride complexes $[\text{ReH}_4(\text{PPh}_3)_2]$, $[\text{ReH}_4(\text{PPh}_3)_2\text{L}]$ (L = unidentate ligand), and $[\text{ReH}_4(\text{PPh}_3)_3]$, 67-72

Synthesis of the cage penta-azamacrocyclic bicycloalkane 12,17-dimethyl-1,5,9,12,17-penta-azabicyclo[7.5.5]nonadecane, its basicity, and

metal complex formation. Crystal structure of the copper(II) perchlorate complex, 505-10

PULSE RADIOLYSIS

Reduction of a dimeric tantalum(II) compound in acetonitrile solution by pulse radiolysis, 1741-2

Ring size effects on the chemical properties of tervalent nickel complexes with tetra-aza macrocyclic ligands in aqueous solutions. An electrochemical and pulse radiolytic study, 2509-14

PYRAZINE

Ligand substitution kinetics in complexes of pyridine and pyrazine derivatives with pentacyanoruthenate(II), 2731-6

PYRAZOLATE

Mixed-valence pyrazolate rhodium complexes. Molecular structure of $[(\text{C}_5\text{Me}_5)_2\text{Rh}(\text{Cl})(\text{pz})\text{Rh}(\text{tbf})]\text{-CH}_2\text{Cl}_2$ (Hpz = pyrazole; tbf = tetrafluorobenzobarrelene), 31-8

PYRAZOLE

Reactions of benzene-ruthenium(II) complexes with pyrazoles.

Possible formation of amidine complexes $[\text{Ru}(\eta\text{-C}_6\text{H}_6)\text{-}(\text{NH}=\text{CMe}(\text{R}_2\text{pz}))(\text{R}_2\text{Hpz})]^{2+}$ (R = H or Me, Hpz = pyrazole), 109-12

PYRAZOLYL

Transition-metal derivatives of arenediazonium ions. Part 12.

Complexes derived from pyrazole-4-diazonium and 3-pyrazolin-5-one-4-diazonium cations. X-Ray crystallographic characterisation of a sterically distorted organodiazene-dicarbonyl(3,5-dimethylpyrazol-4-yl)diazene)tris(pyrazol-1-yl)methanemolybdenum(II) tetrafluoroborate-diethyl ether (1/1), 103-8

A pyrazole derivative of aminoethane as a tridentate chelating ligand towards transition metals. The X-ray structure of $[N,N'$ -bis(pyrazol-1-yl)methyl]aminoethane)dibromocopper(II), 537-42

Interaction of palladium(II) with polydentate ligands, including the synthesis and structure of bis[tris(pyrazol-1-yl)borato- N,N']palladium(II) and the cations $[\text{Pd}(\text{L})_2]^{2+}$ [L = tris(pyrazol-1-yl)methane- N,N' or tris(pyridin-2-yl)methane- N,N'], 645-50

Bis-organamide complexes of nitrosyl[tris(3,5-dimethylpyrazolyl)borato]-molybdenum and -tungsten. The crystal and molecular structure of $[\text{Mo}(\text{NO})(\text{HB}(\text{Me}_2\text{pz})_3)(\text{NHBu}^t)_2]$, 1525-30

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 43. Carbon-tungsten triple bonds as formal four-electron donors; synthesis and reactions of the compounds $[\text{FeW}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2\text{L}]$ [L = $\text{HB}(\text{pz})_3$ [tris(pyrazol-1-yl)borate] or $\eta\text{-C}_5\text{H}_5$] and X-ray crystal structures of $[\text{FeW}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{HB}(\text{pz})_3)]$ and $[\text{FeW}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\mu\text{-Me}_2\text{PCH}_2\text{PMe}_2)(\text{CO})_2(\text{HB}(\text{pz})_3)]$, 1697-708

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 44. Formation of unsaturated dimetal compounds with elimination of alkylidene groups; X-ray crystal structures of $[\text{FeW}(\mu\text{-PPh}_2)(\text{CO})_2(\text{HB}(\text{pz})_3)]$ [HB(pz)₃ = tris(pyrazol-1-yl)borate] and $[\text{RhW}(\mu\text{-CO})_2(\text{CO})(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]$, 1709-16

PYRAZOLYLBORATE

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 41. Synthesis of alkylidynetungsten complexes with (pyrazol-1-yl)borato ligands; crystal structures of $[\text{W}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{B}(\text{pz})_3)]$, $[\text{Rh}_2\text{W}(\mu_2\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)_2(\text{HB}(\text{pz})_3)]\text{-CH}_2\text{Cl}_2$ and $[\text{FeRhW}(\mu_2\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-MeC}_2\text{Me})(\text{CO})_4(\eta\text{-C}_5\text{H}_5)(\text{HB}(\text{pz})_3)]$, 187-98

PYRIDAZINE

Binuclear nickel(II) and cobalt(II) complexes of the novel binucleating ligand 3,6-bis(1'-pyrazolyl)pyridazine. Crystal and molecular structure and magnetism of bis[μ -3,6-bis(1'-pyrazolyl)pyridazine- $N^1(N^1)N^2(N^2)(N^2)N^2(N^2)$]-bis[di-aquanickel(II)] tetrachloride dihydrate, 625-32

Pentamethylcyclopentadienylrhodium complexes with the pyridazine ligand. Molecular structure of $[\text{Rh}(\text{C}_5\text{Me}_5)_2(\mu\text{-Cl})_2(\mu\text{-pydz})][\text{ClO}_4]\text{-H}_2\text{O}$ (pydz = pyridazine), 2113-8

Copper co-ordination chemistry of some quadridentate pyridazine and phthalazine (N_4) thioether ligands. Binuclear copper(II) complexes exhibiting two-electron reduction at positive potentials, 2381-6

Iridium nitrosyl and carbonyl complexes with 2-pyridinecarbaldehyde, 2669-74

PYRIDINE

Preparation, spectroscopic characterisation, electrochemical and photochemical properties of *cis*-bis(2,2'-

PYRIDINE (contd)

- bipyridyl)carbonylruthenium(II) complexes, 253-8
- Relative stabilities of *trans*-dichloro(olefin)pyridineplatinum(II) complexes. Re-examination of Hammett equation for *para*-substituted styrene complexes, 891-4
- Zinc(II) bis(*O,O'*-dialkyl dithiophosphates): complexation behaviour with pyridine and other multidentate nitrogen donor molecules. The crystal and molecular structures of the 1:1 complexes of bis(*O,O'*-diisopropyl dithiophosphato)zinc(II) with pyridine, 2,2'-bipyridine, and 2,2':6,2'-terpyridine and of (1,11-diamino-3,6,9-triazaundecane)zinc(II) bis(*O,O'*-diethyl dithiophosphate), 929-38
- Synthesis, crystal structure, and spectroscopic properties of $[\text{Mo}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_6][\text{BF}_4]_2$, $[\text{Rh}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_6][\text{BF}_4]_2$, and $[\text{Rh}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_4(\text{py})_2][\text{BF}_4]_2$, 1257-64
- The effect of a dansyl group on the co-ordinative ability of *N*-protected amino acids. Part 2. Binary copper(II) complexes and their pyridine and 2,2'-bipyridine adducts. Crystal and molecular structure of the complexes aquabis(*N*-dansylglycinato-*O*)bis(pyridine)copper(II) and (2,2'-bipyridine-*N*-dansylglycinato-*NO*)(methanol)copper(II), and neutral *N*-dansylglycine, 1367-74
- Heterocyclic nitrogen-containing electron-pair donor ligands: a thermochemical study of adducts with zinc, cadmium, and mercury chlorides, 1913-6
- The reaction of WS_2Cl_2 with pyridine: crystal structure of di- μ -sulphido-bis(chlorobis(pyridine)sulphiditungsten(V))pyridine (1/2), $[\text{W}_2\text{S}_4\text{Cl}_2(\text{py})_4]_2\text{py}$, 2165-8
- Synthesis of the tridentate pyridine donor 2,6-bis(1-phenyl-1-(pyridin-2-yl)ethyl)pyridine (L), including separation of *meso* and *rac* diastereoisomers *via* methylmercury(II) derivatives, and an X-ray structural study of $[\text{HgMe}(\text{meso-L})]\text{NO}_3 \cdot 2\text{H}_2\text{O}$, 2201-4
- Interaction of palladium(II) acetate with substituted pyridines, including a cyclometallation reaction and the structure of $[\text{Pd}(\text{meso-L})(\text{py})\text{PhMeCl}_2\text{C}_2\text{H}_5\text{N}](\text{O}_2\text{CMe})[\text{O}_2\text{CMe}]\cdot 3\text{H}_2\text{O}$, 2205-10
- Molybdenum-mediated methoxycarbonylation of propargyl halides: molecular and crystal structure of the vinylmolybdenum(II) complex $[\text{Mo}(\text{bipy})(\text{CO})_2(\text{C}_3\text{H}_5\text{O}_2\text{Xpy})]\text{BF}_4$, 2405-10
- Fluorescent copper(I) complexes: an X-ray diffraction study of complexes of copper(I) iodide and pyridine derivatives of rhombic, $[\text{Cu}_2\text{I}_2(3\text{Me-py})_4]$, and polymeric structure, $[\{\text{CuI}(2\text{Me-py})\}_n]$ and $[\{\text{CuI}(2,4\text{Me}_2\text{-py})\}_n]$, 2449-54
- Synthesis and characterization of a new family of unsaturated triangular rhodium cluster anions of formula $[\text{Re}_3(\mu\text{-H})_4(\text{CO})_9\text{L}]^-$ (L = neutral two-electron donor ligand). X-Ray crystal and molecular structures of the tetraethylammonium salts of the anions with L = triphenylphosphine and pyridine, 2691-8
- Mechanism of addition of 2-ethylpyridine to tricarbonyl(1-5- η -dienyl)iron(II) cations (dienyl = C_6H_7 , 2- MeOC_6H_4 , or C_7H_9), 2707-10
- Ligand substitution kinetics in complexes of pyridine and pyrazine derivatives with pentacyanoruthenate(II), 2731-6

PYRIDINECARBALDEHYDE

- Iridium nitrosyl and carbonyl complexes with 2-pyridinecarbaldehyde, 2669-74.

PYRIDINECARBOXYLATE

- Redox reactions of some iron(II), iron(III), and cobalt(III) picolinate complexes, 619-24
- Kinetics and mechanism of the reaction between dimethyl sulphoxide and dichloro(pyridine-2-carboxylato)platinate(II) anion and the *cis-trans* isomerization of the products. X-Ray crystal structure of *trans*-(*O,S*)-chloro(dimethyl sulphoxide)(pyridine-2-carboxylato)platinum(II), 1101-6

PYRIDINETHIOLATE

- Methyl- and phenyl-mercury(II) derivatives of 2-mercaptopyridine. Crystal and molecular structure of methyl(pyridine-2-thiolato)mercury(II), 1945-8

PYRIDINOPHANE

- Template preparation of a nickel(II) pyridinophane complex; crystal and molecular structure of *cis*-dichloro[2,11-dithia[3,3](2,6)pyridinophane]nickel(II), 1747-50

PYRIDINYLKETOACETAMIDE

- Structural, spectroscopic, and magnetic properties of mono- and binuclear copper(II) complexes of *N*-(2-pyridinyl)ketoacetamides, 437-44

PYRIDOXAL

- Thiosemicarbazones as co-ordinating agents. Solution chemistry and X-ray structure of pyridoxal thiosemicarbazone trihydrate and spectroscopic properties of its metal complexes, 2455-62

PYRIDYL

- Interaction of palladium(II) with polydentate ligands, including the synthesis and structure of bis[tris(pyrazol-1-yl)borato-*N,N'*]palladium(II) and the cations $[\text{Pd}(\text{L})_2]^{2+}$ [L = tris(pyrazol-1-yl)methane-*N,N'* or tris(pyridin-2-yl)methane-*N,N'*], 645-50

- Synthesis, spectroscopic, and structural studies of dimethylthallium(III) complexes containing heterocyclic nitrogen-donor ligands, including $\text{TiC}_2\text{N}_2\text{O}_2$ and TiC_2O_6 geometries, 939-46

PYRIMIDINETHIOLATE

- The anion of pyrimidine-2-thiol as a ligand to molybdenum, tungsten, and iron. Preparation of complexes, their structures and reactivity, 1181-8

PYROCHLORE

- Preparation and X-ray diffraction data for the new pyrochlores $\text{Pb}_2[\text{M}_{0.33}\text{Sb}_{1.67}]\text{O}_{6.5}$ (M = Mg, Ni, Cu, or Zn), 1247-50

PYRROLE

- Copper(II) complexes of pyrrole-containing Schiff-base macrocycles: crystal and molecular structures of a mononuclear macrocyclic complex, and of pyrrole-2,5-dicarbaldehyde, 693-700

PYRROLIDINECARBODITHIOATE

- Synthesis, characterization, and crystal structure of μ -[1'-pyrrolidinecarbodithioato- $\text{S}(\text{Bi}^{1-2})\text{S}'(\text{Bi}^2)$]-1,1,1,2,2-pentakis(1'-pyrrolidinecarbodithioato- SS')dibismuth(III) ethanol (1/1) and of di- μ -chloro-bis[bis(1'-pyrrolidinecarbodithioato- SS')(thiourea- S)bismuth(III)], 1513-8

QUINOLINATE

- Mixed tri- and bi-dentate Schiff-base complexes of technetium(V) and rhenium(V). The crystal structure of *N*-(2-oxidophenyl)salicylideneiminato-*NOO'*oxo(8-quinolinolato-*NO*)technetium(V), 1623-8

QUINOLINE

- Fluorescent copper(I) complexes: correlation of structural and emission characteristics of $[\{\text{CuI}(\text{quin})\}_2]$ and $[\text{Cu}_4\text{L}_4(\text{quin})_4]$ (quin = quinoline), 2303-10

RAMAN

- The syntheses, structures, and electronic and resonance-Raman spectroscopy of halogen-bridged platinum(II,IV) chain complexes involving equatorially co-ordinated terdentate amines: X-ray crystal structure of $[\text{Pt}^{\text{II}}(\text{Me-dien})][\text{Pt}^{\text{IV}}(\text{Me-dien})\text{I}_3]$, and spectroscopy of $[\text{Pt}^{\text{II}}(\text{dien})(\text{NO}_2)][\text{Pt}^{\text{IV}}(\text{dien})(\text{NO}_2)\text{Br}_2]\text{Br}_2$, 273-8

- The methylamine analogues of Wolfram's red and Reihlen's green: syntheses, infrared, electronic, Raman, and resonance-Raman spectroscopy, and X-ray crystal structures of chain chlorine- and bromine-bridged platinum(II,IV) complexes of methylamine, 403-10

- The Raman spectrum of $[\text{U}(\text{NCS})_6]^{4-}$ and configuration of the ion in solution, 1057-8

- The crystal structures of the hexachloroantimonate salts of $(\text{CH}_3)_2\text{SS}(\text{CH}_3)^+$, $(\text{CH}_3)_3\text{S}^+$, and $(\text{CH}_3\text{Se})_3^+$, 1095-100
- Raman, resonance Raman, and infrared spectroscopic study of complexes containing copper(II)-tetrathio-molybdate(VI) and -tungstate(VI) anions, 1595-602

- Reactions in mixed non-aqueous solutions containing sulphur dioxide. Part 7. A Raman spectroscopic study of adduct formation between sulphur dioxide and dimethyl sulphoxide, 2597-602

REDUCTION

- Kinetics and mechanism of the reduction of dodecatungstocobaltate(III) by oxalate. The catalytic role of alkali metal ions through outer-sphere bridging, 1301-4
- Reduction of a dimeric tantalum(III) compound in acetonitrile solution by pulse radiolysis, 1741-2

REGIOSELECTIVITY

- Cobalt metallacycles. Part 15. Regioselective formation and rearrangement of 4-iminocobaltacyclobutene complexes, 1201-6

RHENIUM

- Reactions of the multiply bonded dirhenium complexes $[\text{Re}_2\text{X}_4(\text{L-L})_2]^{n+}$ (X = Cl or Br, L-L = $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2$ or $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{AsPh}_2$; n = 0 or 1) with isocyanides and nitriles. Reaction without metal-metal bond disruption, 55-60
- Protonation reactions of the mononuclear rhenium polyhydride complexes $[\text{ReH}_4(\text{PPh}_3)_2]$, $[\text{ReH}_4(\text{PPh}_3)_2\text{L}]$ (L = unidentate ligand), and $[\text{ReH}_4(\text{PPh}_3)_3]$, 67-72
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 40. Transformation of terminally bound alkylidyne ligands to μ -alkylidene, μ -vinyl, μ -alkyl, and μ -acyl

RHENIUM (contd)

- groups at a bimetal centre; X-ray crystal structures of $[\text{N}(\text{PPh}_3)_2][\text{ReW}(\mu\text{-CHR})(\text{CO})_6]$, $[\text{ReW}(\mu\text{-CH}_2\text{R})(\mu\text{-Me}_2\text{PCH}_2\text{PMe}_2)(\text{CO})_6]$, and $[\text{ReW}(\mu\text{-OCCH}_2\text{R})(\mu\text{-Ph}_2\text{PCH}_2\text{PPh}_2)(\text{CO})_6][\text{P}(\text{OMe})_3]$ ($\text{R} = \text{C}_6\text{H}_5\text{Me-4}$), 173–86
- New diazenido-complexes of molybdenum(IV), tungsten(IV), and rhenium(III), 213–6
- Synthesis and characterisation of tungsten and rhenium aluminopolyhydrides: X-ray crystal structures of $(\text{Me}_2\text{P})_3\text{H}_3\text{W}(\mu\text{-H})\text{Al}(\text{H})(\mu\text{-OBU})_2\text{Al}(\text{H})(\mu\text{-H})\text{WH}_2(\text{PMe}_2)_3$ and $(\text{Me}_2\text{P})_3\text{H}_3\text{W}(\mu\text{-H})\text{Al}(\text{H})(\mu\text{-H})\text{WH}_2(\text{PMe}_2)_3$, 279–86
- Synthesis of $[\text{Re}(\eta\text{-C}_6\text{H}_5)(\eta^5\text{-C}_6\text{H}_5)]$, $[\text{Re}(\eta\text{-C}_6\text{H}_5)(\eta^5\text{-C}_6\text{H}_5)]\text{BF}_4$, and $[\text{Re}(\eta\text{-C}_6\text{H}_5)(\eta^5\text{-C}_6\text{H}_5)]\text{Ph}$ using rhenium atoms: characterization by application of a modified heteronuclear ^{13}C - ^1H J-resolved two-dimensional nuclear magnetic resonance experiment, 343–6
- Synthesis and properties of some cyclohexadienylrhenium polyhydride complexes, 525–30
- Synthesis of some $(\eta\text{-arene})\text{dihydridorhenium}$ cations and their reactions with LiAlH_4 and LiAlD_4 , 531–6
- Rhenium nitrosyl complexes with simple and with sterically demanding aromatic thiolate ligands: X-ray crystal structures of $[\text{PPh}_3][\text{Re}_2(\text{SC}_6\text{H}_4\text{Me-4})(\text{NO})_2]\text{CH}_2\text{Cl}_2$ and $[\text{Re}(\text{SC}_6\text{H}_3\text{Pr}^2\text{-2,6})_2(\text{NO})]$ (1985), 1523, 903–4
- Synthesis and X-ray crystal structure of the novel hydridocarbonyl cluster $[\text{Re}_4(\mu\text{-H})_3(\text{CO})_{14}]$, 1051–4
- Catecholato complexes of ruthenium, iridium, rhenium, molybdenum, and tungsten, 1125–8
- Rhenium complexes with di- and tri-thiolate ligands. The synthesis and X-ray crystal structures of square pyramidal $[\text{PPh}_3][\text{ReO}(\text{SCH}_2\text{CH}_2\text{S})_2]$ and $[\text{NMe}_4][\text{ReS}(\text{SCH}_2\text{CH}_2\text{S})_2]$ and trigonal prismatic $[\text{PPh}_3][\text{Re}(\text{SCH}_2\text{CH}_2\text{S})_2\text{CCH}_3]_2$, 1339–46
- Mixed tri- and bi-dentate Schiff-base complexes of technetium(V) and rhenium(V). The crystal structure of N -(2-oxido-phenyl)salicylideneiminato- NOO° oxo(8-quinolinolato- NO)technetium(V), 1623–8
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 45. Synthesis of the pentanuclear metal complexes $[\text{M}'_2\text{M}_2\text{Re}_2(\mu\text{-CC}_6\text{H}_4\text{Me-4})_2(\text{CO})_{18}]$ ($\text{M}' = \text{Ni}$ or Pt , $\text{M} = \text{Cr}$ or W) and related compounds; X-ray crystal structure of $[\text{ReWPt}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_6(\text{PMe}_3)_2]$, 1717–22
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 46. Synthesis of heteronuclear trimetal compounds from the dimetallic compounds $[\text{ReM}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_5]$ ($\text{M} = \text{Cr}$, Mo , or W) and $[\text{CoW}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_5]$; X-ray structure of $[\text{CrReFe}(\mu_3\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\text{CO})_{11}]$, 1723–30
- η -Arene-rhenium chemistry: activation of sp^3 carbon-hydrogen bonds of alkylbenzenes by rhenium; formation of binuclear μ -alkylidene derivatives, 2469–76
- Reactions of the dirhenium(II) complexes $[\text{Re}_2\text{X}_4(\text{dppm})_2]$ ($\text{X} = \text{Cl}$ or Br , $\text{dppm} = \text{Ph}_2\text{PCH}_2\text{PPh}_2$) with isocyanides. Part 2. The A-frame-like mono-isocyanide species $[\text{Re}_2(\mu\text{-X})(\mu\text{-dppm})_2\text{X}_2(\text{CNR})]^{2+}$ ($\text{R} = \text{Me}$, Bu^t , or $\text{C}_6\text{H}_5\text{Me}_2\text{-2,6}$; $n = 0$ or 1), 2607–12
- Tetraethyl diphosphite-bridged binuclear carbonyl derivatives of decacarbonyldimanganese and pentacarbonylmanganese halides, 2617–22
- Synthesis and characterization of a new family of unsaturated triangular rhenium cluster anions of formula $[\text{Re}_3(\mu\text{-H})_4(\text{CO})_9\text{L}]^-$ ($\text{L} =$ neutral two-electron donor ligand). X-Ray crystal and molecular structures of the tetraethylammonium salts of the anions with $\text{L} =$ triphenylphosphine and pyridine, 2691–8

RHODADECABORANE

- Pentamethylcyclopentadienylrhodaborane chemistry. Part 1. High-yield planned synthesis, molecular structure, and nuclear magnetic resonance properties of the ten-vertex *nido*-6-rhodadecaborane $[(\eta^5\text{-C}_5\text{Me}_5)\text{RhB}_9\text{H}_{13}]$, 547–52

RHODAUNDECABORANE

- Eleven-vertex *isocloso* type rhodaundecaboranes: crystal structures and nuclear magnetic resonance properties of $[(\text{PMe}_2\text{Ph})_2\text{RhHB}_{10}\text{H}_9(\text{OMe})_2]$ and $[(\text{PMe}_2\text{Ph})_2\text{RhHB}_{10}\text{H}_9\text{Cl}(\text{OMe})]$, 517–24

RHODIUM

- Di- and tetra-nuclear mixed-valence complexes of rhodium(III) and rhodium(II)-iridium(II) with the 2,2'-bi-imidazole(2-) anion (*bim*) as bridging ligand. Crystal structure of $[(\eta^5\text{-C}_5\text{Me}_5)_2\text{P}(\text{OEt})_2]\text{Rh}(\text{bim})\text{Rh}(\text{nbdt})_2][\text{ClO}_4]_2$, 15–22
- Mixed-valence pyrazolate rhodium complexes. Molecular structure

of $[(\text{C}_5\text{Me}_5)_2\text{ClRh}(\text{pz})(\text{Rh}(\text{tbf}))]\text{CH}_2\text{Cl}_2$ ($\text{Hpz} =$ pyrazole; $\text{tbf} =$ tetrafluorobenzobarrelene), 31–8

- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 41. Synthesis of alkylidyne-tungsten complexes with (pyrazol-1-yl)borato ligands; crystal structures of $[\text{W}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_2][\text{B}(\text{pz})_2]$, $[\text{Rh}_2\text{W}(\mu_3\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\text{CO})_2(\eta\text{-C}_6\text{H}_5)_2][\text{HB}(\text{pz})_2]\text{CH}_2\text{Cl}_2$, and $[\text{FeRhW}(\mu_3\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-Me}_2\text{CMe})(\text{CO})_4(\eta\text{-C}_6\text{H}_5)_2][\text{HB}(\text{pz})_2]$, 187–98
- Proton exchange and base-catalysed hydrolysis of some *trans*- and *cis*-dichloro(1,4,8,11-tetra-azacyclotetradecane) complexes of chromium(III), ruthenium(III), and rhodium(III), 427–32
- Cyclometallation reactions in neopentyl and trimethylsilylmethyl systems of rhodium(II) and iridium(III). Formation and X-ray crystal structures of the four-membered metallocycles $[\text{Rh}(\text{CH}_2\text{CMe}_2\text{CH}_2)(\eta^5\text{-C}_5\text{Me}_5)(\text{PPh}_3)]$ and $[\text{Ir}(\text{CH}_2\text{SiMe}_2\text{CH}_2)(\eta^5\text{-C}_5\text{Me}_5)(\text{PPh}_3)]$, 477–88
- Eleven-vertex *isocloso* type rhodaundecaboranes: crystal structures and nuclear magnetic resonance properties of $[(\text{PMe}_2\text{Ph})_2\text{RhHB}_{10}\text{H}_9(\text{OMe})_2]$ and $[(\text{PMe}_2\text{Ph})_2\text{RhHB}_{10}\text{H}_9\text{Cl}(\text{OMe})]$, 517–24
- Pentamethylcyclopentadienylrhodaborane chemistry. Part 1. High-yield planned synthesis, molecular structure, and nuclear magnetic resonance properties of the ten-vertex *nido*-6-rhodadecaborane $[(\eta^5\text{-C}_5\text{Me}_5)\text{RhB}_9\text{H}_{13}]$, 547–52
- The synthesis, structural and spectroscopic studies of $[\text{Ru}_2\text{Rh}_2\text{H}_2(\text{CO})_{12}]$, 681–6
- Formation of N-C bonds *via* alkylation of transition metal nitrosyls. Reaction of ruthenium and other transition metal nitrosyls with benzyl bromide, 43–50
- Neopentyl and trimethylsilylmethyl compounds of rhodium(III) and iridium(III) with *ortho*-metallated triphenylphosphine. X-Ray crystal structure of $[\text{Ir}(\text{C}_6\text{H}_4\text{PPh}_3)(\text{CH}_2\text{SiMe}_3)(\eta^5\text{-C}_5\text{Me}_5)]$, 803–12
- 1,2,4-Triazole (*tz*) complexes of rhodium(II), iridium(II), and palladium(II). Crystal structure of $[\text{Rh}_2(\mu_3\text{-tz})(\mu\text{-Cl})\text{CH}(\eta^5\text{-tbf})_2(\text{CO})_4] \cdot 0.5\text{CH}_2\text{Cl}_2$ ($\text{tbf} =$ tetrafluorobenzobarrelene), a trinuclear complex with extended metal-metal interactions 1087–94
- Synthesis, crystal structure, and spectroscopic properties of $[\text{Mo}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_4][\text{BF}_4]_2$, $[\text{Rh}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_4][\text{BF}_4]_2$, and $[\text{Rh}_2(\text{O}_2\text{CMe})_2(\text{MeCN})_4(\text{py})_2][\text{BF}_4]_2$, 1257–64
- Ligand fluxionality in close-packed rhodium carbonyl clusters, 1375–82
- Trimethylenemethane metal complexes. Part 1. Synthesis of ruthenium, osmium, rhodium, and iridium complexes, 1411–8
- The reactions of di- μ -methylene-bis(pentamethylcyclopentadienyl)dirhodium(IV) complexes with benzylmagnesium chloride and with alkylmagnesium chloride; X-ray structure of $[(\eta^5\text{-C}_5\text{Me}_5)\text{Rh}(\text{CH}_2\text{Ph})(\mu\text{-CH}_2)_2\text{Rh}(\eta^5\text{-C}_5\text{Me}_5\text{CH}_2\text{Ph})]$, 1419–24
- Decomposition reactions of dimethyl-di- μ -methylene-bis(pentamethylcyclopentadienyl)dirhodium and their relation to the mechanism of the Fischer-Tropsch reactions; the formation of propylene from three C₁ ligands, 1565–76
- Reduction-oxidation properties of organotransition-metal complexes. Part 23. Pentamethylcyclopentadienyl carbonyl complexes of cobalt and rhodium, 1613–8
- Second-sphere co-ordination of cationic rhodium complexes $[\text{Rh}(\text{L})(\text{NH}_3)_2]^+$ by dibenzo-3*n*-crown-*n* ethers [$n = 6$ –12; $\text{L} =$ cyclo-octa-1,5-diene (*cod*) or norbornadiene (*nbd*)]. Solution ^1H nuclear magnetic resonance spectroscopic studies and X-ray crystal structures of $[\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-21-c-7}][\text{PF}_6]$, $[\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-24-c-8}][\text{PF}_6]$, $[\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-30-c-10}][\text{PF}_6]$, $[\text{Rh}(\text{nbd})(\text{NH}_3)_2\text{-db-24-c-8}][\text{PF}_6]$, and $[\text{Rh}(\text{cod})(\text{NH}_3)_2\text{-db-36-c-12}][\text{PF}_6]$, 1639–52
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 44. Formation of unsaturated dimetal compounds with elimination of alkylidyne groups; X-ray crystal structures of $[\text{FeW}(\mu\text{-PPh}_3)(\text{CO})_2][\text{HB}(\text{pz})_2]$, $[\text{HB}(\text{pz})_2] = \text{tris(pyrazol-1-yl)borate}$ and $[\text{RhW}(\mu\text{-CO})_2(\text{CO})(\text{PPh}_3)_2(\eta\text{-C}_6\text{H}_5)]$, 1709–16
- Complexes of the platinum metals. Part 31. Reactions of binuclear ruthenium(II) and rhodium(II) carboxylates with chelating diphosphines; X-ray crystal structure of (acetato-*O,O'*)bis[bis(diphenylphosphino)methane-*P,P'*]ruthenium(II) tetraphenylborate, 1771–8
- The synthesis, X-ray crystal structure, and solution characterization

RHODIUM (contd)

- of a bis(diphosphine)-bridged dirhodium(i) complex containing a Rh_4P_6 six-membered ring, 1895-900
- Kinetics of the reduction of a tetra- μ -acetato-dirhodium cation by substituted 1,2- and 1,4-dihydroxybenzene compounds in aqueous perchlorate media, 1931-6
- Pentamethylcyclopentadienylrhodium complexes with the pyridazine ligand. Molecular structure of $[(Rh(C_5Me_5)_2(\mu-Cl)(\mu-pydz))][ClO_4] \cdot H_2O$ ($pydz =$ pyridazine), 2113-8
- η^3 -Allyl rhodium complexes with azolate ligands. Crystal structures of the trinuclear 1,2,4-triazolate (tz) complexes $[Rh_3(\mu-tz)_3(\eta^3-C_3H_5)_6]$ and $[Rh_3(\mu-tz)(\mu-Cl)(\eta^3-C_3H_5)_2(CO)_6] \cdot 0.5C_2H_4Cl_2$, 2193-200
- Structure and fluxional behaviour of some aqua-complexes of rhodium(III) and iridium(III), 2545-50

RUTHENIUM

- Reactions of benzene-ruthenium(II) complexes with pyrazoles. Possible formation of amidine complexes $[Ru(\eta^6-C_6H_6)(NH-CMe(R,pz))(R_2Hpz)]^{2+}$ ($R = H$ or Me , $Hpz =$ pyrazole), 109-12
- Syntheses, structures, and bonding of heteropentametallic clusters $[MCo_3(CO)_{12}(\mu_3-M'(EPh_3))]_n$ ($M = Fe$ or Ru ; $M' = Cu$ or Au ; $E = P$ or As): X-ray crystal structures of $[RuCo_3(CO)_{12}(\mu_3-M'(PPh_3))]_n$ ($M' = Cu$ or Au), 225-34
- Preparation, spectroscopic characterisation, electrochemical and photochemical properties of *cis*-bis(2,2'-bipyridyl)carbonylruthenium(II) complexes, 253-8
- Tertiary phosphine aluminohydride complexes of ruthenium(II) and osmium(II), 287-90
- Complexes with functional phosphines. Part 8. Interconversion study of $[RuCl_2(Ph_2PCH_2C(O)OEt)L_2]$, $[RuCl_2(CO)(Ph_2PCH_2C(O)OEt)L]$, and $[RuCl_2(CO)_2L_2]$ [$L = Ph_2PCH_2C(O)OEt$] under CO . Synthesis and X-ray structure of *mer*- $[RuCl_3(Ph_2PCH_2C(O)OEt)L]$, 415-20
- Proton exchange and base-catalysed hydrolysis of some *trans*- and *cis*-dichloro(1,4,8,11-tetra-azacyclotetradecane) complexes of chromium(III), ruthenium(III), and rhodium(III), 427-32
- Structure of a *cis*-dimetalla-alkene complex formed by the reaction of a ruthenium(II) complex with bis(phenylethynyl)mercury(II), 433-6
- The synthesis, structural and spectroscopic studies of $[Ru_2Rh_2H_2(CO)_2]$, 681-6
- Formation of N-C bonds *via* alkylation of transition metal nitrosyls. Reaction of ruthenium and other transition metal nitrosyls with benzyl bromide, 743-50
- Reactivity of trinuclear ruthenium complexes involving bis(diphenylphosphino)methane (dppm) as a bridging ligand: facile declusterification of $[Ru_3(CO)_9(\mu-dppm-PP)_2]$ in the presence of iodine and the crystal structure of $[Ru_3(\mu-I)_2(CO)_9(\mu-dppm-PP)]$, 899-902
- Co-ordination chemistry of higher oxidation states. Part 18. Bidentate selenoether complexes of the tetravalent platinum metals. Crystal and molecular structure of $[Pt(o-C_6H_4(SeMe)_2)_2Cl_2]$, 1003-10
- Synthesis, characterisation, electrochemical properties, photochemical properties, and reactivity of bis(2,2'-bipyridyl)hydridoruthenium complexes, 1045-8
- Catecholato complexes of ruthenium, iridium, rhenium, molybdenum, and tungsten, 1125-8
- Synthesis and interconversion of, and restricted rotation in, phenyl complexes of ruthenium(II), 1167-74
- Trimethylenemethane metal complexes. Part 1. Synthesis of ruthenium, osmium, rhodium, and iridium complexes, 1411-8
- Molecular structures and dynamic behaviour of two isomers of $[Ru_3(\mu-H)(\mu_3-Me_2NC_4H_4)(CO)_6]$ formed from 1-dimethylaminobut-2-yne and containing η^3 -alkene-1,3-diyl and η^3 -alkene-1,2-diyl ligands respectively, 1459-64
- Crystal and molecular structure of $[AsPh_3][Ru(Ot-MeSeCH_2CH_2SeMe)Cl_4]$, 1479-82
- Complexes with functional phosphines. Part 8. Interconversion study of $[RuCl_2(Ph_2PCH_2C(O)OEt)L_2]$, $[RuCl_2(CO)(Ph_2PCH_2C(O)OEt)L]$, and $[RuCl_2(CO)_2L_2]$ [$L = Ph_2PCH_2C(O)OEt$] under CO . Synthesis and X-ray structure of *mer*- $[RuCl_3(Ph_2PCH_2C(O)OEt)L]$ (1986, 415), 1483-4
- X-Ray structure analysis of the salts $[N(Ph)_3][M_4H_3(CO)_{12}]$ ($M = Ru$ or Os), confirmation of the existence of discrete

structural isomers for a hydrido-carbonyl cluster in the solid state, 1557-64

- Reduction-oxidation properties of organotransition-metal complexes. Part 24. The oxidative dimerisation of $[Ru(CO)_2L(\eta^6-cot)]$ ($L = CO$ or PPh_3 , $cot =$ cyclo-octatetraene), 1619-22
- Complexes of the platinum metals. Part 31. Reactions of binuclear ruthenium(II) and rhodium(II) carboxylates with chelating diphosphines; X-ray crystal structure of (acetato-*O,O'*)bis[bis(diphenylphosphino)methane-*P,P'*]ruthenium(II) tetraphenylborate, 1771-8
- Nuclear magnetic resonance of binuclear complexes containing a metallocyclopentadiene system, 1863-6
- Effect of oxidation state of plastocyanin on the remote binding site pK_a , 2011-2
- Kinetic studies on 1:1 electron-transfer reactions involving blue copper proteins. Part 12. Reactions of spinach plastocyanin with inorganic redox partners, 2069-74
- Synthesis and characterisation of a phosphido-bridged ruthenium cluster: crystal and molecular structure of $[Ru_3C(\mu-H)(\mu-PPh_2)(CO)_4]$, 2149-54
- The heteronuclear cluster chemistry of the group 1B metals. Part 1. Structural similarities and differences among mixed-metal clusters compounds containing copper, silver, or gold atoms ligated by phosphines. X-Ray crystal structures of $[CuRu_4(\mu_3-H)_2(CO)_2(PMePh_2)]$ and $[CuRu_3(CO)_9(C_2Bu')_2(PPh_3)]$, 2181-92
- Preparation and photochemical properties of water-soluble polymers with pendant tris(2,2'-bipyridyl)ruthenium(II) groups. N-Ethylated copolymers of vinylpyridine and *cis*-bis(2,2'-bipyridyl)(4-methyl-4'-vinyl-2,2'-bipyridyl)ruthenium(II), 2485-92
- Reaction of nitrobenzene with $[M_3(CO)_{12}]$ ($M = Fe$ or Ru) in the presence of $[Co_2(CO)_8]$: isolation and structure of $[Ru_3(CO)_9(NPh)(\eta^3-C_6H_5)]$, 2501-4
- A general route for the synthesis of tetranuclear clusters containing closed triruthenium and triosmium triangles, 2515-8
- Cluster chemistry. Part 45. Synthesis and some reactions of $[Ru_3(\mu_3-PPhCH_2PPh_2)(CO)_9]$: X-ray crystal structures of $[MRu_3(\mu_3-PPhCH_2PPh_2)(CO)_9(PPh_3)]$ ($M = Cu, Ag$, or Au), 2557-68
- Alkyl compounds of ruthenium(-II) and (-V) and osmium(III). X-Ray crystal structures of hexakis(trimethylsilylmethyl)- and hexakis(neopentyl)-diruthenium(III), dioxohexakis(trimethylsilylmethyl)diruthenium(V), and bis(η^3 -allyl)tetrakis(neopentyl)diosmium(III), 2711-20
- Ligand substitution kinetics in complexes of pyridine and pyrazine derivatives with pentacyanoruthenate(II), 2731-6
- Crystal structure of $[Ni_2Ru_3(\eta^3-C_3H_5)_2(CO)_6(\mu_3-PPh)]$, an open square-pyramidal cluster obtained *via* condensation of co-ordinatively unsaturated $[Ru_3(\mu-H)(CO)_9(\mu-PPh_2)]$ with $[Ni_2(\eta^3-C_3H_5)_2(CO)_2]$, 2737-40
- SALICYL PHOSPHATE**
- Kinetic and equilibrium studies of the copper(II) promoted hydrolysis of salicyl phosphate. A rate acceleration of 10^4 for the hydrolysis of a phosphate monoester dianion, 2029-34
- SCHIFF BASE**
- Synthesis and characterisation of some cobalt(II) complexes of Schiff-base ligands and their reactions with molecular oxygen. Effects of chelate ring size, 421-6
- Copper(II) complexes of pyrrole-containing Schiff-base macrocycles: crystal and molecular structures of a mononuclear macrocyclic complex, and of pyrrole-2,5-dicarbaldehyde, 693-700
- Copper(I) Schiff-base complexes: reversible carbon monoxide binding, reactions with dioxygen, and the structure of a dinuclear complex containing co-ordinated and unco-ordinated alkene groups, 911-20
- Quadridentate *versus* quinque-dentate co-ordination of some N_4 and N_3O_2 macrocyclic ligands and an unusual thermally controlled quintet \rightleftharpoons singlet spin transition in an iron(II) complex, 991-6
- Spectroscopic and magnetic properties of $[FeL_2(salacen)]PF_6$ ($L =$ imidazole or *N*-methylimidazole): new examples of intermediate electronic relaxation between $S = \frac{1}{2}$ and $S = \frac{3}{2}$ states. X-Ray crystal structure of $[Fe(Him)_2(salacen)]PF_6$, 1115-24
- Synthesis, X-ray structure, and magnetic properties of di- μ -chloro-bis(*N*-(2-hydroxy-2-phenylethyl)salicylideneiminato-copper(II)), 1213-6
- Mixed tri- and bi-dentate Schiff-base complexes of technetium(V) and rhenium(V). The crystal structure of *N*-(2-oxidophenyl)salicylideneiminato-*NOO'*oxo-8-quinolinolato-*NO*technetium(V), 1623-8

SCHIFF BASE (contd)

- Crystal structure and magnetic properties of dimeric [2-hydroxypropane-1,3-diylbis(3'-t-butyl-5'-methylsilylideneiminato)]copper(II), 2169-72
- Iron complexes of *N*-substituted thioisocyanideimines. Part 4. Preparation, structure, and reactivity of pentadentate [*N,N'*-4-azaheptane-1,7-diylbis(thioisocyanideiminato)]iron(II) derivatives, 2271-6
- Crystal structures and magnetism of binuclear copper(II) complexes with alkoxide bridges. Importance of orbital complementarity in spin coupling through two different bridging groups, 2633-40
- Magnetic and electrochemical studies on binuclear copper(II) complexes derived from 2,6-diacetyl-4-methylphenol: the *X*-ray and molecular structure of an acyclic, binuclear Schiff-base complex, 2681-90

SELENIDE

- Reactions of electrophilic alkynes with some iron and tungsten sulphur, selenium, and arsenic complexes, 1577-86
- Gas-phase electron diffraction study of tetrafluoro(seleno)tungsten(VI), WSeF_6 , 1821-4
- Synthesis and chemical characterization of the chalcogenide capped iridium carbonyl anions: $[\text{Ir}_3(\mu_3\text{-X})(\text{CO})_6]^-$ ($\text{X} = \text{S}$ or Se). Crystal and molecular structures of $[\text{NMe}_3(\text{CH}_2\text{Ph})][\text{Ir}_3(\mu_3\text{-S})(\text{CO})_6]$ and $[\text{NMe}_4][\text{Ir}_3(\mu_3\text{-Se})(\text{CO})_6]$, 2463-8

SELENIUM

- The crystal structures of the hexachloroantimonate salts of $(\text{CH}_3)_3\text{SS}(\text{CH}_3)_3^+$, $(\text{CH}_3\text{S})_3^+$, and $(\text{CH}_3\text{Se})_3^+$, 1095-100

SELENIUM-77

- Co-ordination chemistry of higher oxidation states. Part 18. Bidentate selenoether complexes of the tetravalent platinum metals. Crystal and molecular structure of $[\text{Pt}(\text{o-C}_6\text{H}_4(\text{SeMe}_2)_2\text{Cl}_2)]$, 1003-10

SELENOETHER

- Fluxional characteristics of palladium(II) halide complexes of cyclic selenoethers. A dynamic nuclear magnetic resonance study, 205-12
- Co-ordination chemistry of higher oxidation states. Part 18. Bidentate selenoether complexes of the tetravalent platinum metals. Crystal and molecular structure of $[\text{Pt}(\text{o-C}_6\text{H}_4(\text{SeMe}_2)_2\text{Cl}_2)]$, 1003-10
- Crystal and molecular structure of $[\text{AsPh}_4][\text{Ru}(\text{DL-MeSeCH}_2\text{CH}_2\text{SeMeCl}_2)]$, 1479-82

SELENIUMIUM

- The crystal structures of the hexachloroantimonate salts of $(\text{CH}_3)_3\text{SS}(\text{CH}_3)_3^+$, $(\text{CH}_3\text{S})_3^+$, and $(\text{CH}_3\text{Se})_3^+$, 1095-100

SILICATE

- The temperature dependence of ^{29}Si nuclear magnetic resonance linewidths in aqueous silicate solutions and their effect on exchange rate determinations, 2265-70

SILICON

- Diformatosilane: preparation, characterisation, and molecular structure in the gas phase by electron diffraction, 113-8
- Electron diffraction investigation of the molecular structures of dimethylsilyl isocyanate and dimethylsilyl isothiocyanate, 859-62
- The temperature dependence of ^{29}Si nuclear magnetic resonance linewidths in aqueous silicate solutions and their effect on exchange rate determinations, 2265-70

SILICON-29

- The temperature dependence of ^{29}Si nuclear magnetic resonance linewidths in aqueous silicate solutions and their effect on exchange rate determinations, 2265-70

SILVER

- Solution chemistry of silver porphyrins. Oxidation of 5,10,15,20-tetra(3'-*N*-methylpyridinio)porphyrinatodisilver(I), 449-52
- Thermodynamics of formation of binuclear complexes of some sulphur-containing dipeptides with silver(I) and copper(II). Crystal structure of a methionyl-S-methylcysteine complex of copper(II), 499-504
- Lewis base adducts of Group 11 metal compounds. Part 24. Co-ordination of triphenylphosphine with silver nitrate. A solid-state cross-polarization magic angle spinning ^{31}P nuclear magnetic resonance, crystal structure, and infrared spectroscopic study of $\text{Ag}(\text{PPh}_3)_4\text{NO}_3$ ($n = 1-4$), 1965-70
- Potentiometric studies on complexes of silver(I) in solutions. Part 2. Correlation between the stability of the silver(I)-azole complexes and the ligand basicity, 2025-8
- The heteronuclear cluster chemistry of the group 1B metals. Part 1. Structural similarities and differences among mixed-metal clusters compounds containing copper, silver, or gold atoms

- ligated by phosphines. *X*-Ray crystal structures of $[\text{CuRu}_2(\mu_3\text{-H})_3(\text{CO})_{12}(\text{PMePh}_2)]$ and $[\text{CuRu}_3(\text{CO})_9(\text{C}_2\text{Bu}')(\text{PPh}_3)]$, 2181-92

- Cluster chemistry. Part 45. Synthesis and some reactions of $[\text{Ru}_2(\mu_3\text{-PPhCH}_2\text{PPh}_2)(\text{CO})_2]^-$: *X*-ray crystal structures of $[\text{MRu}_2(\mu_3\text{-PPhCH}_2\text{PPh}_2)(\text{CO})_2(\text{PPh}_3)]$ ($\text{M} = \text{Cu, Ag, or Au}$), 2557-68

- Kinetics of the oxidation of water by silver(II) ions complexed with 2,2'-bipyridine in aqueous nitrate media, 2593-6

SODIUM

- Mechanisms and kinetics of the thermal decomposition of sodium sulphide pentahydrate under controlled water vapour pressure, 469-76
- A structural study of the complexation of the sodium ion by the cryptands 4,7,13,18-tetraoxa-1,10-diazabicyclo[8.5.5]jicosane and 4,7,13-trioxa-1,10-diazabicyclo[8.5.5]jicosane, 1075-80
- Alkali-metal complexes with tris(2-diphenylphosphoryl)ethylamine. Crystal structures of $[\text{Li}_2\{\text{N}(\text{CH}_2\text{CH}_2\text{POPh}_2)_3\}_2]$, $[\text{Li}\{\text{N}(\text{CH}_2\text{CH}_2\text{POPh}_2)_3\}_2]\text{BPh}_4$, and $[\text{Na}\{\text{N}(\text{CH}_2\text{CH}_2\text{POPh}_2)_3\}_2]\text{H}_2\text{O}(\text{BuOH})\text{BPh}_4$, 2075-82

SOLVENT

- Tetra-alkylammonium fluorides and chlorides in glacial acetic acid solution: nuclear magnetic resonance studies, deuterium fractionation factors (ϕ), and anion hydrogen bonding, 2641-4

SOLVENT EFFECT

- Hydrolysis of tris(1,10-phenanthroline)iron(II) complex in 1,4-dioxane-water mixtures, 465-8
- Salt and cosolvent effects on the sulphite-hexacyanoferrate(III) reaction, 1265-8
- Electrochemical oxidation of monosubstituted chromium carbonyl complexes. Ligand and solvent effects, 1867-72
- Effects of macrocyclic ligand structure and axial ligation on the ligand-field spectra of tetra-azamacrocyclic copper(II) complexes in co-ordinating solvents, 1995-8
- Kinetics and mechanism of halide promoted migratory CO insertion of *fac*- $[\text{FeMe}(\text{o-C}_6\text{H}_4(\text{AsMe}_2)_2)(\text{CO})_3]\text{ClO}_4$, 2137-44
- Mechanism of reactions of cobalt(II) protoporphyrin IX dimethyl ester in protic and aprotic, co-ordinating solvents, 2535-8

SOLVENT EXTRACTION

- Cobalt(II) halide complexes in aqueous ammonium nitrate-calcium nitrate melts: electronic spectra and solvent extraction, 1663-8

STABILITY

- Stability and structure of some binary and mixed-ligand complexes of zinc(II), 1-6
- Formation and stability of ternary complexes of copper(II) with ethylenediamine-*N*-acetic acid and amino acids in aqueous solution, 199-204
- Effects of mixed-ligand complex formation on deprotonation of amide groups in acid amides and peptides, 235-40
- Thermal stability of cadmium-calcium hydroxyapatite solid solutions, 241-4
- Thermodynamics of formation of binuclear complexes of some sulphur-containing dipeptides with silver(I) and copper(II). Crystal structure of a methionyl-S-methylcysteine complex of copper(II), 499-504
- Studies on five-co-ordinate d^8 metal ions. Part 3. Stability constants for the reversible formation of five-co-ordinate complexes from the bis(2,2'-bipyridine)- and bis(1,10-phenanthroline)-platinum(II) cations, 725-8
- Relative stabilities of *trans*-dichloro(olefin)(pyridine)platinum(II) complexes. Re-examination of Hammett equation for *para*-substituted styrene complexes, 891-4
- Salt and cosolvent effects on the sulphite-hexacyanoferrate(III) reaction, 1265-8
- Carbon-13 nuclear magnetic resonance study of ternary complexes involving zinc(II) and triethylenetetramine, 1499-504
- Carbon-13 nuclear magnetic resonance study of complexes involving zinc(II) and 2,2',2''-tri-*n*-propylamine, 1505-12
- Binding ability of acetamide oxime with proton, copper(II), and dioxouranium(VI) in aqueous solutions, 1609-12
- A potentiometric, spectrophotometric, and calorimetric investigation of molybdenum(VI)-oxalate complex formation, 1857-62
- The hydrolysis of metal ions. Part 9. Iron(III) in perchlorate, nitrate, and chloride media (1 mol dm $^{-3}$), 1901-6
- Potentiometric studies on complexes of silver(I) in solutions. Part 2. Correlation between the stability of the silver(I)-azole complexes and the ligand basicity, 2025-8
- A potentiometric and spectroscopic study of the interaction of the

STABILITY (contd)

- N terminal tetrapeptide fragment of fibrinopeptide A with Cu^{II} and Ni^{II} , 2221-6
- Metal complexes of uridine in solution, 2331-4
- Studies on transition metal-peptide complexes. Part 12. Copper(II) complexes of dipeptides containing phenylalanine and tyrosine, 2443-8
- Thiosemicarbazones as co-ordinating agents. Solution chemistry and X-ray structure of pyridoxal thiosemicarbazone trihydrate and spectroscopic properties of its metal complexes, 2455-62
- Complexation of lanthanides by linear polyethers in propylene carbonate: a 'crown-like' behaviour, 2497-500
- Synthetic and solution studies on metal complexes of *N,N,N',N'*-tetrakis(2-carbamoyl-ethyl)ethylenediamine, 2539-44
- Complex formation equilibrium between 2-amino-*N*-hydroxyacetamide and 2-amino-*N*-hydroxypentamide and cobalt(II), copper(II), and hydrogen ions in aqueous solutions, 2587-92
- Thermodynamic parameters of the complexation of trivalent lanthanides by monocyclic and bicyclic cryptands and the tripodal ligand tris(3,6-dioxahexyl)amine in propylene carbonate, 2629-32
- Comparison of the formation constants of some chromium(II) and copper(II) complexes, 2721-4

STEREODYNAMICS

- Stereochemistry and stereodynamics of η^6 -hexaethylbenzene transition metal complexes. Crystal and molecular structure of dicarbonyl(η^6 -hexaethylbenzene)(η^5 -maleic anhydride)molybdenum(0), 577-88

STRAIN ENERGY

- The crystal structure of *R,S,R,S*-(1,4,8,11-tetramethyl-1,4,8,11-tetraazacyclotetradecane)nickel(II) bis(trifluoromethanesulphonate)-acetone hydrate, $[\text{Ni}(\text{tmtactd})][\text{CF}_3\text{SO}_3]_2 \cdot \text{Me}_2\text{CO} \cdot \text{H}_2\text{O}$, and a strain-energy minimization analysis of four-, five-, and six-coordinate nickel(II)-tmtactd solvent complexes, 565-70

STYRENE

- Relative stabilities of *trans*-dichloro(olefin)(pyridine)platinum(II) complexes. Re-examination of Hammett equation for *para*-substituted styrene complexes, 891-4

SUBSTITUTION

- Solution dynamics of the reversible carbonyl-phosphorus ligand exchange in $[(\text{OC})_2\text{Mo}(\mu\text{-PEt}_2)_2\text{Mo}(\text{CO})_4]$: kinetic parameters as a measure of the relative steric hindrance of phosphines and phosphites, 217-24
- Kinetics of the displacement of chloroacetate ion from *cis*-bis(chloroacetato)bis(isopropylamine)platinum(II) and the (chloroacetato)(1,5-diamino-3-azapentane)platinum(II) cation, 1107-14
- The relative nucleophilic efficiency of water and the thiocyanate ion in the acid-catalysed substitution of azidopentacyanocobaltate(III), 2083-90
- Substitution kinetics of $[\text{Os}_3(\text{CO})_{11}(\text{NCMe})]$ and $[\text{Os}_3(\text{CO})_{10}(\text{NCMe})_2]$, 2145-8
- Ligand substitution kinetics in complexes of pyridine and pyrazine derivatives with pentacyanoruthenate(II), 2731-6

SULPHATE

- Kinetics of hydration of calcium sulphate hemihydrate, 729-32

SULPHENYLIMINO

- Structure of 2,4-dinitrobenzenesulphenylimino(triphenyl)phosphorane, $\text{Ph}_2\text{PNSC}_6\text{H}_3(\text{NO}_2)_2$, 457-8

SULPHIDE

- Mechanisms and kinetics of the thermal decomposition of sodium sulphide pentahydrate under controlled water vapour pressure, 469-76
- Isocyanide complexes with Pt_2S and Pt_2CS cores. Crystal structure of μ -sulphido-bis[bis(2,4,6-tri-*t*-butylphenyl isocyanide)platinum], 677-80
- Rhenium complexes with di- and tri-thiolate ligands. The synthesis and X-ray crystal structures of square pyramidal $[\text{PPh}_4][\text{Re}(\text{SCH}_2\text{CH}_2\text{S})_2]$ and $[\text{NMe}_4][\text{Re}(\text{SCH}_2\text{CH}_2\text{S})_2]$ and trigonal prismatic $[\text{PPh}_4][\text{Re}(\text{SCH}_2\text{CH}_2\text{S})_3]$, 1339-46
- Vanadium-51 nuclear magnetic resonance study of sulphido- and oxosulphido-vanadate(V) species, 1405-10
- Carbon-sulphur and carbon-hydrogen bond cleavages in the reactions of phenyl vinyl sulphide with triosmium clusters: crystal structure determination of $[\text{Os}_3(\mu\text{-SPh})(\mu\text{-CH=CH}_2)(\text{CO})_{10}]$, 1431-6
- Reactions of electrophilic alkynes with some iron and tungsten

- sulphur, selenium, and arsenic complexes, 1577-86
- Raman, resonance Raman, and infrared spectroscopic study of complexes containing copper(II)-tetrathio-molybdate(VI) and -tungstate(VI) anions, 1595-602
- Carbon-13 nuclear magnetic resonance studies of synthetic $[\text{Fe}_2\text{S}_2(\text{SR})_4]^{2-}$ iron-sulphur clusters, 2013-6
- The reaction of WS_2Cl_2 with pyridine: crystal structure of di- μ -sulphido-bis[chlorobis(pyridine)sulphido]tungsten(V)-pyridine (1/2), $[\text{W}_2\text{S}_2\text{Cl}_2(\text{py})_4] \cdot 2\text{py}$, 2165-8
- Synthesis and chemical characterization of the chalcogenide capped iridium carbonyl anions: $[\text{Ir}_2(\mu_3\text{-X})(\text{CO})_6]^-$ ($\text{X} = \text{S}$ or Se). Crystal and molecular structures of $[\text{NMe}_4][\text{Ir}_2(\mu_3\text{-S})(\text{CO})_6]$ and $[\text{NMe}_4][\text{Ir}_2(\mu_3\text{-Se})(\text{CO})_6]$, 2463-8

SULPHITE

- Salt and cosolvent effects on the sulphite-hexacyanoferrate(III) reaction, 1265-8

SULPHONIUM

- The crystal structures of the hexachloroantimonate salts of $(\text{CH}_3)_3\text{SS}(\text{CH}_3)^+$, $(\text{CH}_3\text{S})_3^+$, and $(\text{CH}_3\text{Se})_3^+$, 1095-100

SULPHUR

- The crystal structures of the hexachloroantimonate salts of $(\text{CH}_3)_3\text{SS}(\text{CH}_3)^+$, $(\text{CH}_3\text{S})_3^+$, and $(\text{CH}_3\text{Se})_3^+$, 1095-100
- Electron spin resonance study of $\text{CH}_3\text{CNSSN}^{\cdot}$, $\text{C}_6\text{H}_5\text{CNSSN}^{\cdot}$, and SNSSN^{\cdot} free radicals, 1465-72
- Poly(sulphur nitride): an assessment of the synthesis from trichlorocyclotri(azathiene) and trimethylsilyl azide, 2371-80
- Reactions in mixed non-aqueous solutions containing sulphur dioxide. Part 7. A Raman spectroscopic study of adduct formation between sulphur dioxide and dimethyl sulphoxide, 2597-602
- Reactions in mixed non-aqueous solutions containing sulphur dioxide. Part 8. Phase studies of sulphur dioxide-dimethyl sulphoxide and sulphur dioxide-dimethylformamide mixtures, 2603-6

SULPHUR-33

- Electron spin resonance study of $\text{CH}_3\text{CNSSN}^{\cdot}$, $\text{C}_6\text{H}_5\text{CNSSN}^{\cdot}$, and SNSSN^{\cdot} free radicals, 1465-72

SULPHUR DIOXIDE

- A general synthetic route for platinum sulphur dioxide cluster compounds and the X-ray structural characterisation of di- μ -carbonyl-carbonyl-tri(μ -sulphur dioxide)-tetrakis(triphenylphosphine)pentaplatinum-dichloromethane-propan-2-ol (1/2/1), $[\text{Pt}_5(\text{CO})(\mu\text{-CO})_2(\mu\text{-SO}_2)_3(\text{PPh}_3)_4] \cdot 2\text{CH}_2\text{Cl}_2 \cdot \text{Me}_2\text{CH}(\text{OH})$, 1535-42
- Reactions in mixed non-aqueous solutions containing sulphur dioxide. Part 7. A Raman spectroscopic study of adduct formation between sulphur dioxide and dimethyl sulphoxide, 2597-602
- Reactions in mixed non-aqueous solutions containing sulphur dioxide. Part 8. Phase studies of sulphur dioxide-dimethyl sulphoxide and sulphur dioxide-dimethylformamide mixtures, 2603-6

SULPHURIC ACID

- The reactions of some methylphosphorus(V) compounds with 25 oleum and 100% H_2SO_4 , 1443-6

TANTALUM

- Reduction of a dimeric tantalum(II) compound in acetonitrile solution by pulse radiolysis, 1741-2

TECHNETIUM

- Luminescence spectra of the mixed complexes $[\text{TeCl}_4\text{Br}_{6-n}]^{2-}$, 921-4
- Mixed tri- and bi-dentate Schiff-base complexes of technetium(V) and rhenium(V). The crystal structure of *N*-(2-oxido(phenyl)salicylideneiminato-*NOO'*)oxo(8-quinolinolato-*NO*)technetium(V), 1623-8

TELLURIDE

- Synthesis of the new bidentate tellurium ligands, (*p*- EtOC_6H_4) $\text{Te}(\text{CH}_2)_n\text{Te}(\text{C}_6\text{H}_4\text{OEt-}p)$ ($n = 1, 5, 6, 7, 9$, or 10), 2003-6

TELLURIUM

- Organyltellurium-(IV) and -(II) dithiocarbamates: crystal and molecular structure of dimethyldithiocarbamate(2-phenylazophenyl-*C,N'*)tellurium(II), 771-6
- Synthesis of the new bidentate tellurium ligands, (*p*- EtOC_6H_4) $\text{Te}(\text{CH}_2)_n\text{Te}(\text{C}_6\text{H}_4\text{OEt-}p)$ ($n = 1, 5, 6, 7, 9$, or 10), 2003-6

TELLURONIUM

- Synthesis of the new bidentate tellurium ligands, (*p*-

TELLURONIUM (cont'd)

$\text{EtOC}_6\text{H}_4\text{Te}(\text{CH}_3)_2\text{Te}(\text{C}_6\text{H}_4\text{OEt})_p$ ($n = 1, 5, 6, 7, 9$, or 10), 2003-6

TEMPLATE

Condensation of *o*-phenylenediamine and phthalaldehyde using molybdenum(0) as template. Isolation and crystal and molecular structure of an intermediate molybdenum complex with an η^2 -bonded aldehyde group, 879-82

Template preparation of a nickel(II) pyridinophane complex; crystal and molecular structure of *cis*-dichloro[2,11-dithia[3,3']-[2,6]pyridinophane]nickel(II), 1747-50

TERPYRIDINE

Zinc(II) bis(*O,O'*-dialkyl dithiophosphates): complexation behaviour with pyridine and other multidentate nitrogen donor molecules. The crystal and molecular structures of the 1:1 complexes of bis(*O,O'*-diisopropyl dithiophosphato)zinc(II) with pyridine, 2,2'-bipyridine, and 2,2':6,2''-terpyridine and of (1,11-diamino-3,6,9-triazadecane)zinc(II) bis(*O,O'*-diethyl dithiophosphate), 929-38

Synthesis, spectroscopic, and structural studies of dimethylthallium(III) complexes containing heterocyclic nitrogen-donor ligands, including $\text{TiC}_2\text{N}_3\text{O}_2$ and TiC_2O_6 geometries, 939-46

Spectroscopic and magnetic properties of $\text{Cu}_2(\text{terpy})\text{Cl}_4$ (terpy = 2,2':6,2''-terpyridine). A magnetic system constructed of two exchange-coupled dimers, 1061-4

TETRA-AZABICYCLOHEPTADECANE

Synthesis of a pyridine-containing tetra-aza macrocycle, 7-methyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1), and characterisation of its nickel(II), copper(II), and zinc(II) complexes. Reduction of the pyridine ring of $[\text{Ni}(\text{L}^1)]^{2+}$ to give $[\text{Ni}(\text{L}^2)]^{2+}$ (L^2 = 7-methyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadecane), and characterisation of $[\text{Ni}(\text{L}^2)]^{2+}$ by X-ray crystallography, 985-90

TETRA-AZABICYCLOHEPTADECATRIENE

Molecular mechanics studies of the conformation of the macrocycle β -2,12-dimethyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1) in the free state and in a series of nickel complexes. Crystal and molecular structure of L^1 , 1081-6

TETRA-AZACYCLOTETRADECANE

The crystal structure of *R,S,R,S*-1,4,8,11-tetramethyl-1,4,8,11-tetra-azacyclotetradecane[nickel(II) bis(trifluoro-methanesulphonate)-acetone hydrate, $[\text{Ni}(\text{tmtacd})][\text{CF}_3\text{SO}_2]_2 \cdot \text{Me}_2\text{CO} \cdot \text{H}_2\text{O}$, and a strain-energy minimization analysis of four-, five-, and six-coordinate nickel(II)-tmtacd solvent complexes, 565-70

Synthesis and X-ray structural characterization of novel binuclear complexes of copper(II), nickel(II), and cobalt(II) with an octadentate ligand, *N,N',N''*-tetrakis(2-aminoethyl)-1,4,8,11-tetra-azacyclotetradecane, 953-60

Preparation of 1,4,8,11-tetrakis(2-pyridylmethyl)-1,4,8,11-tetra-azacyclotetradecane (L^1) and a binuclear complex with copper(II). X-ray structure of $[\text{Cu}_2\text{L}^1\text{Br}_2][\text{ClO}_4]_2$, 1743-6

TETRA-AZACYCLOTETRADECANETETRA-ACETIC ACID

Lanthanide complexes of 1,4,7,10-tetra-azacyclotetradecane-1,4,7,10-tetra-acetic acid: proton nuclear magnetic resonance studies, 2395-8

TETRABORANE

A kinetic study of the gas-phase thermolysis of tetraborane(10), 81-90

TETRAHYDROFURAN

Synthesis, vibrational spectra, and X-ray crystal structure of di- μ -hydroxo-bis(bromodichloro(tetrahydrofuran)tin(IV))-tetrahydrofuran (1/2), 883-6

TETRAKIS(CARBAMOYLETHYL)ETHYLENEDIAMINE

Synthetic and solution studies on metal complexes of *N,N,N',N'*-tetrakis(2-carbamoyl)ethylenediamine, 2539-44

TETRAOXATETRA-ARSATRICYCLOTETRADECANE

Chemistry of polyfunctional molecules. Part 86. Organoarsenic compounds derived from 1,3-bis(di-iodoarsino)propane with monocyclic, tricyclic, and straight-chain structures; X-ray crystal structure of 2,8,13,14-tetraoxa-1,3,7,9-tetra-arsatricyclo[7.3.1.1^{1,3}.7]tetradecane, 997-1002

TETRAPHOSPHASPIROPENTANE

The electronic structure of substituted 1,2,4,5-tetraphosphaspiro[2.2]pentanes and 1,2,4,5-tetraphospha-3-silaspiro[2.2]pentanes, 1659-62

TETRAPHOSPHASPIROPENTANE

The electronic structure of substituted 1,2,4,5-tetraphosphaspiro[2.2]pentanes and 1,2,4,5-tetraphospha-3-silaspiro[2.2]pentanes, 1659-62

THALLIUM

Synthesis, spectroscopic, and structural studies of

dimethylthallium(III) complexes containing heterocyclic nitrogen-donor ligands, including $\text{TiC}_2\text{N}_3\text{O}_2$ and TiC_2O_6 geometries, 939-46

Preparation and crystal structure of quasi-cylindrical crown ether complexes with dimethyl- and diethyl-thallium(III) perchlorates, 1767-70

Dimethylthallium(III) complex of a cylindrical crown ether: molecular structure of $[\text{Ti}(\text{CH}_3)_2(\text{L})]\text{ClO}_4$, 2613-6

THERMOCHEMISTRY

Heterocyclic nitrogen-containing electron-pair donor ligands: a thermochemical study of adducts with zinc, cadmium, and mercury chlorides, 1913-6

THERMODYNAMICS

Spectroscopic and calorimetric studies of the complexing ability of some polyamide polymers containing amino-acid residues, 2325-30

Studies on transition metal-peptide complexes. Part 12. Copper(II) complexes of dipeptides containing phenylalanine and tyrosine, 2443-8

Thermodynamic parameters of the complexation of trivalent lanthanides by monocyclic and bicyclic cryptands and the tripodal ligand tris(3,6-dioxahexyl)amine in propylene carbonate, 2629-32

THERMOGRAVIMETRY

Thermal, spectroscopic, and structural properties of aqua(malonato-*O,O'*)(1,10-phenanthroline)copper(II) hydrate (1/1.5), 2519-24

THERMOLYSIS

A kinetic study of the gas-phase thermolysis of tetraborane(10), 81-90

THIAZOLINETHIOLATE

The reaction of $[\text{Os}_3(\text{CO})_{10}(\text{MeCN})_2]$ with heterocyclic thioamides. The crystal and molecular structure of $[\text{Os}_3(\mu\text{-H})(\text{CO})_{10}(\mu\text{-SC-NCH}_2\text{CH}_2\text{S})]$, 633-40

THIOAMIDE

The reaction of $[\text{Os}_3(\text{CO})_{10}(\text{MeCN})_2]$ with heterocyclic thioamides. The crystal and molecular structure of $[\text{Os}_3(\mu\text{-H})(\text{CO})_{10}(\mu\text{-SC-NCH}_2\text{CH}_2\text{S})]$, 633-40

THIOCARBONYL

Reaction of $[(\text{OC})_2(\text{cp})\text{Fe}(\text{C}(\text{S})\text{S}(\text{cp})(\text{CO})_2)]$ ($\text{cp} = \eta^5\text{-C}_5\text{H}_5$) with dicobalt octacarbonyl; X-ray crystal structure of $[\text{Co}_2\text{Fe}(\text{cp})(\text{CO})_9(\text{CS})]$ containing a six-electron donor thiocarbonyl group, 1791-4

THIOCYANATE

Some substituted urea complexes of thorium(IV) and uranium(IV) *N*-thiocyanates, 843-6

Magnetic susceptibility and optical study of the organic-intercalated two-dimensional ionic ferromagnet bis(benzylammonium) tetrachlorochromate(II), 847-52

The Raman spectrum of $[\text{U}(\text{NCS})_6]^{4-}$ and configuration of the ion in solution, 1057-8

Synthesis and characterisation of azido- and thiocyanato-gallium(III) porphyrins. Crystal structure of azido-(2,3,7,8,12,13,17,18-octaethylporphyrinato)gallium(III), 1779-84

The relative nucleophilic efficiency of water and the thiocyanate ion in the acid-catalysed substitution of azidopentacyanocobaltate(III), 2083-90

THIOLATE

Rhenium complexes with di- and tri-thiolate ligands. The synthesis and X-ray crystal structures of square pyramidal $[\text{PPh}_4][\text{ReO}(\text{SCH}_2\text{CH}_2\text{S})_2]$ and $[\text{NMe}_4][\text{ReS}(\text{SCH}_2\text{CH}_2\text{S})_2]$ and trigonal prismatic $[\text{PPh}_4][\text{Re}(\text{SCH}_2\text{CH}_2\text{S})_2]$, 1339-46

Electrochemistry of dinuclear, thiolato-bridged transition-metal compounds. Part 1. Electrochemical behaviour of $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{M}(\mu\text{-SR})\text{W}(\text{CO})_5]$ ($\text{R} = \text{Me}$, $\text{M} = \text{Mo}$ or W ; $\text{R} = \text{Ph}$, $\text{M} = \text{W}$) complexes in non-aqueous media, 1917-22

Electrochemistry of dinuclear, thiolato-bridged transition-metal compounds. Part 2. Reductive electrochemistry of metal-metal bonded complexes $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{-M}(\mu\text{-SMe})\text{W}(\text{CO})_5\text{L}][\text{L} = \text{CO}$ or $\text{P}(\text{OMe})_3]$, 1923-30

Carbon-13 nuclear magnetic resonance studies of synthetic $[\text{Fe}_2\text{S}_2(\text{SR})_4]^{2-}$ iron-sulphur clusters, 2013-6

THIOMALATE

Complexation of gold(III) thiomalate ('Mycocrisn') with 1,3-diazinane-2-thione in aqueous solution followed by ^{13}C nuclear magnetic resonance spectroscopy, 1049-50

THIOPHENOLATE

Rhenium nitrosyl complexes with simple and with sterically demanding aromatic thiolate ligands: X-ray crystal structures of

[PPh₃][Re₂(SC₆H₄Me-4)₂(NO)]·CH₂Cl₂ and [Re(SC₆H₃Pr¹-2,6)₂(NO)] (1985, 1533), 903-4

THIOSEMICARBAZONE

Thiosemicarbazones as co-ordinating agents. Solution chemistry and X-ray structure of pyridoxal thiosemicarbazone trihydrate and spectroscopic properties of its metal complexes, 2455-62

THIOSULPHATE

Anodically generated mercury(II) ion as indicator for metal-ligand formation equilibria, 2651-4

THIOUREA

The charge density in dichlorotetrakis(thiourea)nickel(II), [Ni(SC(NH₂)₂)₄Cl₂]: a contrast between spectroscopy and diffraction, 125-34

Synthesis, characterization, and crystal structure of μ-[1'-pyrrolidinecarbodithioato-S(Bi¹⁻²)S'(Bi²)]-1,1,1,2,2-pentakis(1'-pyrrolidinecarbodithioato-SS')bis(μ²thioethane) ethanol (1/1) and of di-μ-chloro-bis[bis(1'-pyrrolidinecarbodithioato-SS')thiourea-S'(Bi²)] (1/1), 1513-8

Anodically generated mercury(II) ion as indicator for metal-ligand formation equilibria, 2651-4

THORIUM

Some oxygen-donor complexes of acetylacetonatotrichlorothorium(IV), bis(acetylacetonato)-dichloro- and -di-N-thiocyanato-thorium(IV) and -uranium(IV), 355-8

Some substituted urea complexes of thorium tetranitrate; crystal structure of tetra(nitrate-O,O')bis(tetramethylurea-O)-thorium(IV), [Th(NO₃)₄{OC(NMe₂)₂}₂], 615-8

Some substituted urea complexes of thorium(IV) and uranium(IV) N-thiocyanates, 843-6

Magnetic susceptibility and optical study of the organic-intercalated two-dimensional ionic ferromagnet bis(benzylammonium) tetrachlorochromate(II), 847-52

TIN

Structure of 2,2-dibutyl-1,3,2-dioxastannolane in the solid state, 297-302

Tin-119 and nitrogen-14 nuclear magnetic resonance and tin-119 variable-temperature Mössbauer spectroscopic study of tricyclohexyltin isothiocyanate including the first observation of resolved ¹¹⁹Sn-¹⁴N coupling in an organotin compound, 875-8

Synthesis, vibrational spectra, and X-ray crystal structure of di-μ-hydroxo-bis(bromodichloro(tetrahydrofuran)tin(IV))-tetrahydrofuran (1/2), 883-6

Magnetic exchange interactions in perovskite solid solutions. Part 6. Iron-57 and tin-119 Mössbauer spectra of SrFe_{1-x}Sn_xO₃ (0 ≤ x ≤ 0.7), 1447-52

Stereochemical activity of lone pairs. The crystal and molecular structures of the salts of chloro[1,4,7,10,13,16-hexaoxacyclo-octadecane]tin(II). Calculation of macrocyclic cavity size by force field methods, 1543-50

Subvalent group 4B metal alkyls and amides. Part 8. Germanium and tin carbene analogues MR₂ [M = Ge or Sn, R = CH(SiMe₃)₂]: syntheses and structures in the gas phase (electron diffraction); molecular-orbital calculations for MH₂ and GeMe₂, 1551-6

Tributyltin(IV) penta(methoxycarbonyl)cyclopentadienides [SnBu₃L₅]⁺[C₅(CO₂Me)₅]⁻. X-ray crystal structure of the diaquatributyltin(IV) salt, [SnBu₃(OH)₂]₂[C₅(CO₂Me)₅], and electron spin resonance spectrum of the radical C₅(CO₂Me)₅·, 1873-8

Sterically hindered metal alkenyls. Part 2. Synthesis and properties of tin(IV) alkenyls: stereochemical features and energetics of isomerisation of SnMe₂[C(C₁₀H₇)=CMe₂]₂, 2321-4

X-ray crystal structure of the complex of 15-crown-5 (1,4,7,10,13-pentaoxacyclopentadecane) with diaquatetrachlorotin(IV) at 120 K, 2335-8

Subvalent group 4B metal alkyls and amides. Part 9. Germanium and tin alkene analogues, the dimetallenes M₂R₄ [M = Ge or Sn, R = CH(SiMe₃)₂]: X-ray structures, molecular orbital calculations for M₂H₄ and trends in the series M₂R₄ [M = C, Si, Ge, or Sn; R' = R, Ph, C₆H₅Me₂-2,4,6, or C₆H₅Et₂-2,6], 2387-94

TIN-119

Tin-119 and nitrogen-14 nuclear magnetic resonance and tin-119 variable-temperature Mössbauer spectroscopic study of tricyclohexyltin isothiocyanate including the first observation of resolved ¹¹⁹Sn-¹⁴N coupling in an organotin compound, 875-8

TITANIUM

The chemistry of dinitrogen residues. Part 1. Diazenido-complexes of titanium, and some substituted analogues. X-ray crystal structures of [Ti(C₂H₅)Cl₂(NNPh)], [Ti(C₂H₅)Cl₂(NCBu³Bu³)], and [Ti(C₂H₅)Cl₂(NPPh₃)], 377-84

The chemistry of dinitrogen residues. Part 2.

Organohydrazido(1-)-derivatives of titanium(IV). X-ray crystal structures of [Ti(C₂H₅)Cl₂(NPhNH₂)₂] and [Ti(C₂H₅)Cl₂(NHNMe₂)₂], 385-92

The chemistry of dinitrogen residues. Part 3. Hydrazido(2-)-derivatives of titanium(IV). X-ray crystal structure of [Ti(C₂H₅)Cl(NNPh₂)₂], 393-8

The chemistry of dinitrogen residues. Part 4. The decomposition of hydrazido(1-) and hydrazido(2-) when bound to titanium(IV), 399-402

Bulky metal aryloxides, arylamides, and sulphur and phosphorus analogues. Part 1. Synthetic and chemical studies of titanium and zirconium aryloxides, 489-98

Bulky metal aryloxides, arylamides, and sulphur and phosphorus analogues. Part 1. Synthetic and chemical studies of titanium and zirconium aryloxides (1986, 489), 1311-2

Evidence for carbon-hydrogen-titanium interactions: synthesis and crystal structures of the agostic alkyls

[TiCl₃(Me₂PCH₂CH₂PMe₂)R] (R = Et or Me), 1629-38

Kinetics and equilibria of 1:1 complex formation of hexa-aquatitanium(III) with malonic and methylmalonic acid, 1693-6

Dioxygen activation in the photochemistry of some oxo-metalloporphyrin complexes, 2311-4

TOLYLMETHYLIDYNE

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 43. Carbon-tungsten triple bonds as formal four-electron donors; synthesis and reactions of the compounds [FeW(μ-CC₆H₄Me-4)(CO)₂L] {L = HB(pz), [tris(pyrazol-1-yl)borate] or η-C₃H₅} and X-ray crystal structures of [FeW(μ-CC₆H₄Me-4)(CO)₂HB(pz)] and [FeW(μ-CC₆H₄Me-4)(μ-CO)(μ-Me₂PCH₂PMe₂)(CO)₂HB(pz)]₂, 1697-708

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 45. Synthesis of the pentanuclear metal complexes [M₅Re₂(μ-CC₆H₄Me-4)₂(CO)₁₈] (M = Ni or Pt, M = Cr or W) and related compounds; X-ray crystal structure of [ReWPt(μ-CC₆H₄Me-4)(CO)₆(PMe₃)₂], 1717-22

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 46. Synthesis of heteronuclear trimetal compounds from the dimetallic compounds [ReM(μ-CC₆H₄Me-4)(CO)₂] (M = Cr, Mo, or W) and [CoW(μ-CC₆H₄Me-4)(CO)₂]; X-ray structure of [CrReFe(μ-CC₆H₄Me-4)(μ-CO)(CO)₁₁], 1723-30

TRANSITION METAL

He I and He II Photoelectron spectra of some trifluorophosphine, carbonyl, and hydrido transition metal complexes, 765-70

Comparative ten-vertex metallaborane chemistry: some nido-6-metalladecaboranes of tungsten, rhenium, ruthenium, osmium, and iridium; including the crystal and molecular structures of [6,6,6,6,6-(PMe₂Ph)₅H₂-nido-6-WB₅H₁₁] and [6,6,6-(PMe₂Ph)₃-nido-6-OS₅H₁₁], 795-802

Metal complexes of uridine in solution, 2331-4

Synthetic and solution studies on metal complexes of N,N,N',N'-tetrakis(2-carbamoyl)ethylthylendiamine, 2539-44

TRIAMINOTRIETHYLAMINE

Carbon-13 nuclear magnetic resonance study of complexes involving zinc(II) and 2,2',2''-triaminotriethylamine, 1505-12

TRIAZAUNDECANE

Zinc(II) bis(O,O'-dialkyl dithiophosphates): complexation behaviour with pyridine and other multidentate nitrogen donor molecules. The crystal and molecular structures of the 1:1 complexes of bis(O,O'-di-isopropyl dithiophosphato)zinc(II) with pyridine, 2,2'-bipyridine, and 2,2':6,2''-terpyridine and of (1,11-diamino-3,6,9-triazaundecane)zinc(II) bis(O,O'-diethyl dithiophosphate), 929-38

TRIAZOLATE

1,2,4-Triazolate (tz) complexes of rhodium(II), iridium(II), and palladium(II). Crystal structure of [Rh₂(μ₂-tz)(μ-Cl)Cl(η⁴-tbb)(CO)₄·0.5CH₂Cl₂ (tbb = tetrafluorobenzobarrelene), a trinuclear complex with extended metal-metal interactions, 1087-94

TRICYCLOTETRACOSANE

Copper(II) complexes of pyrrole-containing Schiff-base macrocycles: crystal and molecular structures of a mononuclear macrocyclic complex, and of pyrrole-2,5-dicarbaldehyde, 693-700

TRIETHYLENETETRAMINE

Carbon-13 nuclear magnetic resonance study of ternary complexes involving zinc(II) and triethylenetetramine, 1499-504

TRIFLUOROPHOSPHINE

He I and He II Photoelectron spectra of some trifluorophosphine, carbonyl, and hydrido transition metal complexes, 765-70

TRI-IODIDE

Kinetics and mechanism of oxidation of hydrazine by tri-iodide ion in aqueous acidic media, 1189-92

TRIMETHYLENEMETHANE

Trimethylenemethane metal complexes. Part 1. Synthesis of ruthenium, osmium, rhodium, and iridium complexes, 1411-8
Carbon-chlorine bond activation in 2-chloromethylallyl complexes of platinum(II), 1603-8

TRIMETHYLSILYL

N,N-Dimethyl(trimethylsilyl)amine: crystal and molecular structure at 116 K and gas phase structure by electron diffraction, 91-6
Neopentyl and trimethylsilylmethyl compounds of rhodium(III) and iridium(III) with *ortho*-metallated triphenylphosphine. X-Ray crystal structure of $[\text{Ir}(\text{C}_6\text{H}_4\text{PPh}_2)(\text{CH}_2\text{SiMe}_3)(\eta^5\text{-C}_5\text{Me}_5)]$, 803-12

TRIMETHYLSILYLMETHYL

Cyclometallation reactions in neopentyl and trimethylsilylmethyl systems of rhodium(III) and iridium(III). Formation and X-ray crystal structures of the four-membered metallacycles

$[\text{Rh}(\text{CH}_2\text{CMe}_2\text{CH}_2)(\eta^5\text{-C}_5\text{Me}_5)(\text{PPh}_3)]$ and
 $[\text{Ir}(\text{CH}_2\text{SiMe}_3\text{CH}_2)(\eta^5\text{-C}_5\text{Me}_5)(\text{PPh}_3)]$, 477-88

Crystal structure of

$[\text{Zr}(\text{dmpe})(\text{CH}_2\text{Si}(\text{CH}_3)_3)_4](\text{dmpe} = \text{PMe}_2\text{CH}_2\text{CH}_2\text{PMe}_2)$. Evidence in support of the postulation for the presence of an agostic hydrogen, 2743

TRIS(DIPHENYLPHOSPHORYLETHYL)AMINE

Alkali-metal complexes with tris(2-diphenylphosphorylethyl)amine. Crystal structures of

$[\text{Li}_2\{\text{N}(\text{CH}_2\text{CH}_2\text{POPh}_2)_3\}_2]$, $[\text{Li}\{\text{N}(\text{CH}_2\text{CH}_2\text{POPh}_2)_3\}_2]$, $[\text{BPh}_4]$, and $[\text{Na}\{\text{N}(\text{CH}_2\text{CH}_2\text{POPh}_2)_3\}_2](\text{H}_2\text{O})(\text{BuOH})$, 2075-82

TRIS(METHYLTHIO)METHANE

Nuclear magnetic resonance investigations of configurational non-rigidity in dinuclear platinum(IV) complexes. Part 7. Intramolecular rearrangements in complexes of tris(methylthio)methane, 2173-80

TRITHIAIAZOLINIUM

Electron spin resonance study of $\text{CH}_3\text{CNSSN}^\cdot$, $\text{C}_6\text{H}_5\text{CNSSN}^\cdot$, and SNSSN^\cdot free radicals, 1465-72

TUNGSTEN

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 39. Interconversion of ethylidyne, ethylidene, vinyl, and ethylene groups at a platinum-tungsten centre; X-ray crystal structure of $[\text{PtW}(\mu\text{-CO})_2(\text{PEt}_3)_2(\eta\text{-C}_5\text{H}_4)(\eta\text{-C}_5\text{H}_5)]$, 165-72

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 40. Transformation of terminally bound alkylidyne ligands to μ -alkylidene, μ -vinyl, μ -alkyl, and μ -acyl groups at a bimetal centre; X-ray crystal structures of $[\text{N}(\text{PPh}_3)_2][\text{ReW}(\mu\text{-CHR})(\text{CO})_6]$, $[\text{ReW}(\mu\text{-CH}_2\text{R})(\mu\text{-Me}_2\text{PCH}_2\text{PMe}_2)(\text{CO})_6]$, and $[\text{ReW}(\mu\text{-OCCH}_2\text{R})(\mu\text{-Ph}_2\text{PCH}_2\text{PPh}_2)(\text{CO})_6](\text{OMe})_3]$ ($\text{R} = \text{C}_6\text{H}_4\text{Me-4}$), 173-86

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 41. Synthesis of alkylidynetungsten complexes with (pyrazol-1-yl)borato ligands; crystal structures of $[\text{W}(\text{CC}_6\text{H}_4\text{Me-4})(\text{CO})_2(\text{B}(\text{pz})_4)]$, $[\text{Rh}_2\text{W}(\mu_3\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\text{CO})_2(\eta\text{-C}_5\text{H}_5)_2(\text{HB}(\text{pz})_3)]$, $[\text{CH}_2\text{Cl}_2]$, and $[\text{FeRhW}(\mu_3\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-MeC}_2\text{Me})(\text{CO})_4(\eta\text{-C}_5\text{H}_5)(\text{HB}(\text{pz})_3)]$, 187-98
New diazenido-complexes of molybdenum(IV), tungsten(IV), and rhenium(III), 213-6

Dinitrogen complexes of tungsten with bulky phosphine co-ligands. Preparation and crystal structures of $[\text{W}(\text{N}_2)_2(\text{PEt}_2\text{Ph})_2](\mu\text{-N}_2)_2$, *trans*- $[\text{W}(\text{N}_2)_2(\text{PEt}_2\text{Ph})_4]\cdot\text{C}_6\text{H}_6\text{O}$, and $[\text{W}(\eta^5\text{-C}_5\text{H}_5\text{PP}^+\text{R}_2)(\text{N}_2)(\text{PPr}^+\text{R}_2)_2]$ and their reactions to give hydrazine or ammonia, 245-52

Synthesis and characterisation of tungsten and rhenium aluminopolymethylenes: X-ray crystal structures of $(\text{Me}_3\text{P})_3\text{H}_2\text{W}(\mu\text{-H})_2\text{Al}(\text{H})(\mu\text{-O}^-\text{Bu}^+)\text{Al}(\text{H})(\mu\text{-H})_2\text{WH}_3(\text{PMe}_3)_3$ and $(\text{Me}_3\text{P})_3\text{H}_2\text{W}(\mu\text{-H})_2\text{Al}(\text{H})(\mu\text{-H})_2\text{WH}_3(\text{PMe}_3)_3$, 279-86

Substitution reactions of *cis*-bis(2,2'-bipyridine)dicarbonyl(molybdenum(II) and *cis*-bis(2,2'-bipyridine)dicarbonyltungsten(II) salts with uni-, bi-, and ter-

dentate tertiary phosphines, trimethyl phosphite, nitric oxide, and 2,2'-bipyridine, 511-6

Molybdenum and tungsten nitrosyl complexes containing bulky alkoxy, aryloxy, and arylamido ligands: their electrochemical behaviour and the structure of

$[\text{Mo}(\text{HB}(\text{Me}_2\text{pz})_3)(\text{NO})(\text{OCH}_2\text{CH}_2\text{CH}_2\text{Br})]$, 733-42

Trisubstituted Group 6 metal carbonyl complexes with di-2-pyridylamine ligands. Crystal structures of (2,2'-bipyridyl-*N,N'*)tricarboxylate(dia-2-pyridylamine-*N'*)-molybdenum(0) and -tungsten(0), 759-64

Axially asymmetric metal alkyls. Part 4. Synthesis and X-ray crystal structure of the tungsten(V) metallacyclic complex $[\text{W}(\text{C}_6\text{H}_4)_2(\text{O})_2\text{Mg}(\text{C}_6\text{H}_5\text{O})_2]\cdot\text{CH}_2\text{Cl}_2$, 789-94

Chemistry of hydrogen isocyanide. Part 1. Reactions of $[\text{M}(\text{CO})_5(\text{CNH})]$ ($\text{M} = \text{Cr}$ or W) with epoxides, 863-8

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 42. Synthesis of the compounds $[\text{N}(\text{PPh}_3)_2][\text{Fe}_2\text{W}(\mu\text{-CO})(\mu\text{-NO})(\mu_3\text{-CR})(\text{CO})_6(\eta\text{-C}_5\text{H}_5)]$ ($\text{R} = \text{Me}$ or $\text{C}_6\text{H}_4\text{Me-4}$) and the X-ray crystal structure of the tolylmethylidyne complex, 869-74

Five-co-ordinate nitrosyl thiolato-complexes of molybdenum and tungsten. The preparation and X-ray crystal structures of $[\text{NHET}_3][\text{Mo}(\text{SPh})(\text{NO})]$, $[\text{PPh}_3][\text{W}(\text{CSPh})(\text{NO})]$, and $[\text{Mo}(\text{SC}_6\text{H}_4\text{Pr}^+\text{2,4,6})(\text{NH}_3)(\text{NO})]$, 967-74

Electron spin resonance studies of one-electron reduction products of nickel(II) and palladium(II) complexes containing tetrathiomolybdate, tetrathiotungstate, and dialkylthiocarbamate ligands. $[\text{M}(\text{M}'\text{S}_4)(\text{R}_2\text{NCS})_2]^{2-}$ ($n = 0-2$, $\text{M} = \text{Ni}$ or Pd , $\text{M}' = \text{Mo}$ or W), 1065-74

Catecholato complexes of ruthenium, iridium, rhenium, molybdenum, and tungsten, 1125-8

The anion of pyrimidine-2-thiol as a ligand to molybdenum, tungsten, and iron. Preparation of complexes, their structures and reactivity, 1181-8

Laser flash photolysis study of the charge-transfer photochemistry of octacyanomolybdate(V) and octacyanotungstate(V) ions, 1217-24

Kinetics and mechanism of the reduction of dodecatungstocobaltate(III) by oxalate. The catalytic role of alkali metal ions through outer-sphere bridging, 1301-4

Preparation, characterisation, and X-ray crystal structure of $[\text{W}_2\text{Cl}_4(\text{NHBu}^+)_2(\text{NH}_2\text{Bu}^+)_2]$: a triply-bonded ditungsten compound containing *i*-butylamido ligands, 1305-8

Triphenylphosphineimino-substituted tungsten(VI) fluorides. Crystal structure of tetrafluorobis(triphenylphosphine-iminato)tungsten(VI), 1309-10

Tertiary phosphine aluminohydride complexes of chromium-, molybdenum-, and tungsten(III), 1329-32

Electron-transfer reactions in nitrogen fixation. Part 2. The electrosynthesis of ammonia: identification and estimation of products, 1453-8

Mechanism of alkylation of alkylidiazene-complexes of molybdenum(II) and tungsten(II): influence of metal and co-ligands on the nucleophilicity of a diazenido-group, 1473-8

Bis-organoamide complexes of nitrosyltris(3,5-dimethylpyrazolyl)borato]-molybdenum and -tungsten. The crystal and molecular structure of $[\text{Mo}(\text{NO})(\text{HB}(\text{Me}_2\text{pz})_3)(\text{NHBu}^+)_2]$, 1525-30

Reactions of electrophilic alkynes with some iron and tungsten sulphur, selenium, and arsenic complexes, 1577-86

Raman, resonance Raman, and infrared spectroscopic study of complexes containing copper(I)-tetrathio-molybdate(VI) and -tungstate(VI) anions, 1595-602

Photoredox chemistry of Keggin dodecatungstoborate $[\text{BW}_{12}\text{O}_{40}]^{5-}$ and role of heterogeneous catalysis in hydrogen formation, 1669-76

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 43. Carbon-tungsten triple bonds as formal four-electron donors; synthesis and reactions of the compounds $[\text{FeW}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_5\text{L}]$ [$\text{L} = \text{HB}(\text{pz})_3$, $[\text{tris}(\text{pyrazol-1-yl})\text{borate}]$ or $\eta\text{-C}_5\text{H}_5$] and X-ray crystal structures of $[\text{FeW}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\text{CO})_5\text{L}]$ and $[\text{FeW}(\mu\text{-CC}_6\text{H}_4\text{Me-4})(\mu\text{-CO})(\mu\text{-Me}_2\text{PCH}_2\text{PMe}_2)(\text{CO})_2\text{L}](\text{HB}(\text{pz})_3)]$, 1697-708

Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 44. Formation of unsaturated dimetal compounds with elimination of alkylidyne groups; X-ray crystal structures of $[\text{FeW}(\mu\text{-PPh}_3)(\text{CO})_5\text{L}](\text{HB}(\text{pz})_3)]$ [$\text{HB}(\text{pz})_3 = \text{tris}(\text{pyrazol-1-yl})\text{borate}]$ and $[\text{RhW}(\mu\text{-CO})_2(\text{CO})(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]$, 1709-16

Chemistry of di- and tri-metal complexes with bridging carbene or

TUNGSTEN (contd)

- carbyne ligands. Part 45. Synthesis of the pentanuclear metal complexes $[M_2Re_2(\mu-CC_6H_4Me-4)_2(CO)_{18}]$ ($M' = Ni$ or Pt , $M = Cr$ or W) and related compounds; X-ray crystal structure of $[ReWPt(\mu-CC_6H_4Me-4)(CO)_9(PMe_3)_2]$, 1717-22
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 46. Synthesis of heteronuclear trimetal compounds from the dimetallic compounds $[ReM(\mu-CC_6H_4Me-4)(CO)_6]$ ($M = Cr, Mo, \text{ or } W$) and $[CoW(\mu-CC_6H_4Me-4)(CO)_6]$; X-ray structure of $[CrReFe(\mu_3-CC_6H_4Me-4)(\mu-CO)(CO)_{11}]$, 1723-30
- Gas-phase electron diffraction study of tetrafluoro(seleno)tungsten(vi), $WSeF_4$, 1821-4
- Electrochemistry of dinuclear, thiolato-bridged transition-metal compounds. Part 1. Electrochemical behaviour of $[(\eta^2-C_5H_5)(CO)_2M(\mu-SR)W(CO)_5]$ ($R = Me, M = Mo \text{ or } W$; $R = Ph, M = W$) complexes in non-aqueous media, 1917-22
- Electrochemistry of dinuclear, thiolato-bridged transition-metal compounds. Part 2. Reductive electrochemistry of metal-metal bonded complexes $[(\eta^2-C_5H_5)(CO)_2Mo(\mu-SMe)W(CO)_4L]$ [$L = CO \text{ or } P(OMe)_3$], 1923-30
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 47. Synthesis of tri-, tetra-, and pentaheteronuclear metal cluster compounds involving tungsten with platinum or nickel: crystal structures of the compounds $[Pt_2W_2(\mu_3-CR)(CO)_4(cod)_2(\eta-C_5H_5)_2]$ and $[Pt_2W_2(\mu-CR)_2(\mu_3-CR)(CO)_4(\eta-C_5H_5)_3]$ ($R = C_6H_4Me-4$, $cod = \text{cyclo-octa-1,5-diene}$), 2091-104
- Chemistry of di- and tri-metal complexes with bridging carbene or carbyne ligands. Part 48. Reactions of the cluster complex $[Fe_2W(\mu_3-CC_6H_4Me-4)(\mu-CO)(CO)_6(\eta-C_5H_5)_2]$ with $[W(CR)(CO)_2(\eta-C_5H_5)]$ ($R = Me \text{ or } C_6H_4Me-4$); crystal structures of $[FeW_2(\mu_3-\sigma-\sigma':\eta^2-C_6H_5)(CO)_2(\eta-C_5H_5)_2]$ and $[FeW_2(\mu_3-MeC_6H_4Me-4)(CO)_2(\eta-C_5H_5)_2]$, 2105-12
- Syntheses and reactions of acyclic and cyclic carbene complexes *cis*- $[M(\mu-CMeNHMe)(CO)_2(\eta-C_5H_5)]$ ($M = Mo \text{ or } W$) and *cis*- $[M(\mu-C(CH_3)_2NMe)(CO)_2(\eta-C_5H_5)]$ ($M = Mo, n = 3 \text{ or } 4$; $M = W, n = 3$) obtained through alkyl migration to methyl isocyanide co-ordinated to molybdenum or tungsten. X-Ray structure of *cis*- $[Mo(\mu-C(CH_3)_2NMe)(CO)_2(\eta-C_5H_5)]$, 2127-36
- The reaction of WS_2Cl_2 with pyridine: crystal structure of di- μ -sulphido-bis(chlorobis(pyridine)sulphido)tungsten(vi)-pyridine (1/2), $[W_2S_2Cl_2(py)_2] \cdot 2py$, 2165-8
- The chemistry of $[W(PMe_3)_4(\eta^2-CH_2PMe_3)H]$: synthesis of hydroxy-hydrido, fluoro-hydrido, and silyl-hydrido derivatives and the dimerisation of ethylene and propene giving η^2 -diene derivatives. Crystal structure of $[W(PMe_3)_4H_2(OH_2)F]F$, 2227-36
- Triquaheicosatungstodiphosphate(6-) heteropolyanion, $[P_2W_{21}O_{71}(OH)_2]^{6-}$: X-ray crystallographic and ^{183}W nuclear magnetic resonance structural studies, 2237-42
- Triphenylphosphineimino-substituted tungsten(vi) fluorides. Crystal structure of tetrafluorobis(triphenylphosphineimino)tungsten(vi), 2287-8
- Co-ordinatively unsaturated alkyne complexes of molybdenum and tungsten: reactions and dynamic nuclear magnetic resonance studies of $[M(SC_6F_5)(CO)(CF_3C\equiv CCF_3)(\eta^2-C_5H_5)]$ ($M = Mo \text{ or } W$) complexes, 2423-32
- Di-iodine oxidation of molybdenum(0)- η^6 -arene complexes. New results on molybdenum(II) and tungsten(II) carbonyl derivatives; crystal structures of $[M(CO)_3(\eta^6-C_6H_5Me_3-1,3,5)][M_2I_2(CO)_6]$ ($M = Mo \text{ or } W$) and $[MoI(CO)_3(\eta^6-C_6Me_6)][MoI_2(CO)_6]$, 2569-80
- X-Ray crystallographic and tungsten-183 nuclear magnetic resonance structural studies of the $[M_4(H_2O)_2(XW_2O_3)_2]^{10-}$ heteropolyanions ($M = Co^{II} \text{ or } Zn, X = P \text{ or } As$), 2699-706

TUNGSTEN-183

- Triquaheicosatungstodiphosphate(6-) heteropolyanion, $[P_2W_{21}O_{71}(OH)_2]^{6-}$: X-ray crystallographic and ^{183}W nuclear magnetic resonance structural studies, 2237-42
- X-Ray crystallographic and tungsten-183 nuclear magnetic resonance structural studies of the $[M_4(H_2O)_2(XW_2O_3)_2]^{10-}$ heteropolyanions ($M = Co^{II} \text{ or } Zn, X = P \text{ or } As$), 2699-706

UMECYANIN

- Kinetic, spectroscopic, and structural (extended X-ray absorption fine structure) studies on the type 1 blue copper protein umecyanin, 2063-8

URANIUM

- Preparation and properties of bis(acetonitrile)iodine(i) hexafluoromolybdate(v) and hexafluorouranate(v), 337-42
- Some oxygen-donor complexes of acetylacetonatotrichlorothorium(iv), bis(acetylacetonato)-dichloro- and di-N-thiocyanato-thorium(iv) and -uranium(iv), 355-8
- First synthesis and structural assessment of alkali-metal carbonatodioxoperoxouranate(vi) monohydrates, $A_2[VO_2(O_2)(CO_3)] \cdot H_2O$, and carbonato-oxodiperoxovanadate(v) trihydrates, $A_3[VO(O_2)_2(CO_3)] \cdot 3H_2O$, 709-12
- Some substituted urea complexes of thorium(iv) and uranium(iv) N-thiocyanates, 843-6
- Magnetic susceptibility and optical study of the organic-intercalated two-dimensional ionic ferromagnet bis(benzylammonium) tetrachlorochromate(II), 847-52
- The Raman spectrum of $[U(NCS)_6]^{4-}$ and configuration of the ion in solution, 1057-8
- Some reactions of uranium chloride pentafluoride, 1289-96
- Binding ability of acetamide oxime with proton, copper(II), and dioxouranium(vi) in aqueous solutions, 1609-12
- Adsorption equilibrium of uranium from aqueous $[UO_2(CO_3)_3]^{4-}$ solutions on a polymer bearing amidoxime groups, 1983-6
- Structure and bonding in octahedral uranium(iv) complexes of the type $UX_2 \cdot 2L$ ($X = \text{halogen}, L = \text{unidentate, neutral oxygen donor}$). Part 1. The crystal structures of tetrabromobis(*NN'*-dimethyl-*NN'*-diphenylurea)uranium(iv) and α - and β -tetrachlorobis(*NN'*-dimethyl-*NN'*-diphenylurea)uranium(iv), 2035-42
- Structure and bonding in octahedral uranium(iv) complexes of the type $UX_2 \cdot 2L$ ($X = \text{halogen}, L = \text{unidentate, neutral oxygen donor}$). Part 2. The crystal structures of tetrachlorobis[tris(pyrrolidinyl)phosphine oxide]-, tetrachlorobis(diisobutyl sulphoxide)-, and tetrabromobis(triphenylarsine oxide)-uranium(iv), 2043-8

UREA

- Some substituted urea complexes of thorium tetraniolate; crystal structure of tetra(nitrate-*O,O'*)bis(tetramethylurea-*O*)-thorium(iv), $[Th(NO_3)_4\{OC(NMe_2)_2\}_2]$, 615-8
- Some substituted urea complexes of thorium(iv) and uranium(iv) N-thiocyanates, 843-6
- Magnetic susceptibility and optical study of the organic-intercalated two-dimensional ionic ferromagnet bis(benzylammonium) tetrachlorochromate(II), 847-52
- Structure and bonding in octahedral uranium(iv) complexes of the type $UX_2 \cdot 2L$ ($X = \text{halogen}, L = \text{unidentate, neutral oxygen donor}$). Part 1. The crystal structures of tetrabromobis(*NN'*-dimethyl-*NN'*-diphenylurea)uranium(iv) and α - and β -tetrachlorobis(*NN'*-dimethyl-*NN'*-diphenylurea)uranium(iv), 2035-42

URIDINE

- Metal complexes of uridine in solution, 2331-4

VANADIUM

- Contrasts in the hydrolysis of $VOCl_3$ and $VO(NO_3)_2$: a multinuclear magnetic resonance study, 369-72
- First synthesis and structural assessment of alkali-metal carbonatodioxoperoxovanadate(vi) monohydrates, $A_2[VO_2(O_2)(CO_3)] \cdot H_2O$, and carbonato-oxodiperoxovanadate(v) trihydrates, $A_3[VO(O_2)_2(CO_3)] \cdot 3H_2O$, 709-12
- Vanadium(v) fluoride complexes in organic solvents. A vanadium-51 and fluorine-19 nuclear magnetic resonance study, 751-4
- Synthesis and properties of tris(dithioacetylacetonato)vanadium(III), 887-90
- Studies of metal formates. The synthesis and X-ray structure of potassium tetraformato-oxovanadate(IV), $K_2[VO(HCO_2)_4]$, 895-8
- Vanadium-51 nuclear magnetic resonance study of sulphido- and oxosulphido-vanadate(v) species, 1405-10
- The oxovanadyl(IV) catalysed oxidation of adrenaline by molecular oxygen, 1833-8
- The preparation and crystal and molecular structures of trichlorobis(methyldiphenylphosphine)vanadium(III) and its acetonitrile adduct, 2253-8
- Kinetics of the bromate-iodide-ascorbic acid clock reaction: different mechanism of the molybdenum and vanadium catalysis, 2675-80

VANADIUM-51

- Vanadium(v) fluoride complexes in organic solvents. A vanadium-51 and fluorine-19 nuclear magnetic resonance study, 751-4
 Vanadium-51 nuclear magnetic resonance study of sulphido- and oxosulphido-vanadate(v) species, 1405-10

VAPORISATION

- Matrix-isolation studies on the vaporisation of arsenic(v) oxide: the characterisation of molecular species As_nO_x ($n = 7-10$) by infrared spectroscopy, 2725-30

VINYL

- Carbon-sulphur and carbon-hydrogen bond cleavages in the reactions of phenyl vinyl sulphide with trisium clusters: crystal structure determination of $[Os_3(\mu-SPh)(\mu-CH=CH_2)(CO)_{10}]$, 1431-6

VINYL ACETATE

- Chelation of vinyl acetate and related unsaturated ketones: molecular structure of $[Os_3(CO)_{10}(CH_2=CHOCOMe)]$, 1437-42

WATER

- Electrochemistry of the manganese(III)-manganese(IV) 5,10,15,20-tetrakis(*p*-trimethylammonio-phenyl)porphyrinate couple, 2297-302
 Kinetics of the oxidation of water by silver(II) ions complexed with 2,2'-bipyridine in aqueous nitrate media, 2593-6

X-RAY DIFFRACTION

- Pillaring of layers in α -zirconium phosphate by 1,10-phenanthroline and bis(1,10-phenanthroline)copper(II): formation of complex pillars *in situ*, 265-72
 Preparation and X-ray diffraction data for the new pyrochlores $Pb_2[M_{0.33}Sb_{1.67}]O_{8.5}$ ($M = Mg, Ni, Cu, \text{ or } Zn$), 1247-50

ZINC

- Stability and structure of some binary and mixed-ligand complexes of zinc(II), 1-6
 Zinc(II) bis(*O,O'*-dialkyl dithiophosphates): Interaction with small nitrogen bases. The crystal and molecular structure of hexakis(μ -*O,O'*-diethyl dithiophosphato)- μ_4 -thio-tetrazine, $Zn_4[S_2P(OEt)_2]_6S$, 925-8
 Zinc(II) bis(*O,O'*-dialkyl dithiophosphates): complexation behaviour with pyridine and other multidentate nitrogen donor molecules. The crystal and molecular structures of the 1:1 complexes of bis(*O,O'*-diisopropyl dithiophosphato)zinc(II) with pyridine, 2,2'-bipyridine, and 2,2':6',2'-terpyridine and of (1,11-diamino-3,6,9-triazaundecane)zinc(II) bis(*O,O'*-diethyl dithiophosphato), 929-38
 Synthesis of a pyridine-containing tetra-aza macrocycle, 7-methyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadeca-1(17),13,15-triene (L^1), and characterisation of its nickel(II), copper(II), and zinc(II) complexes. Reduction of the pyridine ring of $[Ni(L^1)]^{2+}$ to give $[Ni(L^2)]^{2+}$ ($L^2 = 7\text{-methyl-3,7,11,17-tetra-azabicyclo[11.3.1]heptadecane}$), and characterisation of $[Ni(L^2)]^{2+}$ by X-ray crystallography, 985-90
 Reactions of $[Zn(S_2P(OR)_2)_2]$ with nitrogen bases and the single-crystal X-ray structures of $[Zn(S_2P(OPr^i)_2)_2] \cdot H_2NCH_2CH_2NH_2$ and $[Zn(S_2P(OPr^i)_2)_2] \cdot NC_3H_3$, 1161-6

- Zinc carboxylate complexes: structural characterisation of some binuclear and linear trinuclear complexes, 1283-8

- Carbon-13 nuclear magnetic resonance study of ternary complexes involving zinc(II) and triethylenetetramine, 1499-504

- Carbon-13 nuclear magnetic resonance study of complexes involving zinc(II) and 2,2',2''-tri-aminotriethylamine, 1505-12

- Heterocyclic nitrogen-containing electron-pair donor ligands: a thermochemical study of adducts with zinc, cadmium, and mercury chlorides, 1913-6

- Zinc carboxylate complexes: structural characterisation of some binuclear and linear trinuclear complexes, 2287-6

- Thiosemicarbazones as co-ordinating agents. Solution chemistry and X-ray structure of pyridoxal thiosemicarbazone trihydrate and spectroscopic properties of its metal complexes, 2455-62

- X-Ray crystallographic and tungsten-183 nuclear magnetic resonance structural studies of the $[M_4(H_2O)_2(XW_6O_{34})_2]^{10-}$ heteropolyanions ($M = Co^0 \text{ or } Zn$, $X = P \text{ or } As$), 2699-706

ZIRCONIUM

- Uptake of amino-acids by zirconium phosphate. Part 3.

- Intercalation of L-histidine, L-lysine, and L-arginine by γ -zirconium phosphate, 61-6

- Pillaring of layers in α -zirconium phosphate by 1,10-phenanthroline and bis(1,10-phenanthroline)copper(II): formation of complex pillars *in situ*, 265-72

- Insertion of nitrogen oxide into a zirconium-carbon bond: reaction of dialkylbis(cyclopentadienyl)zirconium(IV) complexes with nitrogen oxide, 445-8

- Bulky metal aryloxides, arylamides, and sulphur and phosphorus analogues. Part 1. Synthetic and chemical studies of titanium and zirconium aryloxides, 489-98

- Synthesis and structure of $[Zr(R)Cl(\eta-C_5H_5)_2][R = \text{chiral, highly hindered alkyl: } CHSiMe_2C_5H_4N-2, CHSiMe_2C_5H_4PPh_2-o, \text{ or } CHSiMe_2(C_4H_9-9)]$; influence of the functional group on the nature and stability of their d^1 reduction products, 603-14

- Crystal and molecular structure of 1,1,1,1-tetracarbonyl-2,2- η -cyclopentadienyl-bis(μ -diphenylphosphido)-molybdenumzirconium, $[(cp)_2Zr(\mu-PPh_2)_2Mo(CO)_4]$, 713-6

- Halogeno, hydrido, and hydrocarbyl derivatives of (η -cyclo-octatetraene)(η -pentamethylcyclopentadienyl)zirconium(IV): X-ray crystal structure of $[Zr(\eta-C_8Me_8)(\eta-C_5H_5)H]$, 821-8

- Allyl derivatives of (cyclo-octatetraene)(η -pentamethylcyclopentadienyl)zirconium: X-ray crystal structure of $[Zr(\eta-C_5Me_5)(1-4-\eta-C_8H_9)(\eta-C_5H_5)]$, 829-34

- Bulky metal aryloxides, arylamides, and sulphur and phosphorus analogues. Part 1. Synthetic and chemical studies of titanium and zirconium aryloxides (1986, 489), 1311-2

- Isolation and crystal structure of

- $[NHMe_3]_2[ZrCl_4(OMe)(MeOH)]Cl$. The first example of a linear zirconium-methoxide bond: structural and bonding implications, 2493-6

- Crystal structure of

- $[Zr(dmpe)(CH_2Si(CH_3)_3)_4](dmpe = PMe_2CH_2CH_2PMe_2)$. Evidence in support of the postulation for the presence of an agostic hydrogen, 2743

